U.S. Patent 6,434,223

में में की मार्च के मार्च के मार्च की मार्च का का मार्च की मार्च



U.S. Patent Number 6,434,223 Inventor: Ronald A. Katz Issue Date: August 13, 2002


All claims of U.S. Patent No. 6,434,223 are invalid in light of the following prior art:

- Moosemiller, John. P. "AT&T's CONVERSANT I Voice System." Speech Technology – Mar./Apr. 1986 pp. 88-93; and
- Perdue, Robert J. and Eugene L. Rissanen. "CONVERSANT 1 Voice System: Architecture and Applications." Sept./Oct. 1986.

Accompanying this submission, please find one or more claim charts applying one or more of the above cited prior art references being applied to one or more claims from U.S. Patent No. 6,434,223.

Accompanying this submission, please find one or more claim charts illustrating double patenting.

Accompanying this submission, please find a copy of *Ronald A. Katz v. AT&T Corp.*, 63 F.Supp.2d 583 (E.D. Pa. 1999), in which that court construed some elements of patent claims issued to Ronald A. Katz and a copy of *Marlow Indus., Inc. v. Igloo Prod. Corp.*, No. 02-1386, 2003 WL 21212626, (Fed. Cir. May 23, 2003)(unpublished).



2003)(unpublished)(See Fed. Cir. Rule 47.6)(emphasis added).

Pursuant to 37 U.S.C. §1.555, we believe that the prior art, decisions, opinions, orders, and arguments associated with the following proceedings may be pertinent:

world conditions under which examiners work)." Marlow Indus., Inc. v. Igloo Prod. Corp., No. 02-1386, 2003 WL 21212626, at *2-3 (Fed. Cir. May 23,

- West Interactive Corp. v. First Data Resources Inc., 1991 WL 355059 (D. Neb. July 22, 1991);
- First Data Resources Inc. v. West Interactive Corp., No. 91-CV-4471 (C.D. Cal. August 20, 1991);
- West Interactive Corp. v. First Data Resources Inc., 972 F.2d 1295 (Fed. Cir.
- Ronald A. Katz Tech. Licensing, LP v. AT&T, Corp., No. 97-CV-539 (D. Neb. Oct. 27, 1997);
- Ronald A. Katz Tech. Licensing, LP v. AT&T, Corp., No. 98-CV-88 (D. Neb. Mar. 2, 1998);
- Ronald A. Katz Tech. Licensing, LP v. AT&T Corp., 63 F.Supp.2d 583 (E.D. Pa. 1999);
- Ronald A. Katz Tech. Licensing, LP v. Micro Voice Applications Inc., No. 99-CV-592 (N.D. Cal. Feb. 8, 1999);
- Enhanced Global Convergence Serv., Inc. v. Ronald A. Katz Tech. Licensing, LP, No. 01-CV-375 (D. N.H. Oct. 5, 2001);
- Verizon Cal., Inc. v. Ronald A. Katz Tech. Licensing, LP, No. 01-CV-9871 (C.D. Cal. Nov. 16, 2001);
- Enhanced Global Convergence Serv., Inc. v. Ronald A. Katz Tech. Licensing, LP, No. 02-CV-66 (D. N.H. Feb. 2, 2002);
- Ronald A. Katz Tech. Licensing, LP v. Verizon Communications Inc., 2002 WL 1565483 (E.D. Pa. July 16, 2002);
- Ronald A. Katz Tech. Licensing, LP v. Verizon Communications Inc., 2002 WL 31834833 (E.D. Pa. Dec. 18, 2002); and
- Ronald A. Katz Tech. Licensing, LP v. Verizon Cal., Inc., No. 03-CV-1918 (C.D. Cal. Mar. 18, 2003).







Claims 80 & 97: U.S. Patent No. 6,434,223

Claim Elements – Claim 80	The Prior Art – Moosemiller, John. P. "AT&T's CONVERSANT I Voice System." Speech Technology – Mar./Apr. 1986 pp. 88-93 ("Moosemiller"); Perdue, Robert J. et al. "CONVERSANT I Voice System: Architecture and Applications" AT&T Technical Journal – (Manuscript Rec'd July 17, 1986) September/October – Vol. 65 – Issue 5 pp. 34-47 ("Perdue").
A process for receiving calls through a communication facility from a multitude of	"In September 1985, AT&T Conversant Systems introduced the CONVERSANT I Voice System, a voice response and speech recognition product for the growing market of automated information services." (Moosemiller p. 88).
terminals in an 800 call mode for processing data in accordance with an identified	"This system accesses data bases via the public telephone network." (Moosemiller p. 88). "Telephones, rotary or touch-tone, can become instant terminals." (Moosemiller p. 88).
one of a plurality of interface formats and involving digital signals	"Depending on the system's configuration, it can service up to 80 simultaneous calls." (Moosemiller p. 89).
including digital signals provided by the multitude of terminals for identification or [sic] data the process	The system is capable of providing the caller with a variety of interactive operating modes. (Moosemiller See Fig. 2, p. 90). Generic software (transaction state machine) is controlled by application software (transaction scripts) in processing data. As shown on p. 88, formats include financial services, credit authorization, and sales order entry.
comprising the steps of:	"The applications AT&T Conversant Systems has prototyped include: stock quotations, catalog ordering, airline reservations, dial-it information menus, caller destination control and telephone banking." (Moosemiller pg. 92).
	Pay to dial call modes and toll free call modes were well known billing options at the time of Katz's original disclosure. In fact, the pay to dial call mode merely signifies a charge for a service billed by the telephone company:
	"Although a local 900 call is free, the customer is billed for the service provided at the other end of the line." ("900 Party Line Speaks Angry Words." The Record, April 15, 1988).
	Such billing options were available at least as early as 1980 when viewers of a presidential debate were able to cast a vote for the debate "winner" by dialing one of two 900 numbers. (See <i>United Press International</i> , November 3, 1980).

Material claim element terms are in **bold**. Corresponding prior art disclosure is <u>underlined</u>.





Carl State state of specific to present the state of the specific state of the specific

	"Callers access the system through touch-tone signals, speaking isolated words and connected digit strings or by using modems and data terminal equipment." (Moosemiller p. 88).
	"The trunk interface answers an incoming call and communicates this to the system controller via the GPIB. Transaction software determines what greeting phrase to play. This is followed by a prompt to dial '1' for tone input." (Moosemiller p. 88).
	"The [CONVERSANT I] system was made flexible enough to cover a wide spectrum of call-handling applications in a cost-effective manner. A large number of calls can be handled concurrently." (Perdue p. 35).
receiving calls in the 800 call mode wherein digital signals indicative of at least a first called number (DMS)	"The <u>Dialed Number Identification Service (DNIS)</u> has been used with a Direct Inward Dialing (DID) trunk interface to receive digits as part of the <u>call setup protocol</u> . This allows advance classification of incoming calls for different applications which are greeted by appropriate transaction prompts." (Moosemiller p.88).
identify a first interface format;	The transaction state machine and transaction software can use <u>DNIS</u> (the called number) to control the VRU. For example, a VRU may function differently if the called number is an "800" number.
	Dependent upon the dialed number, the TSM instructs the VRU as to which interactive format to speak. "Many different scripts may reside in the system and be executed concurrently. Which script to run is determined by the telephone number that was dialed" (Moosemiller p. 91).
	"The script to be run on a particular call is normally determined by either the trunk the call uses or the direct inward dialing digits forwarded to our system by the central office." (Perdue p. 39).
receiving calls in the 800 call mode wherein digital signals indicative of a second	"The <u>Dialed Number Identification Service (DNIS)</u> has been used with a Direct Inward Dialing (DID) trunk interface to receive digits as part of the <u>call setup protocol</u> . This allows advance classification of incoming calls for <u>different applications</u> which are greeted by appropriate transaction prompts." (Moosemiller p.88).
(DNIS) identify a second interface format;	The transaction state machine and transaction software can use <u>DNIS</u> (the called number) to control the VRU. For example, a VRU may function differently if the called number is an "800" number.
	Dependent upon the dialed number, the TSM instructs the VRU as to which interactive format to speak. "Many different scripts may reside in the system and be executed concurrently. Which script to run is determined by the



de the second of the second of

. !	
	telephone number that was dialed" (Moosemiller p. 91).
	"The script to be run on a particular call is normally determined by either the trunk the call uses or the direct inward dialing digits forwarded to our system by the central office." (Perdue p. 39).
processing calls received in the 800 call mode for the two	Moosemiller discloses a system with multiple VRUs. (Moosemiller See Fig. 1, p 89).
distinct called numbers in	"Depending on the system's configuration, it can service up to 80 simultaneous calls and run different types of
operations of the first and	transactions concurrently. (Moosemilier p. 89).
second interface formats,	Further, DNIS is used by the TSM to classify a call. Each call is then "greeted by appropriate transaction
operations comprise at least	prompts. (intooscilling p. 60).
the step of:	"The transaction state machine (TSM) controls the transactions in progress by executing commands of a
	transaction script written for a particular application. TSM can handle many calls, i.e., run many transaction scripts
	concurrently. Since the transaction scripts may be different, several independent applications can be implemented
	on a single system." (Perdue p. 38-39).
providing a distinct	Further, DNIS is used by the TSM to classify a call. Each call is then "greeted by appropriate transaction
automated greeting voice	prompts." (Moosemiller p. 88).
prompt to callers calling at	
least one of the two distinct	"Transaction software determines what greeting phrase to play." (Moosemiller p. 88).
called numbers associated	
with the first and second	"The system responds with high quality, natural sounding speech using an advanced speech coding algorithm
formats in the 800 call mode;	developed by AT&T." (Moosemiller p.88).
	See "Panel 1: Sample Script" (Perdue p. 40).
	See "Table 1 Financial Information Transaction Dialog" (Perdue n. 43)
receiving caller provided data	Moosemiller describes how speech recognition technology can be used to qualify callers. Described is "an
entered by the callers and	automatic means of confirming the identity of a claimant based on historical speech patterns." (Moosemiller p.
testing the caller entered data	90).
to verify on-line the calls	





received in received in ubers ertain calls for sing in at least cond	Qualification can be completed using touch-tones, spoken words, spoken digits etc.
	"The following example illustrates logging into a service by voice entry or numeric ID." (Moosemiller p. 91).
	See "Financial Information" – Users are verified and allowed access according to 9-digit user identification number. (Perdue p. 45).
	See "Speaker Verification" (Perdue p. 46).
calls nn t	"Depending on the systems configuration, it can service up to 80 simultaneous calls and run different types of
calls n t ions	transactions concurrently." (Moosemiller p. 89).
alls	
suc	"Many different scripts may reside in the system and be executed concurrently. Which script to run is determined
suc	by the telephone number that was dialed, the physical telephone circuit on which the call was received, or further
st tions	interaction with the user" (Moosemiller p. 91).
tions	
	"The transaction state machine (TSM) controls the transactions in progress by executing commands of a
	transaction script written for a particular application. TSM can handle many calls, i.e., run many transaction scripts
interface formats. <u>concurrently</u> . Since the transaction scripts may be differ	concurrently. Since the transaction scripts may be different, several independent applications can be implemented
on a single system." (Perdue p. 38-39).	on a single system." (Perdue p. 38-39).





Claim Elements - Claim 97 The Prior Art - Moosemiller, John. P. "AT&T's CONVERSANT I Voice System." Speech Technology - Mar./Apr. 1986 pp. 88-93	"CONVERSANT I's real-time voice coder allows customers to record daily messages and make minor response changes conveniently on site. The system can also support voice mail." (Moosemiller pg. 89). See "Voice Messaging" – "The voice coder subsystem is used to encode and store on a disk a message spoken by the caller. The caller also touch-tone dials the phone numbers of the intended recipients. The system makes the outgoing calls and verbally delivers the message. To allow for mass distribution of messages, the caller can maintain a list of recipient phone numbers on the system disk."
Claim Elements - Claim 9	A process according to claim 80, wherein the caller provided data is used to update data for the callers in a data bank relating to the callers.

6,434,223	5,255,309
Issue Date: August 13, 2002	Issue Date: October 19, 1993
Expiration Date: July 7, 2009	Expiration Date: December 20, 2005
1. A telephone call processing system for receiving calls through a telephone communication facility from a multitude of terminals for processing in a select interface format wherein callers are cued by voice signals supplied to said multitude of terminals and respond with digital signals, as by actuating push to said multitude of terminals and respond with digital signals, as by actuating push buttons at said multitude of terminals, said system receiving from the telephone communication systems digital signals indicative of D[N]IS, said telephone call processing system comprising: means for selectively receiving calls from said multitude of terminals in a plurality of call modes to establish telephone communication with a select subset of callers utilizing calling number identification signals automatically provided by the telephone communication facility, said select interface format selected by said digital signals indicative of DNIS; means for receiving identification signals for said callers of said select subset to provide digital signals that are entered by the callers, wherein at least certain of the cues and their responsive digital signals are a part of common processing operations to isolate a sub-subset of said callers; and means for storing identification signals for said callers of said callers of said callers; and	1. A controlled interface system for use with a telephonic communication facility including remote terminals for individual callers, wherein said remote terminals may comprise a conventional telephone instrument, and wherein said telephone communication facility may provide called terminal DNIS signals, said controlled interface system comprising: function unit means for supplying information of various formats, at least one of said formats being associated with an audio of a broadcast; interface means for interfacing said telephonic communication facility with said function unit means for voice and digital communication including means to receive terminal formed digital signals and means to provide signals representative of vocal communication to individual callers; and coupling means for coupling a caller at a terminal through said interface means to said function unit means for selective communication in accordance with a specific one of said formats under control of said called terminal DNIS signals.
	7. A controlled interface system in accordance with claim 1 wherein said interface means interfaces a caller billing structure of the telephonic communication facility.
	8. A controlled interface system in accordance with claim 7 wherein sa[i]d caller billing structure bills pay-to-dial caller billing data.

6,434,223	5,255,309
	46. A control system for use with a
	communication facility including remote
	terminals for individual callers, wherein each of
	said remote terminals may comprise a
	conventional telephone instrument including voice
	communication means, and digital input means in
	the form of an array of alphabetic numeric buttons
	for providing data, said control system
	comprising
	an interface structure coupled to said
	communication facility to interface said remote
	terminals for voice and digital communication,
	and including means to provide caller data signals
	representative of data relating to said individual
	callers developed by sad remote terminals;
	voice generator structure coupled through said
	interface structure for actuating said remote
	terminals as to provide vocal operating
	instructions to said individual callers;
	record structure, including memory and control
	means, connected to receive said caller data
•	signals from said interface structure for updating a
	file and storing digital caller data relating to said
	individual callers provided from said digital input
	means through said interface structure; and
•	qualification structure controlled by said record
	structure for testing caller data signals provided by
	a respective one of said individual callers to
	specify a consumable participation key for
	restricting the extent of access to said system to
	limit data stored from said respective one of said
	individual callers on the basis of entitlement.

1 4	5,434,223	4,930,150
-	ssue Date: August 13, 2002	Issue Date: May 29, 1990
	Expiration Date: July 7, 2009	Expiration Date: December 20, 2005
	. A telephone call processing system for	10. A process for interfacing a telephonic
	eceiving calls through a telephone	communication system including remote terminals
	communication facility from a multitude of	with a multiple port, multiple format data
	erminals for processing in a select interface	processing system, said multiple port, multiple
	format wherein callers are cued by voice signals	format data processing system for concurrently
	supplied to said multitude of terminals and	processing data from said remote terminals
1	espond with digital signals, as by actuating push	according to a plurality of formats, at least one of
	o said multitude of terminals and respond with	said formats having at least one condition for a
	ligital signals, as by actuating push buttons at said	calling terminal, and wherein said telephonic
	nultitude of terminals, said system receiving from	communication system provides call data signals,
	he telephone communication systems digital	as to indicate called and calling numbers, said
	ignals indicative of D[N]IS, said telephone call	process including the steps of:
	processing system comprising:	
1	we are the second secon	receiving said call data signals from said
₫ n	neans for selectively receiving calls from said	telephonic communication system for a calling
	nultitude of terminals in a plurality of call modes	remote terminal;
	o establish telephone communication with a	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
* s	elect subset of callers utilizing calling number	selecting a processing format of said multiple
i ic	dentification signals automatically provided by	port, multiple format processing system for the
‡‡ tl	he telephone communication facility, said select	calling remote terminal under control of said data
iı iı	nterface format selected by said digital signals	signals as the selected format;
iı iı	ndicative of DNIS;	
		testing the selected format in relation to said call
n	neans for receiving identification signals for said	data signals; and
il c	allers of said select subset;	
in the		conditionally interfacing said selected format to a
al n	neans for individually cuing said callers of said	calling terminal under control of said testing of
	elect subset to provide digital signals that are	call data signals.
e	ntered by the callers, wherein at least certain of	
	he cues and their responsive digital signals are a	
p	art of common processing operations to isolate a	
S	ub-subset of said callers; and	
	neans for storing identification signals for said	
C.	allers of said sub-subset.	
		16. A process according to claim 10 further
		includes the step of formulating a record data
		word of a call.
		17. A process according to claim 16 wherein said
		record data word includes billing data.

AT&T's CONVERSANT™ I Voice System

This new voice response system, with its many telephone trunk interfaces. is targeted for the growing market of automated information services uses.

John P. Moosemiller

Member of Technical Staff
AT&T Bell Laboratories
Columbus, OH

IN SEPTEMBER 1985, AT&T Conversant Systems introduced the CONVER-SANT™ I Voice System, a voice response and speech recognition product for the growing market of automated information services. This system accesses data bases via the public telephone network. Telephones, rotary or touch-tone, can become instant terminals eliminating the need for costiv computer peripherals and providing easy availability.

The CONVERSANT I has many speech capabilities. Callers access the system through touch-tone signals, speaking isolated words and connected digit strings, or by using modems and data terminal equipment. The system responds with high-quality natural-sounding speech using an advanced speech coding algorithm developed by AT&T.

CONVERSANT I applications include the following broad areas of information dissemination

- financial services
- E credit authorization
- m wholesale and retail distribution
- sales order entry
- direct marketing
- transportation scheduling and dispatching
- college registration
- Communication services

Hardware Architecture

The hardware architecture for the CON-

VERSANT 1 is flexible, expandable, and modular. It allows one to economically configure just the necessary voice channel capabilities. Additionally, the system controller and the voice switch can allocate speech processing units as needed, thus time-sharing them. For example, a catalog service user fival log in with tone or service user fival log in with tone or speech recognition, download accumulated orders from a hand-held terminal to a system modem, leave a voice message for a supervisor via the real-time voice coder, and finally dial an attendant dispatcher, all within one use. It can be packaged from four to 80 channels

The controller (Fig. 1) executes system software under the UNIXTH operating environment. Through this, local control of transactions is accomplished, along with substantial off-loading of host processing. Winchester disks provide ample storage for local data bases, coded speech, and system software. For reliability these disks may be duplicated. Multiple data communication ports provide common data link protocols, including IBM 3270 BSC and SNA. and asynchronous ASCII TTY. The system controller communicates to intelligent and relatively autonomous speech subsystems viz the IEEE 488 General Purpose Interface Bus (GPIB)

An internal voice switch supports the bridging of speech units to each incoming voice channel. One-to-many connections are possible. Four-wire continuity is preserved, permitting speech units to separately modify the signal gain for incoming and outgoing voice channels. The voice switch (Fig. 1) is the key to real-time allocation of speech processing hardware, which occurs under direction of the system controller via the GPIB. Simple system configurations, however, can make the

voice switch unnecessary For example. Fig. 1 shows voice response units directly connected to incoming trunk channels. Any speech processing units may be optionally bridged to incoming calls via the voice switch.

Most voice response systems only provide line interfaces to the telephone network, whereas the CONVERSANT I system adds many common trunk interfaces. Call supervision, the immediate knowledge of call progress and termination, is important for effective management of telecommunication costs and is possible only with trunks. The Dialed Number Identification Service (DNIS) has been used with a Direct Inward Dialing (DID) trunk interface to receive dialed digits as part of the call setup protocol. This allows advance classification of incoming calls for different applications which are greeted by appropriate transaction prompts. The DNIS feature is useful for service bureaus or for multipleuser applications

Most common analog trunk types and T1 digital carriers can be serviced through the system's telephone network interfaces. The system can dual out on lines and two-way trunks, and it can work in conjunction with Automatic Call Distributor and Private Branch Exchange systems. With direct trunk connections, though, the cost of the latter approach may be unnecessary.

The hardware architecture also allows for control of the speech subsystems and all subunits, including the switch and the network interfaces. This is done by the system controller using the GPIB. The following example illustrates this.

The trunk interface answers an incoming call and communicates this to the system controller via the GPIB. Transaction software determines what greeting phrase to play. This is followed by a prompt to dial


I" for tone input; the voice response unit is attached if not already dedicated, and commanded to play the phrases and collect touch-tone signals. If no tones are heard, the unit signals the controller over


SPEECH TECHNOLOGY MAR./APR. 1986




≅











the GPIB and it dictates the switch to bridge on a speech recognizer. The trans- , ing on the system's configuration it can action continues to use the voice response unit to generate prompts and the speech recognizer to accept the user's voice commands. Transaction control and the speech subsystems management are performed by the system controller through the GPIB.

Design and Features

With the CONVERSANT I's flexible architecture, new features and channel capacity can be added as requirements change. It can operate standing alone or as a front-end processor to one or more host computers. The basic product uses touchtone signaling and voice response. The internal voice switch bridges optional speech processing subsystems under di-

rection of the system controller. Dependservice up to 80 simultaneous calls and run different types of transactions concurrently

Both telephone line and trunk interfaces are available, the latter providing direct call progress and supervision as part of the protocol exchanged with a central switching office. The system is capable of ourdraing. bridging to an attendant for help or completing a partially automated transaction In addition, CONVERSANT 15 real-time voice coder allows customers to record duly messages and make minor response changes conveniently on site. The system can also support voice mail

Voice recognition can be added to the basic product. Speaker independent and dependent recognition are available with

both isolated and connected word capabilities. Automated services can be provided to rotary telephone users through speaker independent recognition of connected digit strings

Features for rehability include backup disks, power supplies, and streaming tape drive. The system has built-in self diagnosis and will automatically reboot and recover it a severe operating problem is detected. Complete administrative and maintenance software tools are accessed through the system console or remote control

When compared with traditional means of providing information services, the CONVERSANT I system is very cost effective it reduces attendant costs through automation and provides revenue through new services that were previously uneco-

SPEECH TECHNOLIKAL. MAR /APR 1980



Fig. 2 CONVERSANT" SOFTWARE ARCHITECTURE Seriors Host Host Line Bus/Device Subsystem State Application Driver Driver Handlers Machine (Generic) Speech Data Base Generic Software Application-Software

nomical

Speech Processing Technologies

Three speech technologies-speech synthesis, recognition, and coding-are embodied in the CONVERSANT I. High quality speech playback is accomplished efficiently using Multi-Pulse Linear Predictive Coding (MPLPC) algorithms deveioped at AT&T Bell Laboratories 113 Good intelligibility is preserved at 9 6K bbs. a rate compatible with the system's real-time voice coder. Studio quality occurs at rates approaching 14K bps. Each voice response unit has the capacity to store 400 seconds of MPLPC speech and virtually unlimited amounts of speech may be downloaded in real time from system disk storage. We have found that voice playback. quality strongly influences users' perception of a service's worth. For this reason, our efforts have concentrated on synthesis by analysis of recorded speech, rather than synthesis by rule from text alone

Both speaker independent and dependent speech recognition are possible, and isolated and connected utterances can be recognized. For speaker independent recognition, the vocabulary is currently limited to connected digit strings, isolated digits, and the words "ves" and "no." Robust recognition of telephone speech by the general public requires a substantial voice sampling effort (2)

Speech recognition is accomplished through statistical template matching with Dynamic Time Warping (DTW) AT&T Bell Laboratories has researched these algorithms for some time. In addition, acoustic phoneuc aignrithms enhance the decision process and identify words within connected speech. Since the transmission bandwidth of telephone nerworks is only about § 3 kHz, telephone speech is first sampled at a frequency of 6.67 kHz. Front-end processing of the speech signal involves an 6 note auto-correlation analysis which results in an efficient representation called Linear Predictive Coding (LPC) Recognition occurs by comparing LPC coefficients for the speaker's atterancecalled the test template-with LPC coded words in the data base—the reference templates. Within thresholds, the unknown word is assumed to belong to the same class as the set of termilates it most closely matches, using ltakura sidistance metric 100

For many applications, such as woice mail, daily announcements, and feedback of speaker-dependent command words, it

is desirable to provide real-time voice coding. The CONVERSANT I satisfies this need with a voice coder that converts an analog speech signal into 9 6K bps MPLPC in real-time. The converted speech may be stored in digital format on the system disk and played back through the voice response unit immediately or later.

Future Speech Technologies

Two other related technologies, speaker verification and text-to-speech synthesis. are under investigation. The first is an automatic means of confirming the identity of a claimant based on historical speech patterns. This capability exists as a working prototype Second, text-to-speech, or rule-based synthesis from text, is necessurvitor applications with open-ended vocabularies, such as proper names and addresses AT&T Conversant Systems as monitoring research that promises to advance text-to-speech performance, such as efforts to devise better pronunciation rules for foreign words in an English context. When significant improvements in text-to-speech are possible. AT&T Conversunt Systems will incorporate them in the CONVERSANT I product In the mean-

ONCE MEAN NAME ... CONTRACTOR TO THE







ume, they will consider integrating other commercial text-to-speech units.

Application Software

Application software development may be done by AT&T Conversant Systems, a value-added reseller of the product, or the user. To facilitate development, clear delineations have been made between generic operational software and application software. In what follows, software architecture will be discussed in three areas: 1) applications development, 2) high-level script language used to define transactions, and 3) AT&T's experience in prototyping applications

Development

A simplified view of the CONVERSANT I's software architecture emphasizing the customizable parts for applications, is shown in Fig. 2. Central to the architecture is the transaction state machine (TSM) which, through a single process, controls all active sessions. Although the TSM is generic, it interprets transaction scripts. Many different scripts may reside in the system and be executed concurrently Which script to run is determined by the telephone number that was dialed, the physical telephone circuit on which the call was received, or further interaction with the user (scripts can transfer control to other scripts). The TSM controls all speech subsystems through various handlers and drivers. The applications programmer does not have to know how these devices work; they exist only as logical entities implied by the functionality of the script language.

The application programmer is responsible for the host application laver. Interactive communication with an external host computer is typical, but not absolutely necessary since the application may access a local data base on the system disk. Either way, some modules must be developed to process the content of data messages supporting the application. It is possible to place all information in the transaction script when prototyping applications. Currently, the host application layer must be written as C language subroutines. The developer, however, does not have to be concerned about lower-protocol lavers because they are handled by generic host

Although not strictly software, the speech dam base, which prompts the end user or verbalizes retrieved information through the voice response units, must be considered part of the application. The transaction script language has built-in knowledge of how to access the speech data base and is acted upon by the TSM.

■ Transaction Script Language

AT&T Conversant Systems has developed a high-level language for defining transaction scripts, thus making it easy to prototype speech applications and mainmin them. The script language lets the application developer treat the TSM as a virtual machine. Device control details are hidden and automatically managed

Instructions in the TSM script tanguage were designed specifically for voice transactions. They include voice response instructions that speak phrases, numbers. and characters—in sensible ways with flexible intonation. Other instructions collect the user's speech or touch-tone signals or mediate data base transactions with a remore host computer. The following example illustrates logging into a service by voice entry of a numeric ID

SCRIPT INSTRUCTION

MAIN:

tfile ("/talk/script1") LOGON() SERVICE () BYE()

LOGON: ralk ("hello, welcome") talk ("please speak id") getdig (DIG9, ch.LOGID.9) ubase (O. VERIF, ch.RESP. RESPLEN, ch.LOGID, LOGLEN) jmp (r.0 < im.0 no reply) talk ("account verified for") tchurs (ch RESP) rts () SERVICE.

rts ()

NO REPLY

talk ("sorry; service is unavailable, try later")

BYE.

talk ("thank you for calling") quit ()

The flexible architecture of the CON-VERSANT I system makes instructions for allocating devices appropriate. For example, a speech recognizer may bridge on only if the caller does not have a tone signaling telephone. Additional instructions for flow control and data manipulation provide a complete programming environ-

Using the high-level TSM script language, we have repeatedly implemented pages of textual instructions. It has also been shown that transaction software written in the C language can be converted to script format with a resultant compression factor of 10 or more. Mnemonics are emploved throughout scripts to reference encoded speech files, data structures, and subnounne lanels. Because of these factors. the transaction script language is an effective tool for application developers and a

complex transaction sessions in a few

COMMENTS/ANNOTATION

/*talk phrase xref file */ /*call LOGON submutine */

/*say greeting phrase */ /*prompt for verbal input */ "collect 9-digit response "/

/*venfy host 0 dam base */ /*timeout on host? jump */

"confirmation string "/ /*subroutine return */

/*details not shown */

MEECH TECHNOLOGY MARIAPE 1986



readable and maintainable definition of the application.

Prototyping

AT&T Conversant Systems has developed applications by first prototyping them. This is done by quickly generating a transaction script that simulates the initial concept, complete with dialog, but with little or no host application laver. By prototyping, the customer receives early exposure to the target transaction. It provides an easy way of retrying the simulation until it is substantially correct. The applications AT&T Conversant Systems has prototyped include: stock quotations, catalog ordering, airline reservations, dial-it information menus, caller destination control, and telephone banking

Several considerations go into prototyp-


ing and application development. Most important, though, is the user model, Successful implementation of the application depends upon three factors

- easy access and utility
- adequacy and necessity of information provided
- minimal connect time

The last attribute is important to the service provider because it reduces telecommunication costs. It is also significant to the end users who weigh their time against alternative sources of information In assessing application success, one must hear in mind the end user's short-term memory capacity and how information processing restraints affected it. For instance, input prompts should state or strongly imply the valid responses, such 45

"yes" or "no," at the end of the message Retrieved data, such as numbers that must he spoken as a series of individual words. may be unintelligible if attention is not given to prosody (rhythm) and intonation Poor intelligibility increases the information processing load on the user and reduces attention to the main task. The transaction script language aids prototype development by providing built-in intonation and pronunciation rules for numeric and character strings

Once the application concept is defined. a familiar series of steps result in functional data requirements, flow diagrams, and transaction dialog. Prototyping gives the developer early feedback on human factors of a voice transaction without having to fully implement data base interfaces and error hundling





Stock Quotation Application

One application in use is AT&T Conversant Systems support of a stock quotation service for customers of Fidelity Brokerage Services a major discount brokerage house in Boston. This represents the first commercial application of connected speech recognition in support of automated delivery of information services by telephone.

In this application, the CONVERSANT I is a front-end processor to the service provider a quotation data base and a host computer with customer account information. as shown in Fig. 3. The service provides on-demand quotations for 6000 stocks, stock option quotations, a personal stock watch list for convenience, and the current Dow Jones Industrials Average Transaction control is provided locally in the CONVER-SANT I, that is, it determines how many quotes to provide per call and when to provide help messages. Only a few; carefully defined messages need be exchanged with the data base machine to support the application and they are strictly informational messages. They accomplish the following

- LOG—validates user ID number, returns stock watch list
- DOW—returns Dow plus time and date
- STK— accepts stock number, then outputs ticker symbol and quote
- OPQ—accepts option number with its month and strike price codes, outputs option quote
- OFF— logs off confirmation for each user session
- STA— uploads accumulated system transaction statistics

By offloading transaction control, the data base host can perform more effectively. The host also supports a personal computer service separate from this application. A multi-threaded data stream arrangement allows only a few physical lines to handle a much larger number of active sessions. The CONVERSANT I treats the data base host as an individual transaction server white also managing user sessions with its built-in state machine.

The user's contact with the quote serv-




Fig. 4

The CONVERSANT I System can operate alone or as a from-end processor to one or more host computers

ice depends on a catalog which gives stocks numeric IDs. Current speech recognition capability permits introduction capability permits introduction on the words one through "nine to map to order terms with a string accuracy greater than 95 percent Redundancy and error correction are built into the coded strings. This numeric data log approach has a idespread applicability in the areas or order entry menu selection and information retires.

Marketing Outlook

Since the AT&T CONVERSANT I Noice system provides conversational access to Computer information from an itere information from an itere information and efficient in supporting a ringe of input and output modalities. By parketing information variety of channels, AT&T plans to develop complete application solutions for bosiness customer problems that arise.

SPEECH FECHNOLOGY . MAR APR 1980

REFERENCES

- B. Atal. Predictive Coding of Speech at Low Bit Rules | IEEE Trans Communications COM 36, 1982, pp. 600-614
- 2 S.D. Hester, H.M. McHugh, K.A. Vander-Meulen, "The AT&T Multi-Mode Voice Systems—Full spectrum Solutions for Speech Processing Applications," Proceedings of the 1985 AVIOS Conference.
- L.R. Rabiner and C.E. Schmidt, "Application of Evinam". Time Warping to Connected Dist Recognition," IEEE Trans & Market Speech and Signal Processing ASSP 20, 1980, pp. 577–588.
- Filtakura, Minimum Prediction Residual Principir Applied to Speech Recognition," IEEE Trans. Acoustics. Speech and Signal Processing ASP 25, 3073, pp. 07772.

FIRE WAS INFORMATION

Contact Chris D. Farest: AT&T Conversant assistems (200) Eak Broad Street Columbus OH





069240.0101-MMcN/002

CONVERSANT® 1 VOICE SYSTEM: ARCHITECTURE AND APPLICATIONS

AT&T TECHNICAL JOURNAL

Robert J. Perdue and Eugene L. Rissanen

Robert J. Perdue is a supervisor in the Conversant Systems Development Department at AT&T Bell Laboratories in Columbus, Ohio, He is responsible for developing advanced speech and signal processing systems for network and commercial customers. He received both M.S.E.E. and B.S.E.E. degrees from Massachusetts Institute of Technology in 1973. Eugene L. Rissanen is a member of the technical staff in the Conversant Systems Development Department at Bell Laboratories in Columbus. He is developing advanced speech capabilities for the Conversant® 1 voice system. He joined AT&T in 1968. He received a B.S.E.E. degree from Michigan Technological University in 1968, an M.S.E.E. degree from Columbia University in 1970, and a Ph.D. in electrical engineering from Ohio State University in 1976.

A flexible and cost-effective system for introducing speech technology into the marketplace is described. The system answers telephone calls from lines and trunks and provides verbal prompts and information to the caller. The caller can request specific information and direct the transaction by using either touch-tone or voice input. Requested information is obtained either from a small data base on the system disk or from an external source. Other system functions include recognition of isolated words and connected digit strings, recording and encoding of phrases and announcements for playback during a transaction, and call transfer and origination. A special interpreted language for specifying the transaction dialog allows diverse applications of the system to be easily written and modified.

A New Venture

There exists at AT&T a tremendous knowledge base in the broad areas of speech and signal processing, telecommunications, language understanding, artificial intelligence, and systems development. Advancing technology has recently made it possible to put this knowledge to work in salable speech products and services. In 1985, AT&T formed a new venture, Conversant Systems, chartered to research the marketplace and develop speech systems to satisfy customer needs. The venture consists of colocated people from AT&T Technology Systems and AT&T Bell Laboratories, who together have expertise in marketing, development, and manufacturing.

Our market research has provided a broad perspective on available products, customer preferences, and areas where new markets could be created. For example, a significant market exists for automating telephone attendant activities in information access systems. 1.2 Desired functions of these attendant automation products include speech and touch-tone recognition, speech encoding and storage, playback of coded speech, speaker verification, and telephone call

origination and handling.

TU Œ O 1




Figure 1. General architecture of the Conversant 1 voice system.

On the basis of these market studies, the Conversant® 1 voice system was designed. The system was made flexible enough to cover a wide spectrum of call-handling applications in a cost-effective manner. A large number of calls can be handled concurrently. A centralized switch allows various subsystems, such as speech recognizers and voice response units, to be shared among calls. To allow customization for particular applications, the transaction dialog is written in a special language that is

interpreted in real time. Speech processing algorithms, subsystems, and other hardware already available have been relied upon heavily.³⁻¹³ Where necessary new algorithms and subsystems have been developed.

System Architecture and Operation

An underlying goal of the system architecture is that it accommodate a large variety of applications with a minimum of adaptation effort. This goal is reflected in both its hardware configuration, as described here, and its generic and application-specific software, as described later in this article.

In its most general configuration, shown in Figure 1. the system consists of a set of telephone trunk and line interface units, a set of specialized speech subsystems, a switch to connect these subsystems to the trunks and lines, and a system controller to coordinate the whole operation. The speech subsystems, which include voice response units, voice coders, and speech recognition units, can be readily shared among calls, and several types of subsystems can be connected sequentially to a single reall. The type and number of subsystems and interface finits will depend on the particular application. The interface units, switch, and subsystems are connected to a general-purpose interface bus (the IEEE 488 GPIB) and will sometimes be referred to as GPIB devices. The system controller (SC) uses the bus to communicate with the GPIB devices. The SC also supports optional data links to one or more host machines.

At the highest level, the operation of the system controlled by application-dependent "transaction scripts" residing in the SC. These scripts contain commands which specify the dialog and flow of events during a call. The script language, which will be described later, includes commands to answer incoming calls, speak various phrases, gather touch-tone or spoken digits, obtain data thems from an internal or external data base, and transfer calls.

At a lower level, each script command is decomposed into a set of tasks when the command is executed. For example, a command to speak a particular phrase requires the following tasks:

Parsing the phrase into words or subphrases

Determining if the voice response unit (VRU) serving the call has the needed subphrases in its cache

Downloading subphrases not already in the VRU cache

Sending a message to the VRU specifying the subphrases to be played

Awaiting a completion message from the VRU.

While awaiting the VRU completion message, the script interpreter program will execute script commands for other calls in progress. Hence, many calls can be han-




Figure 2. The Conversant 1 voice system, model 32.

dled simultaneously and independently in a multitasking manner.

Depending on the script commands, different subsystems on the voice switch can be connected to the call, as needed. The script can also obtain application-dependent data via a data interface process.

Variations of the general configuration of Figure 1 have been used. For example, in many voice response applications, a VRU must be dedicated to each call for the




Figure 3. The Conversant 1 voice system, model 80.

entire duration of the call. Hence, one of our standard configurations has each trunk interface unit wired to a dedicated VRU. The voice switch is used to connect additional subsystems to the call.

Physical System Design. There are currently two models of the Conversant 1 voice system, model 32 and model 80 (Figures 2 and 3). The main difference between them is the SC and the physical housing. The call-handling capabilities of both are functionally equivalent.

The model 32 uses an AT&T PC6300 Plus computer as its SC while the model 80 SC is based on a commercial single-board computer. With redundant power supplies, alarm systems, and automatic reboot capability, the model 80 is suited for larger applications that demand an extra margin of system availability.

Both models use AT&T Fastech® backplane technology for the GPIB devices. The model 80 packs its GPIB devices and SC on the shelves of a tall floor-standing cabinet, whereas the model 32 consists of the PC6300 Plus and one or more single-shelf tabletop cabinets for the GPIB devices.

The System Controller. For simplicity, only the model 32 system controller is described here. The PC6300 Plus was chosen because of its availability, UNIX environment, GPIB compatibility, and low cost. The PC6300 Plus is based on the Intel 80286 processor and comes equipped with 1 megabyte of memory, a 20-Mbyte hard disk, a 1.2-Mbyte floppy disk, a GPIB interface board, and a 4800-baud asynchronous data port. ¹³

Depending on the specific application, optional features that will be used include:

- An additional megabyte of memory with future expansion to 7 Mbyte
- A faster and larger (40, 67, or 135 Mbyte) hard disk for the speech phrases and any internal application data bases
- A streaming tape drive for program backups
- An additional GPIB interface board to access subsystems
- Four-port asynchronous communication boards for host data !inks
- Synchronous protocol communication boards for host data links
- A printer.

GPIB Device Descriptions. A short functional description of several GPIB devices is given in this section. Each device consists generally of a single circuit board.

Trunk interface circuits. Each trunk interface circuit (TIC) can handle up to four 2-wire incoming trunks from a

central office. Currently, ground start and direct inward dialing reverse battery signaling systems are accommodated.

Voice response units. Each voice response unit (VRU) can handle up to four simultaneous calls. The VRU decodes and plays either multipulse linear prediction coded (MPLPC) speech or sub-band coded speech, as described under "Speech Synthesis Capability." An on-board cache can hold up to 400 seconds of MPLPC speech. Phrases not in cache can be downloaded from the SC disk in real time. The VRU also detects touch-tone signals.

Line interface units. Each line interface unit (LIU) can initiate calls or receive calls on up to six ordinary dial pulse or touch-tone telephone lines. Calls are initiated or labswered via commands from the SC.

voice coders. A voice coder (VC) provides real-time encoding of the caller's speech for storage and later play-back through a VRU. This allows features such as entering amnouncements and voice messaging to be implemented.

signal processor. The signal processor (SP) is a general-purpose programmable subsystem containing an MC68000 computer, a 2-Mbyte memory, and up to four DSP32 signal processor chips. Each SP can handle up to two simultaneous calls. Programs for the SP enable it to perform speaker-independent speech recognition (both connected digits and isolated words), speaker verification, and originating call classification, as described later in this article.

Dynamic time warper subsystem. Speech recognition is accomplished by matching (or comparing) the unknown spoken word to stored templates of known words. In order to provide a timely response to the speaker, the SP speech recognizer by itself is limited to about 200 to 250 template comparisons. The dynamic time warper (DTW) subsystem can be used to extend the number of template matches possible in real time to about 4000.

The DTW subsystem consists of a controller board and eight boards for doing 32 dynamic time warps and template matches in parallel. The results of the comparison are returned to the SP speech recognizer that

requested the job. A single DTW subsystem is shared among all speech recognizers.

System Controller Software

Except for the transaction scripts and optional data-base-acces's modules, the SC software is generic, and consists of the UNIXTM operating system, several permanent processes, and some special commands for maintenance and diagnostics, system administration, and system usage statistics. As depicted in Figure 4, the permanent UNIX processes include:

- A transaction state machine to run transactions as specified in the transaction script
- A GPIB interrupt handler to field device requests for service
- A GPIB output process to send commands to the devices
- A data interface process to access local and/or host data bases
- A call data handler to generate and store statistics on processed calls
- An error tracker to collect and report various hardware and software errors
- A maintenance process to run on-demand and automatic diagnostics on the subsystems.

An application is built upon the generic software in three basic steps:

- 1. Define the dialog and write the transaction script.
- Define any data request messages and write the application layer subroutines needed to access data bases.
- Record and encode the speech for any phrases to be spoken to the caller.

The first two steps are discussed in the remainder of this section and phrase encoding is covered in the section, "Speech Synthesis Capability."

Transaction Scripts. The transaction state machine (TSM) controls the transactions in progress by executing commands of a transaction script written for a particular application. TSM can handle many calls, i.e., run many transaction scripts concurrently. Since the transaction




Figure 4. System controller software for the Conversant 1 system.

scripts may be different, several independent applications can be implemented on a single system. The script to be run on a particular call is normally determined by either the trunk the call uses or the direct inward dialing digits forwarded to our system by the central office.

An annotated example of a simple transaction script for a call routing application is shown in Panel 1. The panel represents a sample script for airline reservations. The script is essentially a set of instructions that tell the system how to carry out transactions. The column at the right of the panel contains the script writer's comments on the instructions.

In this example, it is assumed that the system is

Panel 1: Sample Script

4.4.4.4

r.T.

LM

. ¶

A sample script for an airline reservation application is shown below. The script is essentially a set of instructions that tell the system how to carry out transactions. The right-hand column contains the script writer's comments on instructions.

```
Sample Script
          Call Routing by VOICE or TOUCH-TONE Entry of 1, 2, 3 or 4 */
                                                           /* location for input
/* location for extension
/* for getdig, voice or TT
 #define IN
                              0
 #define EXT 2
#define VOICE_OR_TT 16
tfile("list.callrt")
                                                           /* call routing phrases
 PLAY MENU:
      Talk("thanks for calling" "sil250")
talk("please speak or press")
talk("1 for reserv" "sil250")
talk("2 for flight sched" "sil250")
talk("3 for freight info" "sil250")
talk("or 4 for assist")
                                                           /* phrase & 250 msec silence
/* phrase & no silence
/* phrase & pause
/* ditto
                                                           /* ditto
 GET INPUT:
      INPUT:
addeq('s')
                                                           /* attach speech recognizer
     no_good:
                                                           /* no good input
/* extension for assistance
      talk("hold for assistance")
      load(ch.EXT, im.'0174')
goto DIAL_OUT
      talk("hold for reserv")
                                                           /* confirm, got a 1
      load(ch.EXT, im.'0171')
                                                           /* extension for reservations
                                                           /* return from subroutine
     talk("hold for flight sched")
load(ch.EXT, im.'0172')
                                                          /* confirm, got a 2
/* extension for schedules
     rts()
     talk("hold for freight info")
                                                          /* confirm, got a 3
     load(ch.EXT, im. '0173')
                                                          /* extension for freight
     rts()
DIAL OUT:
     liu('f')
liu('d', ch. EXT)
                                                          /* flash the line
                                                          /* dial the extension
     quit()
```

connected by an LIU to an automatic call director (ACD) and can transfer calls to specific ACD attendant pools. The caller is prompted via the "talk" command to enter: 1 for reservations, 2 for flight schedules, 3 for freight information, or 4 for assistance. The "addeq" command causes a speech recognizer to be connected to the call. The "getdig" command asks for one touch-tone digit or one spoken word to be collected. Depending on the received digit, the call is transferred via the "liu" commands to the appropriate attendant pool. If 1, 2, or 3 is not detected within the 5 seconds specified, the call is transferred to the general assistance attendant.

Data Base Access. Many transactions require access to a changing data base. The "dbase" script command sends a data request message to the data interface process (DIP) of Figure 4. Since the contents and structure of such data bases are application-dependent, the script writer specifies the structure of the messages sent to and returned by the DIP. The DIP contains several application-dependent subroutines that obtain the requested data from either a local or a host data base. The DIP passes the data back to TSM, which in turn makes it available to the script.

Small data bases that are relatively stable can be kept locally on the system disk. Larger dynamic data bases are kept by a host machine and are accessed in real time by our system over a data link.

Measurements. A facility is available for the script writer to count any events important to the application, such as calls handled successfully, data base requests, and user errors. These counters are essential for determining system usage and performance.

Speech Synthesis Capability

The phrases spoken by the VRU during a transaction are concatenations of one or more recorded phrase files. In order to conserve disk space, encoding techniques are used to compress the recorded speech. Two encoding algorithms being used are described briefly below and more thoroughly in References 6 and 7.

multi-Pulse Linear Predictive Coding. Multi-pulse linear predictive coding (MPLPC) of speech is implemented by first breaking the speech signal into 10-ms segments and determining the best filter that fits the spectrum of the segment. A sequence of pulses is then fed into the filter to produce a synthesized speech signal at the filter output. The positions and amplitudes of the pulses are adjusted to minimize the difference (the error) between the real speech and the synthesized speech. Speech can then be reproduced from the filter coefficients and pulse positions and amplitudes saved for each segment. With this technique, quality speech can be encoded at rates as low as 9.6 kb/s.

Sub-Band Coding. In sub-band coding (SBC), the speech signal is divided into four frequency bands, and each band is encoded in adaptive pulse-code modulation format. The basic idea is that the bit rate needed to encode each band can be tailored to the ear's sensitivity to quantization noise in that frequency range. For bit rates of 16 kb/s and above, SBC produces quality speech that is compatible with other AT&T voice services.

Encoding Procedures. Conversant Systems offers a service for speech phrase recording and encoding. Customers may send phrase lists to be professionally recorded, edited, and encoded. Alternatively, the Conversant 1 voice system can be used to encode and store spoken phrases. The system is called with a phone number that invokes a transaction script written to handle speech recording. The actual encoding of speech, in either MPLPC or SBC, is performed by the voice coder subsystem, which is connected to the call via a script command. The recorded speech files can be audibly reviewed and visually edited via a video terminal attached to an SC port. Edit commands currently available replay the speech and reduce leading and trailing silence.

speech synthesis. The encoded speech files can be played out by the VRU. The DSP20 digital signal processor chip on the VRU is programmed to convert the encoded speech back to 64-kb/s pulse-code modulation format. The digital speech signal is then converted to its final analog form.

Speech Recognition Capability

The speech recognition capability is a major attraction of the system. A limited vocabulary of spoken isolated words and connected digit strings can be recognized. Speech recognition consists of first detecting and determining the endpoint of an unknown utterance, and then classifying it as a particular word in the vocabulary. For connected digit strings, a third step involves error correction. Some details of the algorithm are given here.

When requested to recognize N words, the speech recognizer digitizes received speech and generates an energy contour. An endpointing algorithm identifies the intervals containing words based on a top-down analysis of

the energy contour.

Each endpointed interval (unknown word) is classified by comparing it to models (or templates) of all the words in the vocabulary being used. The comparison involves a dynamic time warping procedure to account for variations in speaking rate. For speaker-independent word recognition, each word must be represented by a set of templates to cover various voices and dialects. The unknown word is classified the same as the template set it most closely matches. Words that do not closely match any template set are rejected. The templates used in the system have been generated from hundreds of speech samples collected over the telephone network from diverse regions of the country.

Isolated Word Recognition. The speech recognizer subsystem can perform about 200 to 250 template matches irreal time. For speaker-independent recognition, this corresponds to a vocabulary size of about 10 words. Larger vocabularies and connected digit recognition require the assistance of the DTW subsystem.

Excellent recognition accuracy has been obtained on a large and diverse telephone speech data base consisting of several control words. A large fraction of the words not correctly recognized are normally rejected. Some specific accuracy numbers are given in "Applications," below.

Connected Digit Recognition. Recognizing connected words is inherently more difficult than isolated words for

two reasons: first, the endpointer is more likely to miss spoken words and interpret noise or word fragments as words; second, any misrecognized word in the string causes the entire string to be wrong. To compensate for this added degree of difficulty, the digit strings recognized by the system contain redundant digits to permit error correction. Strings of 3, 6, and 9 digits (including redundant digits) have been recognized in various applications.

Without error correction, a digit recognition accuracy, over the telephone network, of under 90 percent is obtained on our large data base. Although consistent with other similar experiments, ¹⁴ this digit accuracy is much too low for recognizing digit strings. With error correction, the effective per-digit accuracy jumps to over 99 percent. About half the strings not correctly recognized were rejected and half were misclassified. To obtain this accuracy boost, 4 redundant digits are appended to each 5-digit string, and certain resulting 9-digit strings that prove difficult to recognize are not used.

In practice, after a redundant 9-digit string is recognized at the start of a call, the decoded digits are used to label the raw digits. This allows speaker-dependent templates to be made and used for the remainder of the call. Repeating this on the second spoken digit string and so on provides a bootstrapping mechanism, causing recognition accuracy to improve considerably as the call proceeds.

Call Generation Capability

Many business systems have banks of attendants placing calls to customers. The attendants dial the phone number, listen for the call progress tones (ring, busy, etc.) and talk to the customer when the call completes. Sizable savings in attendant time can be achieved by automating the call placement. The savings would result from automatic dialing and autonomous handling of calls that do not complete. Only calls that do complete are transferred to an attendant.

To meet this need, the system is designed to place outgoing calls and transfer those calls that successfully

Table I. Financial Information Transaction Dialog

Caller	System
Dial 800 number	Answer call. "Hello, Fidelity Automated Quotation Service, please enter the nine-digit ID code."
"494327365"	"Initials are JQP, correct?"
"Yes."	"At 10:08 the Dow was at 1864.21, down 5.73. Stock watch list?"
"No."	"Stock quotations?"
_ "Yes."	"All quotes are delayed 15 minutes. Stock ID?"
- 	"XON is at 60 1/4, down 1/4, volume 29,200. Next stock ID?"
≛ "No."	"Option quotations?"
ੂੰ "Yes."	"All quotes are delayed 15 minutes. Stock ID?"
년 "697753147"]	"NSM last sale was at 11 7/8. First month code?"
"79 5"	"Strike price code?"
] "158"	"NSM August 15 calls are at 1/2. Second month code?"
± "No." ₫	"Next stock ID?"
"No."	"Thank you for using the Fidelity Automated Quote Service. Goodbye."

4




Figure 5. Interface between an automatic call director and a Gonversant 1 system. (a) Voice system in front of ACD. (b)

complete to an attendant. This is accomplished by commanding the TIC (or LIU) to generate a call to a specified mimber and connecting a call classifier to the call after end of dialing. The call classifier is an SP subsystem programmed to classify the call, i.e., determine its fate, and report back to the SC. The program uses call progress tones and voice detection to classify the call in a manner similar to that currently used by the No.2 Service Evaluation System. ¹⁵ Possible call classifications include:

- Complete—the call has been answered and voice detected.
- Announcement—the call has been answered and a network announcement detected. This can be distinguished from the "complete" classification by the special information tones (SIT) that precede announcements.

- Didn't answer—the called party's phone rang N times with no answer.
- Busy—the called party is off-hook.
- Reorder—the call encountered a congested network.
- High and dry—the call could not be properly handled by the network.

On some trunks, answer supervision is available from the central office. The TIC reports detected answer supervision directly to the SC. In these cases, the call classifier is used to distinguish types of unsuccessful attempts.

Applications

Although the capabilities and operation of the Conversant 1 system are well documented, close customer contact is considered essential in developing applications to solve customer problems. Such contact allows us to understand customer needs and to assist in developing application scripts, generating speech files, etc. Important



applications are also being developed by value-added resellers. Several Conversant 1 system applications described in this section demonstrate its versatility.

Financial Information. In its trial application, the system was installed on the premises of Fidelity Brokerage Services, Inc., in Boston. It provided callers with various stock market information, such as the Dow Jones industrial stock market average and prices and volumes of requested stocks and stock options. The stock information was retrieved by the script in real time, via a data link, from a Fidelity host computer, which in turn was fed by a quote

source from the major stock exchanges. The 500 or so Fidelity customers who participated the trial were each given a 9-digit user identification humber, a catalog of 9-digit numbers for the most active 6000 stocks, a list of 3-digit month and price codes for stock options, and the 800 number of the system. In addifion, customers could select up to five stocks they regularly watch. Records of user identification number and stock watch lists were kept in the host computer. The Fransaction works as shown in Table I. The flow of the # transaction is controlled by the caller's "yes" or "no" Tesponse to questions posed by the system.

About 70 percent of the customers seemed to prefer touch-tone input over voice. The yes/no accuracy was about 97 percent. Nearly 12 percent of the time, the 9-digit strings were misspoken, i.e., the caller said a wrong digit or skipped a digit. When correctly spoken, inly about 3 percent of the strings were misrecognized, another 6 percent were rejected (the caller was asked to repeat the string), and the remaining 91 percent were cor-

rectly recognized.

Call Screening and Routing. In this application, the caller is prompted for a digit and the call is routed according to the received digit, as described in the example in Panel 1. An extension of this idea is also planned, where the received digit is used to specify a particular announcement to be played. The caller is then reprompted for a second digit for routing to an attendant or an announcement, and so on.

Two basic configurations for routing screened calls are possible. In Figure 5a, calls come directly into the system, are screened, and either handled autonomously or routed to the ACD or PBX. This configuration is appropriate for applications in which the majority of incoming calls can be automatically handled by the system. The configuration of Figure 5b is desirable in situations where the majority of calls cannot be automatically handled, perhaps because of the complexity of the transaction or lack of automatic access to a data base. Here the system merely screens the call and disposes of it by transferring it to the proper attendant pool.

Outward Call Management. Other customers are using the call system's generation capability to call credit card holders with account irregularities. The system obtains a list of particular card holder phone numbers from a host computer and automatically places the calls. The progress of each call is monitored. When a call is answered, it is immediately transferred to an idle attendant and a message is sent to the host computer, which displays the person's account information on the attend-

ant's video screen.

Calls failing to complete are handled according to the detected disposition. Calls encountering a busy signal are redialed after a few minutes. Calls encountering no answer are redialed after a much longer period. Those calls encountering network announcements—for example, calls to disconnected numbers—are not retried but reported to the host computer.

Voice Messaging. The voice coder subsystem is used to encode and store on disk a message spoken by the caller. The caller also touch-tone dials the phone numbers of the intended recipients. The system makes the outgoing calls and verbally delivers the message. To allow for mass distribution of messages, the caller can maintain a list of recipient phone numbers on the system disk.

Future Enhancements

Planned enhancements to the system include an expanded interface to the telephone network and additional subsystems. A digital T1 line interface to the system is being developed to simplify the interface to the central office and significantly reduce the amount of per-trunk hardware. Other enhancements involve adding new subsystems that can be switched onto a call. Two such subsystems with emerging markets are described below.

speaker verification. With speaker verification, the system will be able to ask a caller to enter an identification number and speak a special password or phrase. The entered identification will be used to access a file containing the same password or phrase spoken earlier by the caller. A comparison, similar to a template match in speech recognition, is then made between the spoken password and the one on file. If the match is close enough, the caller is assumed to indeed be the owner of the entered identification and the transaction proceeds. Otherwise, an animouncement informs the caller that his or her voice does not match the entered identification. In a practical system, the caller would normally be given two or three verification chances before the system would disconnect.

The algorithm used to make the voice comparisons will be implemented on the SP board and is similar to

that described in References 11 and 12.

Text to Speech. A text-to-speech subsystem would allow written information to be spoken to a caller. This eliminates the time and effort required to record and edit speech files and allows arbitrary messages to be easily added or modified. In addition, textual messages require migh less disk space than spoken messages.

Algorithms that synthesize speech from text use various pronunciation rules and a large data base for converting letter sequences or phonemes to speech data. At present, text-to-speech algorithms produce somewhat unnatural sounding speech. Efforts are under way to improve the speech quality of text-to-speech systems.

Summary

The Conversant 1 voice system is the basic vehicle leading AT&T into the arena of commercial speech systems. Its flexibility in attaching various subsystems to calls allows it to incorporate new technology as it emerges. The commercial use of voice systems is still in its infancy but rapidly expanding, and expectations for its growth over the next decade are very high. AT&T intends to play a significant role in shaping this market in the coming years.

References

 Tsutomu Takahashi et al., "The SR-2000 Voice Processor and Its Applications," Speech Technology, Vol. 2, No. 4, February-March 1985, pp. 22-29.

 Lynette Gutcho, "DECtalk—A Year Later," Speech Technology, Vol. 3, No. 1, August-September 1985, pp. 98-102.

3. L. R. Rabiner and S. E. Levinson, "Isolated and Connected Word Recognition—Theory and Selected Applications," *IEEE Trans. on Communications*, COM-29, No. 5, May 1981, pp. 621-659.

 J. G. Wilpon and L. R. Rabiner, "A Modified K-Means Clustering Algorithm for Use in Speaker Independent Isolated Word Recognition," *IEEE Trans. on Acoustics, Speech, and Signal Processing*, ASSP-33, No. 3, June 1985.

5. J. L. Boddie et al., "Digital Signal Processor: Architecture and Performance," Bell System Technical Journal, Vol. 60, No. 7,

September 1981, pp. 1449-62.

B. S. Atal, "A New Model of LPC excitation for Producing Natural-Sounding Speech at Low Bit Rates," *Proceedings*, Intl. Conference on Acoustics, Speech, and Signal Processing, 1982, Paris, pp. 614-17.

 R. E. Crochiere, S. A. Weber, and J. L. Flanagan, "Digital Coding of Speech in Sub-bands," Bell System Technical Journal, Vol.

55, No. 8, October 1976, pp.1069-1085.

 R. E. Crochiere, R. V. Coy, and J. D. Johnson, "Real-Time Speech Coding," *IEEE Transactions on Communications*, Vol. COM-30, No. 4, April 1982, pp. 621-634.

 J. G. Josenhans et al., "Speech Processing Applications Standards," AT&T Technical Journal, Vol. 65, No. 5, September/ October 1986, pp. 23-33.

 H. L. Andrews, "Speech Processing," Computer, Vol. 17, No. 10, October 1984, pp. 315-24

October 1984, pp. 315-24.

11. Sadaoki Furui, "Cepstral Analysis Techniques for Automatic Speaker Verification," *IEEE Trans. on Acoustics, Speech, and Signal Processing*. ASSP-29. No. 2. April 1981, pp. 254-272.

Signal Processing, ASSP-29, No. 2, April 1981, pp. 254-272.
12. F. K. Soong et al., "A Vector Quantization Approach to Speaker Recognition," Proceedings, Intl. Conference on Acoustics, Speech, and Signal Processing, 1985, Tampa, pp. 387-390.

Speech, and Signal Processing, 1985, Tampa, pp. 387-390.

13. "AT&T Personal Computer 6300 PLUS, Hardware Reference Manual" and "UNIX" System V Release 2.0 Operations

Guide," AT&T, 1985. Order numbers 845 657 048 and 845 657 758, respectively. Available by telephone order from 800 432-6600.

 J. G. Wilpon, "A Study on the Ability to Automatically Recognize Telephone-Quality Speech From Large Customer Populations," AT&T Technical Journal, Vol. 64, No. 2, February 1985, pp. 423-451

S. D. Hester, "Taking the Pulse of the Network", Bell Laboratories Record, Vol. 60, No. 3, March 1982, pp. 70-74.

(Manuscript received July 17, 1986)

SEPTEMBER/OCTOBER - VOLUME 65 - ISSUE 5

ATST TECHNICAL JOURNAL

ATST T

4

(Cite as: 63 F.Supp.2d 583)

Н

United States District Court, E.D. Pennsylvania.

Ronald A. KATZ, Technology Licensing, L.P., and MCI Telecommunications

Corporation, Plaintiffs,

AT & T CORPORATION, et al., Defendants.

No. CIV. A. 97-4453.

Aug. 26, 1999.

Owner of patents for interactive voice response system sued telephone company for infringement. The District Court, Lowell A. Reed, Jr., Senior District Judge, construed claim language.

Claims construed.

West Headnotes

Construction of patent claims is exclusively within province of court to determine as matter of law.

121 Patents 159 291k159 Most Cited Cases

[2] Patents (165(1))
[3] 291k165(1) Most Cited Cases

167(1) Most Cited Cases

[2] Patents 6 168(2.1) 291k168(2.1) Most Cited Cases

In construing patent claim, court should consider claim language, specification, and, if offered, prosecution history, which are collectively considered intrinsic evidence of meaning of claim terms; under some circumstances, court may also consult evidence extrinsic to patent, such as technical dictionaries or expert testimony as to how those skilled in relevant art under consideration would interpret claims.

[3] Patents 6 161 291k161 Most Cited Cases Absent special and particular definition created by patent applicant, term in patent claim is construed to mean what person of ordinary skill in art at time of invention would have understood term to mean.

[4] Patents 157(1) 291k157(1) Most Cited Cases

Unless otherwise compelled, court should give full effect to ordinary meaning of patent claim terms, even if terms are broad.

151 Patents 162 291k162 Most Cited Cases

[5] Patents € 167(1) 291k167(1) Most Cited Cases

151 Patents 168(2.1) 291k168(2.1) Most Cited Cases

Once court construing patent terms has determined ordinary meaning of the claim term, it must also consider specification and prosecution history to determine if patentee used term in manner inconsistent with its ordinary meaning.

[6] Patents 67(1.1) 291k167(1.1) Most Cited Cases

One may not read limitation into patent claim from written description, but one may look to written description to define term already in claim limitation, for claim must be read in view of specification of which it is part.

17] Patents 167(1) 291k167(1) Most Cited Cases

While additional limitations may not be imported into patent claim from specification, court may construe limitation specifically recited in claim in light of specification.

[8] Patents € 167(1.1) 291k167(1.1) Most Cited Cases

In order to inject definition into patent claim from written description, claim must explicitly contain term in need of definition.

19] Patents 167(1.1) 291k167(1.1) Most Cited Cases 63 F.Supp.2d 583 (Cite as: 63 F.Supp.2d 583)

Patent claim term should not be narrowed by content of specification unless language of claim invites reference to those sources.

[10] Patents 162 291k162 Most Cited Cases

Patent claim term may be given definition other than its ordinary meaning if patentee chooses to be his or her own lexicographer by explicitly setting forth definition in specification, or if terms chosen by patentee so deprive claim of clarity that there is no means by which scope of claim may be ascertained from language used.

111 Patents 168(2.1) Patents 291k168(2.1) Most Cited Cases

Prosecution history cannot enlarge, diminish, or vary limitations in patent claims.

Court construing patent claim may consider prior art cited in prosecution history, which may contain clues as to what claim does not cover.

If patent applicant takes position before Patent and Trademark Office, such that competitor would reasonably believe that applicant had surrendered relevant subject matter, applicant may be barred from asserting inconsistent position when issued patent is subsequently construed.

[14] Patents 168(2.1) [291k168(2.1) Most Cited Cases

Unless altering claim language to escape examiner rejection, patent applicant only limits claims during prosecution by clearly disavowing claim coverage, that is, by making statement that concedes or disclaims coverage of claims at issue based on piece of prior art.

159 Patents 159 291k159 Most Cited Cases

Extrinsic evidence is to be used for court's understanding of patent, not for purpose of varying or contradicting claim terms.

159 Patents 159 291k159 Most Cited Cases

Extrinsic evidence may be consulted if court is not familiar with terminology of art in which patent is written, but it should not be consulted to clarify ambiguity in claim terms.

17] Patents 159 291k159 Most Cited Cases

Where patent documents are unambiguous, expert testimony regarding meaning of claim is entitled to no weight.

101(8) 291k101(8) Most Cited Cases

Presumption that use of term "means" in patent claim invokes means plus function limitations may be rebutted if claim recites no function which corresponds, or if claim recites function but also recites sufficient structure or material for performing claimed function. 35 U.S.C.A. § 112.

101(8) Patents 101(8) 291k101(8) Most Cited Cases

Structural term in patent claim need not connote precise physical structure to those of ordinary skill in art in order to avoid means-plus-function analysis, so long as it conveys variety of structures that are referred to by that term. 35 U.S.C.A. § 112.

[20] Patents 226.7 291k226.7 Most Cited Cases

If structure is defined in patent specification in way unrelated to recited function in means-plus-function clause in claim, those additional aspects of structure should not be read as limiting scope of means clause. 35 U.S.C.A. § 112.

In construing means plus function claims, generally a court should not import function of working device or preferred embodiment into claims as part of "means" if such function is not part of function recited in claims. 35 U.S.C.A. § 112.

101(2) Patents 101(2) 291k101(2) Most Cited Cases

"Communication facility," called for in patent claims for interactive voice response system, was that part of telephone network that enabled caller to connect to patented system; term did not encompass elements or processes of entire public switched telephone network, or require that system be operated only outside network.

[23] Patents 101(2) 291k101(2) Most Cited Cases

"Interface structure" for analysis control system, called for in patent claims for interactive voice response system, referred to hardware and software required to connect processors upon which system was running to communication facility such that information from facility and remote terminals could be provided to and received by system; in context, phrase also included means to perform specific function of providing caller data signals representative of data developed at remote terminals, and means to perform specific function of receiving calling number identification data.

101(8) Most Cited Cases

Critical factor in determining whether term in patent claim limitation which does not invoke "means for" language is subject to means-plus-function analysis despite contrary presumption is whether term brings to mind set of structures to those of ordinary skill in art, and not whether term is written in functional language. 35 U.S.C.A. § 112.

101(2) Patents 101(2) 291k101(2) Most Cited Cases

"Means to provide caller data signals" and "means to receive calling number identification data," called for in patent claims for interactive voice response system, were limited to disclosed structures which specifically performed those functions. 35 U.S.C.A. § 112.

[26] Patents 101(2) 291k101(2) Most Cited Cases

"Voice generator" for analysis control system, called for in patent claims for interactive voice response system, meant device for generating vocal instructions or prompts to individual callers at remote terminals.

291k101(2) Most Cited Cases

"Record structure" for analysis control system, called for in patent claims for interactive voice response system, referred to means for entering or making use of files, but did not delineate or restrict types of functions that could be performed on files once they were accessed.

"Qualification structure" for analysis control system, called for in patent claims for interactive voice response system, was limited to disclosed structures which performed function of controlling access to system by individual callers. 35 U.S.C.A. § 112.

[29] Patents —101(2) 291k101(2) Most Cited Cases

"Means for selecting," called for in patent claims for interactive voice response system, was limited to disclosed structures which specifically performed function of selecting format based on called number. 35 U.S.C.A. § 112.

[30] Patents 101(2) 291k101(2) Most Cited Cases

"Switching structure" for analysis control system, called for in patent claims for interactive voice response system, meant device, including hardware and associated software, that could switch or route telephone calls or signals from one location or connection to another.

[31] Patents 101(2) 291k101(2) Most Cited Cases

"Record testing structure" for analysis control system, called for in patent claims for interactive voice response system, was limited to disclosed structures which specifically performed function of receiving and testing signals against stored data. 35 U.S.C.A. § 112.

101(2) Patents (101(2) 291k101(2) Most Cited Cases

Term "processing," called for in patent claims for interactive voice response system, meant manipulation of data which performed some operation or sequence of operations on data.

63 F.Supp.2d 583 (Cite as: 63 F.Supp.2d 583)

[33] Patents 101(2) 291k101(2) Most Cited Cases

Term "format," called for in patent claims for interactive voice response system, meant computer program that set forth content and sequence of steps to gather information from and convey information to callers through pre-recorded voice prompts and messages.

1341 Patents 101(2) 291k101(2) Most Cited Cases

"Multiple formats" or "plurality of formats," called for in patent claims for interactive voice response system, meant more than one format; terms did not include subroutines or branching within single format.

101(2) Patents 101(2) 291k101(2) Most Cited Cases

"Remote terminals," called for in patent claims for interactive voice response system, meant devices or instruments for connecting callers to telephone network for voice and digital communication, including, but not limited to, conventional telephones.

1361 Patents 101(2) 291k101(2) Most Cited Cases

"DNIS" and "called number identification data," called for in patent claims for interactive voice response system, were synonymous, and meant signal or data that identified number called.

[37] Patents 101(2) 291k101(2) Most Cited Cases

"ANI" and "calling number identification data," called for in patent claims for interactive voice response system, were synonymous, and meant signal that identified calling number, i.e., number from which call originated.

[38] Patents 101(2) 291k101(2) Most Cited Cases

"In-band" or "out-of-band" signaling, called for in patent claims for interactive voice response system, did not require or exclude any particular manner of transmission or type of signaling.

[39] Patents \$\infty\$ 101(2)

291k101(2) Most Cited Cases

"Consumable participation key," called for in patent claims for interactive voice response system, meant number or word that allowed caller access to service or part of service predefined limited number of times and which could not be refreshed or recharged.

[40] Patents 101(2) 291k101(2) Most Cited Cases

"Limit on use," called for in patent claims for interactive voice response system, meant control that limited caller's access to service based on some predetermined method of measuring level of use; term was not restricted to specific method of measuring use, such as limited number of accesses into system.

[41] Patents 101(2) 291k101(2) Most Cited Cases

"Products carrying participation numbers," called for in patent claims for interactive voice response system, meant physical items sold or exchanged in commercial setting which carried number allowing participation in system.

[42] Patents 101(2) 291k101(2) Most Cited Cases

"Accounting data," called for in patent claims for interactive voice response system, meant information relating to computation of data.

[43] Patents 101(2) 291k101(2) Most Cited Cases

"Operations of an interface," referred to in patent claims for interactive voice response system, meant processes, activities, or functions of interactive connection between processors upon which system was running, communication facility, and callers; phrase did not require that system be running one of the formats disclosed in the specifications.

101(2) 291k101(2) Most Cited Cases

"Answer data," called for in patent claims for interactive voice response system, meant responses from callers to vocal questions or prompts.

101(2) Patents 101(2) 291k101(2) Most Cited Cases



"Testing the selected format," called for in patent claims for interactive voice response system, meant method by which it was determined whether any conditions associated with format that had been selected by call data signals were satisfied.

[46] Patents 101(11) 291k101(11) Most Cited Cases

Where plain meaning of method claim language indicates sequential nature to claim steps and specification does not suggest otherwise, steps must be performed in order written in claim.

101(11) 291k101(11) Most Cited Cases

Basic steps listed in method claims of patents for interactive voice response system, i.e., receiving call data signals, selecting format, testing selected format, and conditionally interfacing, had to be performed sequentially; additional steps listed in claims, however, did not have to be performed in any particular order.

101(2) Most Cited Cases

"Call data signals," called for in testing step of patent claims for interactive voice response system, referred to number from which call originated.

[49] Patents 101(2) 291k101(2) Most Cited Cases

"Conditionally interfacing," referred to in patent claims for interactive voice response system, meant connecting call to selected format once any conditions associated with that format had been satisfied.

101(2) Patents 101(2) 291k101(2) Most Cited Cases

"Live Operator Attended Terminals," called for in patent claims for interactive voice response system, did not require that prompts displayed at operating stations be identical to vocal prompts used in automated formats.

[51] Patents 101(2) 291k101(2) Most Cited Cases

"Selecting a processing format" step, referred to in

patent claims for interactive voice response system, was controlled solely by called number.

101(2) Patents 101(2) 291k101(2) Most Cited Cases

"Demographic conditions," referred to in patent claim for interactive voice response system, meant conditions used to limit call based on caller's geographic area.

[53] Patents € 101(2) 291k101(2) Most Cited Cases

"Means for directly forwarding," called for in patent claim for interactive voice response system, was limited to disclosed structures which specifically performed function of directly forwarding call from remote terminal to live operator-attended terminal when remote terminal from which caller was calling was not technically capable of digitally providing data. 35 U.S.C.A. § 112.

101(2) Patents 101(2) 291k101(2) Most Cited Cases

"First response unit means," called for in patent claims for interactive voice response system, referred to audio response units.

101(2) Patents 101(2) 291k101(2) Most Cited Cases

"Qualification means," called for in patent claim for interactive voice response system, was limited to disclosed structures which specifically performed function preliminarily qualifying callers from remote terminals for connection to interface processors, and software required to perform said qualifying. 35 U.S.C.A. § 112.

[56] Patents 101(2) 291k101(2) Most Cited Cases

"Second response unit means for receiving calls in a second call mode," called for in patent claim for interactive voice response system, meant call mode, such as 900 call mode or area code mode, other than 800 call mode.

165(4) Patents 65(4) 291k165(4) Most Cited Cases

Whether preamble imposes additional limitation on patent claim depends on whether it is structural or mere statement of purpose or use of invention.



101(2) <u>Patents</u> 101(2) <u>Patents</u> 101(2) <u>Most Cited Cases</u>

"Means for processing calls in an interface format," called for in patent claim for interactive voice response system, was limited to disclosed structures which specifically performed that function. 35 U.S.C.A. § 112.

101(2) Patents 101(2) 291k101(2) Most Cited Cases

"Memory means for storing caller cues and use indications," called for in patent claim for interactive voice response system, meant computer hardware that stored questions or prompts which were given to caller.

101(2) Patents 101(2) 291k101(2) Most Cited Cases

"Means for selecting a current caller cue," called for in patent claim for interactive voice response system, was limited to disclosed structures and associated software which specifically performed function of selecting current caller cue from memory under control of identification signals and use indications.

Patents 328(2) 291k328(2) Most Cited Cases

4,930,150, 5,128,984, 5,255,309, 5,351,285, 5,561,707, 5,684,863. Cited.

*588 Robert T. Haslam, Sarah E. Mitchell, Heller Ehrman, White & McAufliffe, LLP, Palo Alto, CA, Carl S. Nadler, Jenner & Block, Washington, DC, Bradford P. Lyerla, Ryndak & Lyerla, Chicago IL, for Plaintiffs.

Matthew J. Siembieda, Timothy D. Katsiff, Blank Rome Comisky & McCauley, Philadelphia, PA, Thomas D. Rein, Douglas I. Lewis, Russell E. Cass. Lisa A. Schneider, Andrew J. Wu, Sidley & Austin, Chicago, IL, Mark D. Wegener, Matthew J. Moore, Howrey & Simon, Washington, DC, Fred T. Magaziner, Martin J. Black, Abbe F. Fletman, Wolf, Block, Schorr and Soliscohen, LLP, Philadelphia, PA, for Defendants.

CONCLUSIONS OF LAW REGARDING PATENT CLAIM CONSTRUCTION

LOWELL A. REED, Jr., Senior District Judge.

Ronald A. Katz ("Katz") is the inventor in a large body of patents dealing with telephonic interactive voice applications. The plaintiffs, Ronald A. Katz L.P. Licencing, and Technology Telecommunications Corporation, filed this patent infringement suit against AT & T Corporation, AT & T Universal Card Services Corporation, and AT & T American Transtech, Inc., alleging that the defendants are infringing a number of Katz's patents. In total, over 400 patent claims are at issue in this lawsuit. Because of the complexity and size of the case, the Court ordered that the parties designate a set of approximately seventeen claims to be construed at a Markman hearing. The plaintiffs designated twenty claims, including Claims 33, 44, 93, 104, 117, and 192 of the 5,561,707 patent (the '707 patent), Claims *589 49, 50, 65, 79, 171, and 190 of the 5,684,863 patent (the '863 patent), Claim 51 of the 5,255,309 patent (the '309 patent), Claim 15 of the 4,930,150 patent (the '150 patent), Claims 17, 20, 24, and 77 of the 5,351,285 patent (the '285 patent), and Claims 4 and 15 of the 5,128,984 patent (the '984 patent).

A <u>Markman</u> hearing was held from through June 4, 1999, in which the parties presented expert testimony and oral argument as to the proper construction of the disputed claim language in the twenty claims at issue. The parties also submitted a series of briefs and proposed claim constructions to the Court, all of which were considered by this Court in making the claim constructions that follow. On each claim term to be construed, the parties have submitted many arguments and have pointed to many portions of the intrinsic and extrinsic record in their briefs, in their proposed claim constructions, and in their oral presentations. While the Court has considered all of the arguments and citations of the parties, I may not reiterate all of them in full for each claim term.

I. THE LAW OF PATENT CLAIM CONSTRUCTION

In general, a patent must describe the scope of the patentee's invention so as to "secure to [the patentee] all to which he is entitled, [and] to apprise the public of what is still open to them." <u>Markman v. Westview Instruments, Inc.</u>, 517 U.S. 370, 373, 116 S.Ct. 1384, 134 L.Ed.2d 577 (1996) (internal quotation omitted). This is accomplished through the specification of the patent, which should describe the invention in clear terms so that a person in the art of the patent may make and use the invention, and the claims of the patent, which should "particularly poin[t] out and

distinctly clai[m] the subject matter which the applicant regards as his invention." 35 U.S.C. § 112.

[1][2] In Markman v. Westview Instruments, Inc., the Supreme Court, affirming the Court of Appeals for the Federal Circuit, held that construction of patent claims is exclusively within the province of the court to determine as a matter of law. 517 U.S. at 372, 116 To complete the task of claim construction, a court may draw on the canons of construction that can be sifted from the decisions of the Court of Appeals for the Federal Circuit spanning before *Markman* and beyond. In construing the claims of a patent, a court should consider the claim language, the specification, and, if offered, the prosecution history, which are collectively considered intrinsic evidence of the meaning of the claim terms. See Markman v. Westview Instruments, Inc., 52 F.3d 967, 979 (Fed.Cir.1995). As the public record before the Patent and Trademark Office ("PTO") upon which the public is entitled to rely, the intrinsic evidence is the most important source for determining the meaning of claim terms. Vitronics Corporation v. Conceptronic, Inc., 90 F.3d 1576, 1582, 1583 (Fed.Cir.1996). circumstances, a court may also consult evidence extrinsic to the patent, such as technical dictionaries is or expert testimony as to how those skilled in the relevant art under consideration would interpret the claims. Id.



L.

[3] Because the scope of the rights conveyed to the patentee is defined by the claims, claim construction If "begins and ends in all cases with the actual words of the claim." Renishaw PLC v. Marposs Societa' per Azioni, 158 F.3d 1243, 1248 (Fed.Cir.1998). construing the terms of a claim, "the focus is on the objective test of what one of ordinary skill in the art at the time of the invention would have understood the term to mean." Markman, 52 F.3d at 987. "Absent a special and particular definition created by the patent applicant, terms in a claim are to be given their ordinary and accustomed meaning." Renishaw, 158 F.3d at 1249.

*590 [4] Unless otherwise compelled, a court should give full effect to the ordinary meaning of claim terms, even if the terms are broad. See Johnson Worldwide Associates, Inc. v. Zebco Corporation, 175 F.3d 985, 989 (Fed.Cir.1999). "General descriptive terms will ordinarily by given their full meaning; modifiers will not be added to broad terms standing alone." Id

[5] The specification, the prosecution history, and in some situations the extrinsic evidence may confirm the ordinary meaning of the claim terms or may provide a special meaning for the claim terms. See Renishaw, 158 F.3d at 1248. Thus, once a court has determined the ordinary meaning of the claim terms, it must also consider the specification and prosecution history to determine if the patentee used any terms in a manner inconsistent with their ordinary meaning. See Vitronics, 90 F.3d at 1582.

B. SPECIFICATION

[6][7][8][9] While terms are generally given their ordinary meaning, "[c]laims must be read in view of the specification, of which they are a part." Markman, 52 F.3d at 979; see also Phonometrics, Inc. v. Northern Telecom Inc., 133 F.3d 1459, 1466 (Fed.Cir.1998)("Although claims are not necessarily restricted in scope to what is shown in a preferred embodiment, neither are the specifics of the preferred embodiment irrelevant to the correct meaning of claim limitations."). The relationship between the claims and the specification is illustrated by the following pair of claim construction canons: "(a) one may not read a limitation into a claim from the written description, but (b) one may look to the written description to define a term already in a claim limitation, for a claim must be read in view of the specification of which it is a part." Renishaw PLC v. Marposs Societa' per Azioni, 158 F.3d 1243, 1248 While additional limitations may (Fed.Cir.1998). not be imported into a claim from the specification, a court may construe a limitation specifically recited in a claim in light of the specification. See Phonometrics, Inc. v. Northern Telecom Inc., 133 F.3d 1459, 1466 (Fed.Cir.1998). Thus, in order to inject a definition into a claim from the written description, the claim must explicitly contain a term in need of definition. See Renishaw, 158 F.3d at 1248, 1252 (noting that passages referring to the preferred embodiment cannot be read into the claim without some "hook"). Further, claim terms should not be narrowed by the content of the specification "unless the language of the claims invites reference to those sources." Johnson Worldwide, 175 F.3d 985, 990 (noting that there "must be a textual reference in the actual language of the claim with which to associate a proffered claim construction").

[10] The Johnson Worldwide court noted two specific situations in which a claim term may be given a definition other than its ordinary meaning: (1) if a patentee chooses to be his or her own lexicographer by explicitly setting forth the definition for a claim term, or (2) if "the terms chosen by the



(Cite as: 63 F.Supp.2d 583)



patentee so deprive the claim of clarity that there is no means by which the scope of the claim may be ascertained from the language used." 175 F.3d at 990. In these situations, reference should be made to the specifications to determine the meaning of the claims.

Because a patentee is free to be his own lexicographer, the specifications may serve as dictionary for certain terms in the claims. Markman, 52 F.3d at 979-80. However, in order for a patentee to assign a special definition to a claim term, he or she must do so clearly in the specification. Markman, 52 F.3d at 980; see also Renishaw, 158 F.3d at 1249 (noting that a "patentee's lexicography must, of course, appear 'with reasonable clarity, deliberateness, and precision' before it can affect the claim") (quoting In re Paulsen, 30 F.3d 1475, 1480 (Fed.Cir.1994)). "Without an express intent to impart a novel meaning to claim terms, an inventor's claim terms *591 take on their ordinary meaning." York Products, Inc. v. Central Tractor Farm & Family Center, 99 F.3d 1568, 1572 (Fed.Cir.1996); see also Vitronics, 90 F.3d at 1582 ("Although words in a claim are generally given their ordinary and customary meaning, a patentee may choose to be his own lexicographer and use terms in a manner other than their ordinary meaning, as long as the special definition of the term is clearly stated in the patent specification or file history."). Thus, if a term is used in a variety of ways by the patentee in the specification, this may be indicative of the breadth of the term, rather than a limited definition. Johnson Worldwide, 175 F.3d 985, 990-91 (distinguishing Laitram Corp. v. Morehouse Industries, Inc., 143 F.3d 1456, 1463 (Fed.Cir.1998) on the ground that in that case a narrow interpretation was compelled because of unambiguous language in the specification made clear that the claim language had only one interpretation).

As for the second situation discussed in Johnson Worldwide, while a court generally construes claim terms consistent with their common meaning, a "common meaning, such as one expressed in a relevant dictionary, that flies in the face of the patent disclosure is undeserving of fealty." Renishaw, 158 F.3d at 1250. Also, a court may also resort to the specifications if a claim term lends itself to several common meanings; in such a situation "the patent disclosure serves to point away from the improper meanings and toward the proper meaning." Renishaw, 158 F.3d at 1250.

C. PROSECUTION HISTORY

[11][12] The third source of intrinsic evidence that a court may consider in understanding the meaning of the claims is the prosecution history. "[a]lthough the prosecution history can and should be used to understand the language used in the claims, it too cannot 'enlarge, diminish, or vary' the limitations in the claims." Markman, 52 F.3d at 980 (quoting Goodyear Dental Vulcanite Co. v. Davis, 102 U.S. 222, 227, 12 Otto 222, 26 L.Ed. 149 (1880)). court also may consider the prior art cited in the prosecution history, which may contain clues as to what the claims do not cover. See Vitronics, 90 F.3d at 1583.

[13][14] If a patentee takes a position before the PTO, such that a "competitor would reasonably believe that the applicant had surrendered the relevant subject matter," the patentee may be barred from asserting an inconsistent position on claim construction. Cybor Corp. v. FAS Technologies, Inc., 138 F.3d 1448, 1457 (Fed.Cir.1998); see also Cole v. Kimberly-Clark Corporation, 102 F.3d 524, 531 (Fed.Cir.1996) (holding that the patentee was estopped from arguing that her "perforation means" encompassed "ultrasonic bonded seams" after she distinguished references that contained such seams). If a patentee distinguishes a reference on multiple grounds to the PTO, any one of these may indicate the correct construction of a term. See Gentry Gallery, Inc. v. Berkline Corporation, 134 F.3d 1473, 1477 n. * (Fed.Cir.1998). However, "[u]nless altering claim language to escape an examiner rejection, a patent applicant only limits claims during prosecution by clearly disavowing claim coverage,' that is, by making a statement that concedes or disclaims coverage of the claims at issue based on a piece of prior art. York Products, 99 F.3d at 1575.

D. EXTRINSIC EVIDENCE

[15][16][17] A court may, in its discretion, consider extrinsic evidence in order to correctly understand and define the language of the claims. Markman, 52 F.3d at 980. However, "[e]xtrinsic evidence is to be used for the court's understanding of the patent, not for the purpose of varying or contradicting the terms of the claims." Markman, 52 F.3d at 981; see also Vitronics, 90 F.3d at 1584. Extrinsic evidence may be consulted if the court is not familiar with the terminology of art in which the patent is written, but it should not be *592 consulted to clarify ambiguity in claim terms. See Markman, 52 F.3d at 986. "Indeed where the patent documents are unambiguous, expert testimony regarding the meaning of a claim is entitled to no weight." Vitronics, 90 F.3d at 1584.

E. MEANS PLUS FUNCTION LIMITATIONS

Paragraph 6 of section 112 of 35 U.S.C. provides

An element in a claim for a combination may be expressed as a means or step for performing a specified function without the recital of structure, material, or acts in support thereof, and such claim shall be construed to cover the corresponding structure, material, or acts described in the specification and equivalents thereof.

This provision of the patent statute permits a patentee to write a limitation in a combination claim as a means for performing a function without reciting structure, material, or acts in the limitation. See Valmont Industries, Inc. v. Reinke Mfg. Co., Inc., 983 F.2d 1039, 1042 (Fed.Cir.1993). A patentee who invokes this drafting tool is required, however, to describe in the patent specification some structure which performs the specified function. See <u>Valmont</u>, 983 F.2d at 1042.

[18] If a patentee uses the word "means" in a claim, a presumption arises that he or she used the word to invoke § 112, ¶ 6. See <u>Rodime PLC v. Seagate</u> 174 F.3d 1294, 1302 Technology, Inc., (Fed.Cir.1999). There are two ways this presumption may be rebutted: (1) if a claim term uses the word "means" but recites no function which corresponds, or (2) if the claim recites a function but also recites sufficient structure or material for performing the claimed function. See Rodime, 174 F.3d 1294, 1302. It is also possible that a claim limitation that does not recite the word "means" may be construed under § 112, ¶ 6, despite a presumption to the contrary. See Cole v. Kimberly-Clark Corporation, 102 F.3d 524, 531 (Fed.Cir.1996) (citing Raytheon Co. v. Roper Corporation, 724 F.2d 951, 957 (Fed.Cir.1983)).

[19] Even if a mechanism is defined in functional terms, such as a "filter," "brake", "clamp," or "detent mechanism," or if it does not call to mind a single well-defined structure, it may not be subject to means-plus- function analysis. See Greenberg v. Ethicon Endo-Surgery, Inc., 91 F.3d 1580, 1583 (Fed.Cir.1996) (noting that "[d]ictionary definitions make clear that the noun 'detent' denotes a type of device with a generally understood meaning in the mechanical arts, even though the definitions are expressed in functional terms" and that "[i]t is true that the term 'detent' does not call to mind a single well-defined structure, but the same could be said of other commonplace structural terms such as "clamp"

or "container" "). In addition, a structural term need not connote a precise physical structure to those of ordinary skill in the art to avoid a means-plusfunction analysis, as long as it conveys a variety of structures that are referred to by that term. Personalized Media Communications, LLC v. International Trade Commission, 161 F.3d 696, 704-705 (Fed.Cir.1998) (noting that "detector" was not a generic structural term such as "means," "element," or "device" nor a coined term such as "widget" or "ram-a-fram" in deciding that use of the term "digital detector" did not subject the limitation to § 112, ¶ 6 analysis). The critical inquiry is "not simply that a [mechanism] is defined in terms of what it does, but that the term, as the name for structure, has a reasonably well understood meaning in the art." Greenberg v. Ethicon Endo-Surgery, Inc., 91 F.3d 1580, 1583 (Fed.Cir.1996).

Once the court has determined that a claim limitation is written in means plus function form, the court must define what the "means" are in the claim. The first step is to determine the function that the *593 claimed means performs. See Rodime, 174 F.3d 1294, 1302. The claim language must link the term "means" to a function or the limitation is not subject to 112, ¶ 6. See York Products, Inc. v. Central Tractor Farm & Family Center, 99 F.3d 1568, 1574 (Fed.Cir.1996). Next, the court must determine what structure, material, or acts disclosed in the specification correspond to the word "means." See Chiuminatta Concrete Concepts, Inc. v. Cardinal Industries, Inc., 145 F.3d 1303, 1308 (Fed.Cir.1998).

[20][21] In determining the structure disclosed in the specification that corresponds to the means, the court should be wary of importing excess limitations from the specification. For example, if a structure is defined in the specification in a way unrelated to the recited function in the means-plus- function clause, those additional aspects of the structure should not be read as limiting the scope of the means clause. See Chiuminatta, 145 F.3d at 1308-1309 (construing a patent for an apparatus and method for cutting concrete, the court held that because the function that corresponded to the means in the limitation was supporting the surface of the concrete, structural aspects of the skid plate in the preferred embodiment that did not perform this particular function were not to be read as limiting the scope of the means clause). In addition, in construing means plus function claims, generally a court should not import a function of a working device or a preferred embodiment into the claims as part of the "means" if such a function is not part of the function recited in the claims. Rodime, 174 F.3d 1294, 1305; see also Constant v.

Advanced Micro-Devices, Inc., 848 F.2d 1560, 1571 (Fed.Cir.1988) ("Although the specification may aid the court in interpreting the meaning of disputed language in the claims, particular embodiments and examples appearing in the specification will not generally be read into the claims.").

II. CONSTRUCTION OF THE TWENTY CLAIMS PRESENTED AT THE MARKMAN HEARING

The twenty patent claims presented to the Court for construction at the <u>Markman</u> hearing may be categorized into the following groups: (1) Analysis Control System Claims, including Claim 51 of the '309 patent, Claims 33, 104, 117 and 192 of the '707 patent, and Claims 49, 50, 65, and 171 of the '863 patent, (2) Claims Involving Products Carrying Participation Numbers, including Claims 44 and 93 of the '707 patent and Claims 79 and 190 of the '863 patent, (3) Conditional Format Claims, including Claim 15 of the '150 patent and Claims 17, 20, 24, 77 of the '285 patent, and (4) Claims from the '984 patent, including Claims 4 and 15.

A. ANALYSIS CONTROL SYSTEM CLAIMS

The first set of claims, the Analysis Control System Claims, come from the '707, '863, and '309 patents. The text and figures of the specifications to these three patents are identical, so references to the specification in one patent are equally applicable to analysis of a term appearing in a claim in another of the three patents. The text of the analysis control system claims at issue is provided in the Appendix to this Memorandum.

In general, the '707, '863, and '309 patents describe a system which interfaces callers at remote terminals through a telephone network to provide voice prompts to the callers so that they can provide information to the system. The information from the callers may be stored in the system for processing. The content of the prompts provided by the system to the callers and the type of processing performed on the information provided by the callers is determined by a format, designed to implement, for example, an auction sale or a contest.

1. "Communication Facility"

[22] The parties have asked the Court to construe the term "communication facility." *594_[FN1] The plaintiffs argue that although the term does not have a common meaning to one of ordinary skill in the art, [FN2] the meaning is clear from the claim language.

The plaintiffs contend that because the purpose of the communication facility in the claims is to connect callers to the interactive voice application ("the Katz system"), the kind of communication facility is inconsequential and the Court should construe the term to mean "any telephone network that enables callers to make calls." (Pls.' Brief at 44-45).

FN1. The parties agree that the term "telephonic [or 'telephone'] communication system" is synonymous with "communication facility" and thus should be construed the same. The Court finds no reason in the claim language, specifications, or prosecution history of the patents which contain these terms to construe the two terms differently.

In addition to Claim 51 of the '309, the term "communication facility" or "telephonic [or 'telephone'] communication system" appears in the following claims: Claims 33, 44, 93, 104, 117 and 192 of the '707 patent, Claims 49, 50, 65, 79, 171, and 190 of the '863 patent, Claim 10 of the '309 patent, Claims 17, 20, 24, and 77 of the '285 patent, and Claim 15 of the '984 patent. There being no indication to the contrary, the Court concludes that these terms have one meaning across all the patent claims at issue in the *Markman* hearing.

FN2. Both Mr. Morganstein, the expert for the plaintiffs, and Professor Larky, one of the experts for the defendants, testified that a person of ordinary skill in the art of interactive voice response systems would have had at least a Bachelor's degree in a scientific or engineering field, such as physics, electrical engineering, or computer science, and at least two years experience working in the field of computer telephony. (Transcript volume 1 at 77-78; volume 3 at 39).

The defendants attack this proposed construction of communication facility and argue that the Court should construe the term as requiring that (1) the communication facility comprise the entire Public Switched Telephone Network ("PSTN") [FN3] and (2) the Katz system must be operated only outside the PSTN or communication facility. To support their argument that the communication facility comprises the entire PSTN, the defendants point to particular



ŀ÷

}4

fu

LM

- [

language in the specifications that they contend supports such a construction. First, the defendants point to Column 3 of the '707 patent at line 13, which provides that "[i]n the disclosed embodiment, the remote terminals T1 through Tn represent the multitude of conventional telephone terminals that are coupled to a communication facility C which may take the form of a comprehensive public telephone system for interconnecting any associated terminals T1-Tn." Because the specification indicates that the communication facility has the ability to connect any associated terminals (such as telephones), the defendants argue that the communication facility must include the entire PSTN. Similarly, the defendants argue that Katz defined communication facility as the entire PSTN in line 63 of Column 4 of the '707 patent, which provides that "DNIS capability is a function of the communication facility C (composite telephone system)." The defendants maintain that these passages of the specification indicate that the communication facility should be construed to mean the entire PSTN.

> FN3. Professor Larky defined the PSTN as the comprehensive public telephone system which "includes the operations of the various local exchange carriers (such as Bell Atlantic), and interexchange (long distance) carriers, such as AT & T and MCI." (Expert Report of Larky at 14). Although, the Court did not need to draw on expert testimony to construe the meaning of the term "communication facility," reference to the expert's report to understand the meaning of the term PSTN is essential to understanding the defendants' argument.

The plaintiffs argue that the passages relied on by the defendants do not support their construction and that the specification indicates a contrary definition of "communication facility." In Column 17 of the '707 patent, Katz states that callers to his system could be billed through the "pay-to-dial network." The plaintiffs argue that this indicates that "communication facility" may comprise any part of the *595 PSTN, including the pay-to-dial network, that allows calls to be made by a caller to the Katz system and does not require that it comprise the entire PSTN. In addition, the plaintiffs contend that the prosecution history supports this construction. In a Preliminary Amendment dated January 10, 1986 in the prosecution of the '299 patent, Katz amended his claims to replace the term "public communication facility" with the term "communication facility."

Katz also added a claim during the (Ex. 26). prosecution of the '299 patent, claim 15, which provided: "A system according to claim 1 wherein said communication system comprises a public communication system." (Ex. 26). By altering his claims, the plaintiffs argue, Katz clearly did not limit his claims to always require use of the entire PSTN.

This Court concludes that the claim language does not shed much light on the scope of the communication facility; however, there is no indication from claim language itself that the communication facility must include the entire The specification is more helpful in determining the scope of the term at issue. Column 3, lines 55-59 of the '707 patent, Katz states that "[i]n the illustrative embodiment of the system, the communication facility C comprises a public This indicates that the telephone network." communication facility may, but is not required to involve the entire PSTN. In addition, the prosecution history of '299 patent cited by the plaintiffs, in which Katz removed the word "public" from modifying "communication facility," is consistent with this indication. The references to the specification made by the defendants do not undermine this reading of the claim language and specification and do not lend support to the defendants' proposed construction of this term. Thus, I conclude that in light of the claim language, specifications, and prosecution history presented by the plaintiffs, the term "communication facility" does not require the involvement of the entire PSTN or thus, all of its elements and processes.

To support their argument that "communication facility" is defined in the patents such that the Katz system must be operated only outside the PSTN or communication facility, the defendants point to the language of the preamble and claim limitations. The parties agree that because the terms "communication facility" and "analysis control system," which initially appear in the preamble, are referred to in the claim limitations, these terms should be considered as limitations in the claims. See Gerber Garment Technology, Inc. v. Lectra Systems, Inc., 916 F.2d 683, 689 (Fed.Cir.1990). The preamble provides for "[a]n analysis control system for use with a communication facility;" the defendants contend that this language, particularly the word "with," indicates that the Katz system, the analysis control system, is necessarily outside of the network. Further, the defendants argue that because the preamble indicates that the communication facility provides call data signals to the Katz system, this indicates that Katz was not referring to the internal routing signals that

occur inside the telephone network.

Turning to the language of the claim limitations, the defendants point out that Katz used the phrase "coupled to said communication facility," which they argue indicates that the Katz system is something distinct from the communication facility because it is "coupled to" it. The defendants also contend that the limitation "interface structure coupled to said communication facility ... including means to provide signals representative of data developed by said remote terminals and for receiving said calling number identification data and said called number identification data (DNIS) to identify one from a plurality of called numbers" indicates that the interface structure cannot be a switch inside the PSTN, because switches send *596 DNIS, not receive it. [FN4] This, the defendants argue, is further proof that the Katz system cannot include any elements or processes which are inside the PSTN.

> FN4. This limitation is not present in Claim 51 of the '309 patent, but it and similar limitations appear in other claims in which the term "communication facility" is used. See, e.g., Claim 171 of the '863 patent (dependent on Claim 93 of the '863).

In addition, the defendants refer the Court to Figure 1 in the specification. First, the defendants argue that the Katz system is represented as a "dead-end" or the place at which a call terminates, not as a mechanism by which calls are connected from one person to another, as is the function of the PSTN. Second, the defendants argue that pursuant to the Code of Federal Regulations, if an aspect of the invention is represented in the figure as a rectangular box, it indicates that that aspect is not essential to the understanding of the invention, citing 37 C.F.R. § 1.83(a). Thus, the defendants argue, the fact that the communication facility is represented in the figure as an empty box lends support to their position that the Katz system must be operated only outside the network.

Finally, the defendants point to the specification of the '707 patent at Column 6 at line 14, which provides that "individual callers would use the remote terminals T1-Tn to contact the central station D through the communication facility," as indicating that by using the word "through," Katz indicated that the Katz system must be operated only outside the PSTN.

The plaintiffs argue that the claim language is silent as to whether the Katz system must function only "inside" or "outside" the network. Further, the plaintiffs argue that there is nothing in the specification that requires that the Katz system function only outside the network. The plaintiffs maintain that although the communication facility is represented in Figure 1 as an empty box, certain parts that the defendants would consider to be "inside" the PSTN, such as the remote terminals and customer billing, are split out and shown as separate boxes in Thus, the plaintiffs contend that if customer billing and the remote terminals can be shown as separate empty boxes and still be "inside" the PSTN, there is no basis in Figure 1 for construing the Katz system, which is also represented by separate boxes, as "outside" the PSTN.

The Court concludes that there is no basis in the claim language, the specifications, or in Figure 1 to construe the term "communication facility" to mean that the Katz system must be operated only outside the communication facility. It appears that the essence of the defendants' argument here is that the Katz system cannot run on any of the equipment that is part of the communication facility, and thus, is "outside" of the communication facility. The Court is not persuaded that the words "for use with," "through" or "coupled to" indicates that the Katz system must be operated only outside the communication facility. The words "with," "through," and "coupled to" connote some type of relationship between two things; however, none of these terms means that the two things in the relationship cannot be considered part of the same system or entity.

Finally, the defendants argue that, claim language and specification aside, Katz clearly limited his invention to a system only existing outside the communication facility in his representations to the PTO during the prosecution of his patents. defendants point to comments by Katz during the prosecution of the '707 patent regarding patents to Riskin, Comella, and Daudelin. DeBruyn, Specifically, the defendants point out that in an Amendment dated August 31, 1995, Katz stated that he amended his claim to recite "that processing of at least certain of the data developed by the terminals and the calling number identification data occurs in the Applicant's system" and that "[n]either DeBruyn nor Riskin teach this aspect of the Applicant's system, also neither patent *597 teaches calling number identification data provided automatically by a communication system (for example, ANI or like signals)." (Ex. 51).

(Cite as: 63 F.Supp.2d 583)



In addition, the defendants point out that in the same Amendment, Katz noted in part that Comella's system "replaces the function of an operator for certain types of calls, for example, collect calls, person-to-person calls, charge-to- third number calls and so on" and that the patent to Comella "is somewhat of background interest for its interface aspects." (Ex. 51). As for the patent to Daudelin, the defendants point out that Katz described it as "generally directed to an interface arrangement for reducing the load on telephone operators." (Ex. 51). Apparently, the defendants contend that if Katz had contemplated that his system could have operated inside the PSTN, he should have said a lot more than he did to adequately distinguish his invention from the Daudelin and Comella patents, which were inventions that were operated by the PSTN.

Whether Katz complied with his obligations before the PTO, however, is a question for another day; the question before the Court is whether Katz made any statements to the PTO that limited the scope of his Considering the passages of prosecution claims. history flagged by the defendants, the answer to that The Court concludes that the ង្ហើ question is no: statements by Katz regarding these patents do not constitute a representation from him to the PTO that his invention could be operated only "outside" the communication facility.

Further, the defendants point to statements made by Katz to the PTO in the September 19, 1994 Supplemental Information Disclosure Statement ("IDS") during the prosecution of the '575 patent, which occurred while the application of the '707 patent was still being prosecuted. Specifically, the defendants point to a passage in which Katz referred to a patent by DeBruyn and stated in part that the patent to DeBruyn "discloses a lottery system that is integral with the 'Telephone Company,' " and that in Katz' system, "the 'Telephone Company' ('a communication facility') simply provides interface, the lottery system being a separate and distinct capability." (Ex. 41). However, taking the statements highlighted by the defendants in context, Katz points out differences between his system and the DeBruyn system including that in Katz system the caller must enter "lottery and identification data," while in the DeBruyn system, the caller need not enter such information because the system is run inside the "Telephone Company" where the callers' telephone number is already known. statements highlight that the Katz system requires that a caller enter certain data, which is not required by the DeBruyn system; the statements do not limit the physical or geographic location where the Katz system can or cannot operate.

Similarly, the defendants refer to another piece of prosecution history in which Katz discussed a patent to DeBruyn for a telephonic lottery system. (Ex. 46). In the September 30, 1994 IDS in the prosecution of the '120 patent, [FN5] Katz stated that DeBruyn was distinct from his system which received identification from a caller because the it was "integrated with the composite telephone system which could identify the The Court subscriber's telephone number." concludes that the statements of Katz in the September 19, 1994 Supplemental IDS and the September 30, 1994 IDS do not restrict or limit the term "communication facility" to mean that the Katz system must be operated only outside of it.

> FN5. The '120 patent is related to the patents-in-suit: the defendants cite to this prosecution history because the claims at issue contain language regarding the communication facility which is similar to the patents before the Court. (Defs.' Brief at 34 n. 20).

The defendants argue that Katz also distinguishes his system from the routing and connection of telephone calls, which *598 are integral functions of a telephone company, thereby establishing that his system was to operate only outside the network. The defendants point to a statement made by Katz regarding a patent to Riskin in the prosecution of the '075 patent. (Ex. 40). In the Preliminary Amendment dated July 17, 1990, Katz stated that "[r]ecognizing that the Riskin patent discloses the utilization of ANI and DNIS signals to accomplish telephone routing, it is respectfully submitted that applicant's system philosophical entirely different involves considerations and structure." The defendants contend that because the Riskin patent was a system that was inside the telephone network, this statement by Katz indicates that his system was to be operated outside the PSTN. Similarly, the defendants argue that Katz distinguished his invention during the prosecution of the '929 patent [FN6] from a patent to Riskin by stating that his invention was outside the PSTN. (Ex. 37). In the Amendment dated August 1, 1990, Katz noted that in the Riskin patent, "functions are involved that are completely distinct from applicant's system.... Specifically, Riskin does not disclose an interface telephone system but rather discloses a connection system." The Court concludes that in these statements, however, Katz is



į.

(Cite as: 63 F.Supp.2d 583)



14

45

discussing functional differences between the Riskin system and his system, not differences in the physical or geographic location of the elements of the systems.

> FN6. The '929 patent is a direct descendant of the '299 Application, from which all the patents-in-suit descend.

Essentially, the defendants are attempting in their arguments regarding "communication facility" to put a non-infringement rabbit in their hat at the claim construction stage of the case; in their arguments, they expressly seek to include any and all of their equipment, wires, switches, computers, trunks, lines, databases, and so on in the definition of "communication facility" and then establish that the Katz system cannot by definition include any of those things or run on any of that equipment because his system must be "outside" the communication facility. The result of adopting such reasoning would be to restrict the definition of "communication facility" on the basis of who owned the computer or switch on which the Katz system was running or on the basis of the physical or geographic location of the particular computer or switch. The plain words of the patents will not support such a restricted definition.

Based on the foregoing inspection of the claim language, specification, and prosecution history, the Court construes the term "communication facility" in the Katz patents to mean: that part of a telephone network that enables a caller to connect to the Katz system. The Court concludes that there is no support for a construction of "communication facility" to require that the Katz system be operated only outside the entire PSTN nor that the "communication facility" encompass the elements or processes of the entire PSTN.

2. Application of Means-Plus-Function Analysis

The analysis control system claims contain several limitations that contain a "structure" or "means" term, such as "interface structure," "voice generator structure," and "means to provide call data signals representative of data developed by said remote While the parties agree that some of terminals." these terms are subject to means-plus-function analysis under 35 U.S.C. § 112, ¶ 6, the plaintiffs dispute the application of such analysis to other terms.

a. "Interface Structure"

[23] The first of these terms the parties wish the Court to construe is "interface structure." [FN7] The claim limitations in *599 which this term appears read "an interface structure coupled to said communication facility to interface said remote terminals for voice and digital communication." In some of the claims, the limitation goes on to provide that the interface structure includes "means to provide caller data signals representative of data relating to said individual callers developed by said remote terminals." [FN8] Other claims contain limitations which further provide that the interface structure includes means "for receiving said calling number identification data." [FN9]

> FN7. The term "interface structure" appears in the following claims under consideration at the Markman hearing: Claim 51 of the '309 patent, Claims 33, 104, 117 and 192 of the '707 patent, and Claims 49, 50, 65, and 171 of the '863 patent.

> FN8. Claims which include this or similar language are Claims 51 of the '309 patent, Claims 104 and 117 of the '707 patent, and Claims 49, 65, and 171 of the '863 patent.

> FN9. Claims which include this or similar language are Claims 104, 117, and 192 of the '707 patent and Claims 49, 65, and 171 of the '863 patent.

The dispute between the plaintiffs and the defendants centers around whether "interface structure" is subject to means-plus-function analysis under 35 U.S.C. § 112, ¶ 6. The plaintiffs maintain that the term does not implicate § 112, ¶ 6 and should be construed to mean "a hardware device with associated software that establishes an interactive connection between a caller's telephone and a computer system." (Pls.' Brief at 50). The plaintiffs Personalized Media that under Communications, LLC v. International Trade Commission, 161 F.3d 696, 704-705 (Fed.Cir.1998), a term that is defined in terms of its function or that does not bring to mind one well-defined structure is not necessarily subject to means-plus-function In Personalized Media, the Court of Appeals for the Federal Circuit held that the term "digital detector" was not subject to means-plusfunction analysis because it conveyed to one of ordinary skill in the art "a variety of structures known



as detectors." <u>Id. at 705.</u> The plaintiffs argue that the term "interface structure" is akin to "digital detector" in that it is a sufficient recitation of structure so as to avoid the application of meansplus-function analysis. The plaintiffs argue that a specific set of structures corresponding to "interface structure" was known to those of ordinary skill in the art at the time of the prosecution of the Katz patents.

The defendants argue that the term "interface structure" is written in functional language, fails to sufficiently connote structure to those of ordinary skill in the art, and as such, it subject to analysis under § 112, ¶ 6. The defendants contend that Katz simply used the term "structure" instead of "means" to attempt to avoid the application of § 112 ¶ 6. The defendants maintain that "interface structure" is a generic term which does not inform a person of ordinary skill in the art what structure is being conveyed by the term.

[24] Because the term "interface structure" is not drafted in "means for" form, the Court presumes that it is not subject to the requirements of § 112 ¶ 6. See Mas-Hamilton Group v. LaGard, Inc., 156 F.3d 1206, 1213 (Fed.Cir.1998). The critical factor in determining whether a term in a limitation which be does not invoke "means for" language is subject to ii means-plusfunction analysis despite presumption to the contrary is whether the term brings to mind a set of structures to those of ordinary skill in the art, and not whether the term is written in functional language. See Personalized Media, 161 F.3d at 704-705. To determine whether this term would connote sufficient structure to those of ordinary skill in the art, this Court must refer to La references in the computer telephone field all contemporary with the prosecution of the Katz patents. See Greenberg, 91 F.3d at 1583 (consulting dictionaries to determine that the term "detent" denoted a device generally understood to those in the mechanical arts).

*600 In an article in the AT & T Technical Journal regarding the Conversant 1 Voice System, [FN10] "trunk interface units" are described as connecting incoming trunks from a central office in the telephone network, and "line interface units" are described as initiating or receiving calls over ordinary telephone lines. (Ex. 366). In an 1985 article entitled "The AT & T Multi- Mode Voice SystemsFull Spectrum Solutions for Speech Processing Applications," the authors refer to "telephone interface units (either line or trunk circuits)" as being a component of a basic system for speech processing applications using the telephone

network and centralized databases. (Ex. 358). Other references in the record indicate that "interface structure" connoted structure to those of ordinary skill in the art: Exhibit 355, an article regarding Periphonics Voicepac, describes a particular brand of device used as an interface; Exhibit 405, a 1986 article on the Conversant 1 Voice System, discusses the function of line and trunk interfaces; Exhibit 250, the 4,866,756 patent to Crane et al., incorporates a "telephone interface component" to transmit audio response signals; and Exhibit 235, the 4,797,911 patent to Szlam et al., incorporates "trunk interface units" into its customer account online servicing system.

<u>FN10.</u> The date of this article is unclear in the record, but there is some indication in the article that the manuscript was revised in 1986.

One technical dictionary cited by the plaintiffs was helpful in assisting the Court determine what "interface structure" meant to those in the art. In the Dictionary of Computing and New Information Technology by A.J. Meadows, et al. (1982), the term "interface" is defined as being "[u]sed as a general term to describe the connecting link between the two systems. Most frequently refers to the hardware and software required to couple together two processing elements in a computer system." (Ex. 481).

While the testimony of the experts at the <u>Markman</u> hearing is not as weighty as prior art and technical references in determining the state of the art at the time of the prosecution of the Katz patents, it is consistent with the above references in indicating that "interface structure" had meaning and brought to mind a set of structures to those in the field. See Morganstein Testimony, Transcript Volume 1 at 173, line 24 to 176, line 2 (testifying that the term "interface structure" would have had meaning to a person of ordinary skill in the art who had read the Katz patents and would have brought to mind a range of structures such a person could have used to build the Katz inventions); Larky Testimony, Transcript Volume 3 at 64 lines 12-15 (testifying that he recognized that the term "interface structure" referred to "some physical structure" but not a specific structure).

Based on the above references and expert testimony, the Court concludes that although the term "interface structure" is written in functional language, the limitation sufficiently connotes structure such that §



(Cite as: 63 F.Supp.2d 583)

112, ¶ 6 does not apply. That is, I conclude that, based on the cited prior art, references, and testimony of the experts at the <u>Markman</u> hearing, the term "interface structure" would have called to mind a specific set of structures to a person of ordinary skill in the art such that such a person would be able to build the Katz inventions.

Having concluded that the term "interface structure" is not subject to § 112, ¶ 6, the Court must construe the meaning of the term according to the regular rules for claim construction. The meaning of "interface structure" to those of ordinary skill in the art at the time has been discussed above. In addition, in Column 4, line 52 to Column 5 line 15 of the '707 patent, Katz discusses the function and components of the interface structure and states that "the interface 20 incorporates modems, tone decoders, switching mechanisms, DNIS and ANI capability (call data analyzer 20a) *601 along with voice interface capability" and that the "interface 20 provides the connection of the first lines to a switch 21 which are in turn coupled to first function units, or processors PR1 to PRn." This description of the interface in the specification is consistent with the ordinary meaning of the term "interface structure" to those of skill in the art. Based on the foregoing, I construe the term "interface structure" in the Katz patents to mean "the hardware and software required to connect the processors upon which the Katz system is running to the communication facility such that information If from the communication facility and the remote terminals may be provided to and received by the Katz system." For the claims listed in footnote 8. supra, the Court construes the term "interface structure" to also include the means to perform the specific function of providing caller data signals representative of data developed at the remote terminals. For the claims listed in footnote 9, supra, the Court construes the term "interface structure" to also include the means to perform the specific function of receiving calling number identification data.

b. "Means to Provide Caller Data Signals" and "Means to Receive Calling Number Identification Data"

[25] Some of the limitations beginning with the term "interface structure" contain terms drafted in "means for" language, including "means to provide caller data signals" in Claims 51 of the '309 patent, Claims 104 and 117 of the '707 patent, and Claims 49, 65, and 171 of the '863 patent, and means "to receive calling number identification data" in Claims 104, 117, and 192 of the '707 patent and Claims 49, 65,

and 171 of the '863 patent. [FN11] Both sides agree that these terms are subject to means-plus- function analysis. The plaintiffs argue that the structure that corresponds to the "means" in "means to provide caller data signals" is the Interface 20 in Figure 1 or Interface 1A sub1 through 1A subN and 1B sub1 through 1B subN in Figure 9 of the '309, '707, and '863 patents. The plaintiffs argue that the structures in Figure 1 that correspond to the "means" in "means to receive calling number identification data" are the Interface (20) and the Call Data Analyzer (20a). The defendants argue that the "means" in both of these means- plus-function limitations corresponds to the structures referenced by the plaintiffs but also corresponds to the Automatic Call Distributor ("ACD").

FN11. Some of the claims contain slight variations on this language, but the Court concludes the meaning of the various phasing of this concept is the same.

The Court concludes that the phrases "means to provide caller data signals" and "means for receiving said caller number identification data" are written in "means for" form, do not recite sufficient structure in the claim language, and are subject to analysis under § 112, ¶ 6. According to the specification of the '707 patent at Column 4, lines 28-31, the ACD functions to "queue incoming calls for connection to a lesser number of lines." The ACD does not fulfill and is not necessary to the function of providing call or receiving calling number signals identification data and thus does not correspond to the "means" in those limitations. The Court concludes that the structure disclosed in the patents that corresponds to the "means" in the "means to provide caller data signals" is the Interface 20. The Court concludes that the structures disclosed in the patents that correspond to the "means" in "means for receiving calling number identification data" are the Interface 20 and the Call Data Analyzer 20a.

c. "Voice Generator Structure"

[26] The term "voice generator" appears in several of the analysis control system claims at issue, and the limitations containing this term read "voice generator structure coupled through said interface structure for actuating said remote terminals as to provide vocal operating instructions *602 to said individual callers." [FN12] The parties agree that the term "voice generator structure" is not subject to meansplus-function analysis because the term connotes a

Ų

je 🖶

fu

specific range of structures that correspond to the term to those of ordinary skill in the art. The Court concludes that the plain meaning of the term "voice generator" indicates a structure that can produce vocal sounds. The specification of the patents in which this term is found describes the voice generator structure as "a voice origination apparatus prompt individual callers who (after qualification) provide select digital data to develop a record for further processing." Column 2 lines 4 to 8 of the '707 patent. The specification also provides that the voice generator is incorporated in the interface, Column 4, lines 55 to 58 of the '707 patent, and that "recorded voice messages prompt callers to provide data by actuating the alphanumeric buttons" on their telephones, Column 1, lines 45 to 47 of the '707 patent. Based on the term's ordinary meaning, the claim language, and the specification, the Court concludes that "voice generator" means: a device for generating vocal instructions or prompts to individual callers at the remote terminals.

FN12. The term "voice generator structure" is found in Claim 51 of '309, Claims 33, 104, 117, and 192 of the '707 patent, and Claims 65 and 171 of the '863 patent. In Claim 192 of the '707 patent, the limitation provides that the voice generator structure is also able "to prompt said individual callers to enter data."

d. "Record Structure"

[27] The term "record structure" begins limitations in many of the Analysis Control System Claims at issue; the limitation in Claim 51 of the '309 patent reads "record structure, including memory and control means, connected to receive said caller data signals from said interface structure for updating a file and storing digital caller data relating to said individual callers provided from said digital input means through said interface structure." [FN13]

FN13. The term "record structure" appears in the following claims: Claim 51 of the '309 patent, Claims 33, 104, 117, and 192 of the '707 patent, and Claims 49, 50, 65, and 171 of the '863 patent. The wording of the record structure limitations varies across these claims; however, all include "memory and control means" and the concept of receiving information about callers from the interface structure or the communication

facility and then storing, updating, accessing, or testing that information. Thus, the definition of the term "record structure" will be the same across the claims at issue in which it appears.

The plaintiffs argue that "record structure" is not subject to means-plus- function analysis because the term connotes structure to those of ordinary skill in Morganstein testified at the Markman the art. hearing that a person of ordinary skill in the art who had read the Katz patents would have understood "record structure" to refer to a set of structures; Morganstein testified that the record structure would correspond to one of the building blocks of interactive voice applications, including processors, memory, and software. (Transcript volume 1 at 181-182). Larky did not disagree with Morganstein and testified that "record structure" would have connoted structure to those in the field. (Transcript volume 3 at 67-68). The plaintiffs also argue that the phrases "including memory" [FN14] and "connected to receive said caller data signals from said interface structure" are additional structural descriptions of record structure in the claims which support their position that the term does not implicate § 112, ¶ 6. The plaintiffs' proposed construction of this term is "a hardware device with associated *603 software, including memory and control means, used to store information." (Pls.' Appendix at 132).

FN14. It appears that both sides agree that the term "memory" does not implicate § 112, ¶ 6. Morganstein testified at the Markman hearing that a person of ordinary skill in the art would have been aware of many kinds of "memory," such as RAM, tapes, cassettes, and disks. See Morganstein Testimony, Transcript volume 1 at 106. Thus, the Court construes the term "memory" according to its plain meaning as: computer hardware that stores information, such as disks, RAM, or tapes.

The defendants argue that "record structure" is subject to § 112, ¶ 6 because the term is defined by the function it performs--accessing a file and storing data--and because it lacks a sufficiently definite structure to those of ordinary skill in the art. The structures that correspond to this term, the defendants argue, are the Processing Unit 92, Memory 98 with storage cells C1 through Cn in Figure 4, and the required wiring to connect these structures together.



-

Ų

‡ 4

ĸ

The defendants argue that "record structure" also corresponds to the required software for performing the disclosed functions. The defendants contend that the only software programs disclosed in the specifications are in the context of the specific "formats" described by Katz, such as game shows, lotteries, and auctions. [FN15]

> FN15. The defendants argued as well on other claim terms that the structures corresponding to the means in mean-plusfunction limitations included software that was particularly programmed to carry out one of the seven formats disclosed in the specifications or to perform "statistical analysis to isolate a subset." In support of this argument, the defendants submitted the recent case of WMS Gaming Inc. v. International Game Technology, 184 F.3d 1339 (Fed.Cir.1999) after the close of the Markman hearing. Upon full consideration of the WMS Gaming case and the letters submitted to the Court by the parties regarding this issue, the Court concludes that the new decision by the Federal Circuit does not require that the software corresponding to the means in these limitations be specifically programmed to perform one of the seven formats disclosed in the specifications or statistical analysis to isolate a subset of callers or data.

Based on contemporary technical dictionaries and the testimony of the experts, the Court concludes that the term "record structure" is not subject to § 112, ¶ 6 because the term would have connoted sufficient structure to those of ordinary skill in the art. The Court construes the term "record structure" to mean: computer hardware and software required to receive data signals, update files, and store information.

The limitations containing the term "record structure" provide that the record structure includes memory and "control means ... for accessing a file." The parties agree that "control means" is subject to § 112 ¶ 6. The plaintiffs point to the Processing Unit 92 and Memory 98, including cells C1 through Cn in Figure 4 or Processors PR1 through PRn in Figure 1 as the structures that correspond to "control means." The plaintiffs contend that an alternative structure for control means disclosed in the patents is a microcomputer or microprocessor, such as the Central Processing Unit 251 in Figure 9, programmed to perform the disclosed functions.

The defendants agree that the term "control means" corresponds with the structures the plaintiffs have identified, but the defendants contend that the term also must include the associated wiring and software.

The first step in means-plus-function analysis is to identify the function performed by the means; here, the function of the "control means" is to receive calling number identification data, to access a file, and to store data relating to certain of said individuals The Court concludes that the patent discloses that the control means correspond to the Processing Unit 92 and Memory 98, including the cells, C1 through Cn in Figure 4 and the Processors PR1 through PRn in Figure 1. See Column 16, lines 24-28, and 44-46 of the '707 patent and Column 18, lines 21-25 of the '707 patent. In addition, "control means" corresponds to the software that enables these structures to perform the functions of receiving and storing data and accessing files. The Court concludes that the control means also correspond to a microprocessor, such as the Central Processing Unit 251 in Figure 9, programmed to perform the disclosed functions, as such a structure can also perform the disclosed *604 functions of the control means. See Column 5, lines 12-33, Column 9, lines 59 to 67, and Column 21, lines 9-20 of the '707 patent.

The core dispute between the parties in relation to the record structure limitations is over the meaning of the term "accessing." The plaintiffs argue that the term "accessing" includes anything a computer can do to a file, such as creating or opening records or storing additional information entered by callers. The defendants argue that the term "accessing" does not encompass deleting a file or creating or initiating a file because a file must exist before it can be "accessed." The defendants point to passages of the specification in which the ideas of updating a file are distinct from creating a cell in memory in the first instance. See Column 12, line 63-65, Column 16, lines 29-32, and Column 17, lines 29-30 of the '707 patent. Thus, they contend that the term "accessing" must mean retrieving a file that already exists.

In Claim 51 of the '309 patent, Katz recites a "record structure, including memory and control means, ... for updating a file." This indicates to the Court that the use of the word "accessing" in a similar limitation in another claim connotes a different meaning. Further, although Katz describes updating files and assigning cells in memory as different functions in the specification, there is nothing in the specification that indicates that the term "accessing" could not encompass both of those functions.



Webster's Dictionary defines the verb "access" as "to get at, gain access to." Addenda to Webster's 3rd New International Dictionary at 55a (1986). As a noun, the term is defined as "permission, liberty, or ability to enter, approach, communicate with, or pass to and from" or "freedom or ability to obtain or make use of." The Court concludes that the term "accessing" means in the context of the Katz patents: gaining or obtaining the ability to enter or make use of files. The Court further concludes that the term "accessing" in the context of the Katz patents does not delineate or restrict the types of functions that may be performed on the files once they are accessed, such as updating files, creating new files, or deleting files.

e. "Qualification Structure"

[28] "Qualification structure" appears in many of the Analysis Control System Claims, and the limitations in which this term appears vary from claim to claim. [FN16] Claims 104 and 117 of the '707 patent and Claim 171 of the '863 patent include the broadest limitation including the term, providing for a "qualification structure controlled by said record structure for controlling access to said system by said individual callers." The other limitations containing this term vary on how and on what basis access to the system is controlled.

> FN16. The term "qualification structure" appears in Claim 51 of the '309 patent, Claims 33, 104, and 117 of the '707 patent, and Claims 49, 50, 65, and 171 of the '863

The plaintiffs argue that this term is not subject to means-plus-function analysis because the term "qualification structure" was well known to those of ordinary skill in the art of building interactive voice The plaintiffs contend that "qualification structure" would have brought to mind a computer processor and its software programs to those of skill in the art.

The defendants argue that this term is subject to means-plus-function analysis because it is written in functional terms and has no meaning to those of ordinary skill in the art without more information than is provided in the claim language. defendants argue that the term does not escape application of § 112, ¶ 6 because it calls to mind a computer processor and its programs, as plaintiffs contend. The defendants argue that the structure in Figure 4 that corresponds to this term is the Qualification Unit 93, the Processing Unit 92, the Memory 98, and the software required to qualify callers. See Column 6, *605 line 56 to Column 7, lines 36 and Column 16, lines 19-31 of the '707 The defendants contend that the only software that is disclosed in the patents is in the context of the specific formats discussed by Katz, such as game shows, lotteries, and auctions.

The Court concludes that although the term "qualification structure" does not include the term "means," it is subject to § 112, ¶ 6. "Qualification structure" is written in functional terms and the Court is not convinced that it would not have brought to mind sufficient structure to a person of ordinary skill in the art without further reference to the specification. The function performed by the "qualification structure" is controlling access to the Katz system by individual callers. The structures disclosed in the specification that perform this function are the Qualification Unit 93 and the Processor 92 in Figure 4. [FN17]

> FN17. For the term "qualification structure" in Claim 33 of the '707 patent, which provides for "[a]n analysis control system according to claim 26, wherein said limit on use restricts relates to a dollar amount," the defendants claim that the corresponding structures are the Qualification Unit (93) and Look-up Table (99) or Use Rate Calculator (100) in Figure 4, as well as the software required to perform the function of testing the data from callers to specify a basis for entitlement to assess to the Katz system. See Column 17, lines 38-62 of the '707 patent. The Court concludes that these structures designated by the defendants correspond to the qualification structure in Claim 33 of the '707 patent.

qualification structure limitations raise additional construction issues. In Claims 49 and 50 of the '863, the qualification structure controls access to the Katz system "based on at least two forms of distinct identification including caller customer number data and at least one other distinct identification data element consisting of personal identification data." The parties agree that a "caller customer number" is a number that is assigned to a merchant's own customer; however, the defendants

ĒŲ.

3

LN

- 45c

74.1

Ų.

contend that the caller customer number cannot be a credit card number because it is not assigned from a The defendants point to vendor to a customer. Column 11, lines 6-7 of the '863 patent, which describes the customer number in a mail order format as the number found on the customer's catalog. Thus, the defendants argue the customer number cannot be a credit card or charge number because such a number does not identify the caller as a customer of the merchant. In Column 11, lines 19-22 of the '863 patent, Katz states that a caller's customer number may be stored along with his credit card number and expiration date; the defendants argue that this indicates that a customer number and a credit card number are two separate items.

The defendants also argue that the second piece of identification data cannot be a personal identification number (PIN) or an expiration date from a credit card because such numbers are not unique to the individual, or "personal," without the corresponding credit card number or calling card number. The defendants point out that in Column 11, lines 1-5 and 19-22 of the '863 patent, Katz describes "other distinct identification data" in the mail order format as both a credit card number and its expiration date.

Along with the specification, the defendants point to the prosecution history of the '707 patent as support for their construction of "caller customer number data" and "other distinct identification data." In the May 8, 1995 Office Action during the prosecution of the '707 patent, the examiner rejected pending Claim 33, which provided for a "record structure with means for recording an identification card number and at least one other distinct identification data element," as unpatentable over the '554 patent to Asmuth. The examiner noted that Asmuth contained the "record structure" of Katz's claim and taught "that input 'caller data signals' may include a telephone credit card number (in the claim 'identification card number') ... and a 'distinct identification data element' consisting of 'personal identification data' (in the patent *606 a 'PIN')." Katz subsequently amended what was then Claim 33 to recite a qualification structure in a form similar to the claims at issue. See August 31, 1995 Amendment. In his comments to that amendment, Katz stated that he added a "qualification structure" requiring two forms of distinct identification including a caller's customer number to qualify a caller, and that the addition of the qualification structure and the fact that Asmuth stored data to define the virtual private network while his invention stored data developed by the callers rendered the Katz invention distinct.

As for the term "caller customer number data," the claim language does not support the narrow construction proposed by the defendants. That is, there is no support in the claims for the notion that this form of identification could not be a credit card or other charge number if such a number identified the caller as a customer of a particular merchant or vendor. The mention in the specification of storing the customer number as distinct from the credit card number was given as an example; similarly, the example of the customer number located on a customer's catalog was not provided as a requirement for a customer number.

The second term, "distinct identification data element consisting of personal identification data," is not subject to the narrow construction proposed by defendants either. The word "distinct" indicates that this second form of identification must be different than the first form of identification for each caller. The claim language also requires that this second piece of information contain something "personal" by way of identification, that is, data that is assigned to a person or identifies a person as an individual as opposed to a customer of a merchant or vendor. Nothing in the claim language instructs that this second piece of identification cannot be a personal identification number (PIN) or an expiration data from a credit card as long as the data identifies the individual. The prosecution history cited by the defendants does not require that the Court adopt the defendants' construction either; Katz did not state in the Amendment that his system would not accept a PIN as a form of personal identification.

Thus, based on the claim language, the Court construes "caller customer number data" to mean: a number assigned to a customer by a vendor or merchant or recognized by a vendor or merchant for the purpose of identification of the customer. The Court construes "other distinct identification data element consisting of personal identification data" to mean: data that identifies a caller as an individual which is distinct from customer number data.

f. "Means for Selecting"

[29] The parties agree that the term "means for selecting" is subject to means-plus-function analysis. This term appears in Claim 104 of the '707 patent, in dependant Claim 103. The function, which is set out in the claim language itself and described in Column 10, lines 34 through 43 of the '707 patent, that is performed by the "means" is selecting a specific one of a plurality of formats based on the called number. In Column 4, lines 52 through 59, the specification of



63 F.Supp.2d 583 (Cite as: 63 F.Supp.2d 583)

ļ. <u>*</u>

In

7. J

j

the '707 patent discloses that the "interface 20 incorporates ... DNIS ... capability (call data analyzer 20a)." As explained in line 62 of the same column through line 2 of Column 5, "DNIS" is a function of the communication facility which provides data indicating the called number and may be used with the interface 20 and call data analyzer 20a.

The defendants contend that the Automatic Call Distributor AC1, the Interface 20, and the Switch 21 correspond to the "means" in "means for selecting." However, the specification at Column 6, lines 37 through 48 indicates that the ACD merely receives the call signal from the caller and "associates" the called number through the interface and the switch to the specific processor that contains the particular format associated with called number. Similarly, in Column 10, lines 31-43, the specification *607 discloses that the communication facility couples the caller at the remote terminal to the correct processor to run the format selected by the called number through the ACD, the interface, and the switch. These passages do not specify which of these structures is performing the specific function of selecting the format based on the called number, as opposed to connecting the caller to the correct processor once the format has been selected.

The portion of the specification cited above from Columns 4 and 5 more clearly identifies that the interface and the CDA are the structures which perform the disclosed function. Thus, the Court concludes that the disclosed structure that corresponds to the "means" in "means for selection" is the Interface 20 and the Call Data Analyzer 20a in Figure 1. The ACD and the switch do not correspond to the means.

g. "Switching Structure"

Claims 49 and 50 of the '863 patent, and in context reads "switching structure coupled to said interface structure for switching certain select ones of said individual callers at said remote terminals to any one of a plurality of live operators wherein said live operators can enter at least a portion of said caller data relating to said select ones of said individual callers through interface terminals, which is stored in said record structure."

The plaintiffs contend that this term is not subject to means-plus- function analysis because the term "switch" is well known to those experienced in computer telephony and it brings to mind structure to those of skill in the art. The plaintiffs argue that switching structure should be defined as "hardware with associated software used to route calls." (Pls.' Appendix at 164).

The defendants contend that the term "switching structure" is subject to analysis under § 112, ¶ 6 because the term lacks a sufficiently definite structure such that one of skill in the art would not know what structure to build without more information than is provided in the claim. The defendants argue that in the passages that discuss the switching structure, including Column 5, lines 51-55; Column 7, lines 13-17; Column 10, lines 45-52; and Column 11, lines 8-12 of the '863 patent, Katz did not disclose structure to perform the entire function performed by the means, which is switching callers to a live operator, where the live operator enters caller data for storage in the record structure.

During the Markman hearing, all of the experts referred to "switches" in their discussion of computer telephony at the time of the Katz patents. Similarly, the term "switch" was often used in contemporary references and prior art referred to by the parties at The Court concludes that, based on these examples of the state of the art and the testimony of the experts, the term "switching structure" does not implicate § 112, ¶ 6. The Court concludes that the term would have connoted a specific set of structures to those of ordinary skill in the art. Thus, based on the claim language and the specification, the Court construes the term "switching structure" to mean: a device including hardware and associated software that can switch or route telephone calls or signals from one location or connection to another.

h. "Record Testing Structure"

[31] The term "record testing structure" appears in Claim 192 of the '707 patent. The limitation in full provides for a "record testing structure connected to receive and test said caller data signals including said calling number identification data and said caller personal identification data against previously stored calling number identification and caller personal identification data."

The plaintiffs argue that this term is not subject to means-plus-function analysis because it would have called to mind sufficient structure to those of ordinary skill in the art. The plaintiffs propose that the Court construe "record testing structure" to mean "a hardware device, with associated*608 software, used to store information and implement tests based on that information." (Pls.' App. at 155).

8

The defendants argue that "record testing structure" is subject to § 112, ¶ 6. The structures the defendants contend corresponds to the function performed by the record testing structure are the Processing Unit 96, the Qualification Unit 93, the Buffer Storage 97, either the Look-up Table 99 or the Use Rate Calculator 100, and the logic within the qualification unit to receive information regarding the calling number from the interface. Further, the defendants argue that the structure corresponding to "record testing structure" cannot be any computer with any type of memory; if this were the case, the defendants argue, § 112, ¶ 6 would have no meaning. The defendants contend that the processing unit must be programmed to receive decoded personal identification data from the callers and to test it against stored data for the callers.

The Court concludes that "record testing structure" implicates § 112, ¶ 6 because "record testing" is clearly a functional term and it does not connote any structure for performing the function of receiving and testing said caller data signals including said calling number identification data and said caller personal identification data against previously stored calling identification and caller The Court concludes that the identification data. structures disclosed in the specification that correspond to "record testing structure" are the Processing Unit 96, the Qualification Unit 93, and the Look-Up Table 99 in Figure 4. See Column 10, lines 1 through 25 of the '707 patent. Contrary to the defendants' contentions, the described functions of the Use Rate Calculator 100 and the Buffer Storage 97 in Column 10, lines 1 through 25 of the '707 patent are not required to perform the function of receiving and testing signals against stored data called out in the claim. Thus, these structures do not correspond to record testing structure.

3. "Processing"

[32] The next term the parties presented to the Court for construction from the Analysis Control System patents is "processing." In Claims 104 and 117 of the '707 patent, the term appears in context as "means for processing at least certain of said data developed by said terminals and said calling number identification data relating to certain select ones of said individual callers." In Claim 192 of the '707 patent, the terms appears in context as "analysis structure for receiving and processing said caller data signals under control of said record testing structure." The final analysis control system claim at issue in which "processing" appears reads "means for

processing at least certain of said data developed by said remote terminals relating to certain select ones of said individual callers." Claim 171 of the '863 patent.

The parties agree and the Court concludes that the phrase "means for processing" is a means-plus-function limitation subject to § 112, ¶ 6. The structures corresponding to the "means" in "means for processing" include the Processing Unit 92 in Figure 4, the Central Processing Unit 251 in Figure 9, or the Processors PR1 through PRn in Figure 1.

The defendants argue that the term "analysis structure" in "analysis structure for ... processing" is also subject to means-plus-function analysis. support their position, the defendants contend that in the '739 patent, which shares the same specification as the '707, '863, and the '309 patents, Katz used the term "analysis means" in limitations similar to the limitations which contain "analysis structure." plaintiffs contend that "analysis structure" had meaning to those in the art and connoted computer hardware and software used to analyze data, such as a processor. (Pls' App at 160-61). The Court concludes that the term analysis structure is written in functional language and does not connote sufficient structure to avoid the application *609 of \S 112, \P 6, despite the presumption to the contrary. function of the analysis structure in the terms of the claim language is "receiving and processing said caller data signals under control of said record testing The structures that correspond to "analysis structure" are the same as those that correspond to the "means" in "means for processing," i.e., the Processing Unit 92 in Figure 4, the Central Processing Unit 251 in Figure 9, or the Processors PR1 through PRn in Figure 1.

The core dispute between the plaintiffs and defendants is whether "processing," as used in "means for processing" or otherwise in the patents, requires a specific type of processing. defendants contend, in the context of their meansplus-function arguments, that the structures that correspond to the "means" in "means for processing" also include the software that performs the function of processing, and because the only type of processing disclosed in the specification is statistical analysis to isolate a subset of callers in the context of the specific formats disclosed, the computer must be programmed with software that performs this particular kind of processing. Specifically, the defendants argue that all of the disclosed formats in the specification, including a health poll format, mail order format, instant lottery format, auction sale

format, television game show formats, and television poll format, require the use of statistical analysis to isolate a subset; thus, they argue, "processing" and "statistical analysis" are synonymous. The defendants also argue that if the term "processing" is given a broad, unlimited meaning, it would render other limitations that call out specific functions of a computer surplusage, such as "accessing" a file, "storing" data, and "testing" data.

The plaintiffs argue that the defendants' proposed construction of "processing" has no support in the claim language, and that the defendants are attempting to define the function of "processing" by importing structural limitations from the specifications. The plaintiffs argue that the term should be given its ordinary meaning, which is "performing some operation or sequence of operations on data and/or telephone calls." (Pls.' Appendix at 7).

The term "processing," even as part of the phrase "means for processing," is not subject to means-plus-function analysis, so an immediate resort to the specification for meaning is not appropriate unless there is some "hook" in the claim language on which limitations from the specification may be hung. See Renishaw, 158 F.3d at 1252. Thus, if the term "processing" in the context of the claim language had a common, ordinary meaning to those of ordinary skill in the art, that meaning is the proper construction of the term, even if it is broad. See Johnson, 175 F.3d 985, 989.

Contemporary technical dictionaries indicate to the Court that "processing" had a broad meaning to those of skill in the art for some time. In the context of these claims it is clearly implied that the processing is being performed on data. The Standard Dictionary of Computers and Information Processing by Martin H. Weik (1969) defines the verb "process" as follows: "In data processing, to handle, manipulate, or perform some operation or sequence of operations on data in accordance with a specified or implied algorithm, usually as a series of discrete steps, including operations such as compute, assemble, compile, interpret, generate, translate, store, retrieve, transfer, select, extract, shift, search, sort, merge, transliterate, read, write, print, erase, and punch. The processing usually results in a solution to a problem." (Ex. 458). In the Computer Dictionary, by Charles J. Sippl (1966), the term "process" is defined as a "generic term that may include compute, assemble, compile, interpret, generate, etc." (Ex. In the Dictionary of Computing and New Information Technology, by A.J. Meadows et al.

(1984), the term "data processing" is defined as including "all clerical, arithmetical and logical *610 operations on data. Data processing in the context of information technology always implies the use of a computer for these operations." (Ex. 483).

The claim language also shows that the term "processing" does not by itself indicate statistical analysis to isolate a subset of callers. Many claims, dependent and independent, in the '707, '863, and '309 patents specifically call out processing to isolate a subset of callers. For example, Claim 169 of the '707 patent specifically calls out processing to isolate a subset of callers. Claim 174 of the '863 provides for "subsequent" processing that isolates a subset of callers: however, Claim 171, upon which Claim 174 depends, does not require such a parameter on the initial processing. Similarly, Claim 181 of the '863 provides for "processing ... responsive to said approval signals." Claim 185 of the '863 patent, which is dependant on Clam 181, specifically provides for processing to isolate a subset callers. The fact that "processing" is called out in some claims, and then specifically "processing to isolate a subset of callers" is called out in other claims, some of which are dependant on the claims that call out "processing" generally, indicates that the independent claims which contain the term "processing" do not necessarily require that the processing perform statistical analysis to isolate a subset of callers or data. See Rodime PLC v. Seagate Technology, Inc., 174 F.3d 1294, 1306 (Fed.Cir.1999). If the term "processing" were given the limited scope explicitly called out in the dependent claims, those claims would be rendered superfluous, a result that should be avoided if the claim language will allow under the doctrine of claim differentiation. See Laitram Corp. Rexnord, Inc., 939 F.2d 1533, 1538 (Fed.Cir.1991). [FN18]

FN18. The defendants contend that under *Laitram*, claim differentiation does not apply to means-plus-function limitations; however, the term "processing" is the functional language of the claim and is not subject to means-plus-function analysis.

There is nothing in the specifications that requires the Court to alter the broad meaning of "processing" conveyed in the claims, even though the subject of statistical analysis to isolate a subset of callers is repeatedly discussed. The name of the patents under consideration is "Telephonic- Interface Statistical Analysis System."

At several points in the



ű

specification, Katz describes his invention generally or one of the formats generally as performing statistical analysis to isolate a subset of callers. See Column 1, line 58-67 of the '707 patent (providing that "[i]n general, the present invention comprises a telephonic-interface system and related process ... in a variety of different interface formats or programs. as to ... statistically analyze acquired data, as in combination and is association with external data (time independent), and accordingly to isolate a subset of the callers with variable identification"); Column 2, line 22-26 of the '707 patent (providing that "in accordance with various formats, acquired data is processed in statistical relationship, or in relation to applied external data"); Column 5, lines 53-55 of the '707 patent (providing that "[i]n general, the processing evolves a subset (at least one caller) the members of which may be verified or confirmed"); Column 21, lines 33-38 (providing that "[i]n view of the above explanation of exemplary systems, it will be appreciated that other embodiments of the present invention may be employed in many applications to accumulate statistical data, process such data, and define subsets of callers of concern").

It is no surprise that Katz discussed statistical analysis to isolate a subset of callers in the specifications to the '707, '863, and '309 patents because he specifically called out this function in some, but not all, of the claims in those patents. Conversely, there is no mention in the specifications to the '285 and '150 patents of "statistical analysis" or "isolating a subset of callers" because none of the claims in those patents specifically call out such processing, even though the term "processing" *611 appears in the claims of those patents. While the specifications of the '707, '863, and '309 patents call out several embodiments of the Katz invention in which processing is performed to isolate a subset of callers through statistical analysis, not all of the claims that contain the broad term "processing" require this limitation. Whether, as defendants argue, Katz's claims are broader than his disclosure in the specifications of his patents, is a question for another day and does not alter the construction of "processing," a term that clearly had a broad and common meaning to those of ordinary skill in the art.

The portions of the prosecution history highlighted by the defendants do not conflict with the common understanding of "processing." During the prosecution of the '968 patent, from which the patents-in-suit descended, Katz distinguished his invention from a collection of prior art in part on the basis that his invention variously incorporated "(1)

personal participant selectivity, (2) participant record development and (3) analytical inter- related data processing with respect to developed records." 33, March 2, 1988 Amendment at 14). defendants argue that this statement by Katz indicates that all of his claims, including pending Claim 37 which did not explicitly call out "statistical analysis to isolate a subset," incorporate statistical analysis or "inter-related processing." However, pending Claim 38, which was dependent on Claim 37, added the specific limitation of "processing said statistical data as to isolate a subset of said individual callers." Katz's assertions during the prosecution of the '968 patent that his invention variously incorporated three elements does not require, and this Court will not, import the limitation of "analytical inter-related data processing" or "statistical analysis to isolate a subset" into the definition of "processing" in claims of the '968 patent, or of any of the patents at issue in the Markman hearing.

During the prosecution of the '923 patent, which has the same specification as the '707, '863, and '309 patents, Katz attempted to distinguish his invention from a patent to Riskin by stating that the Riskin patent did not "suggest any interrelated processing between callers, nor are processing files formed other than merely to accommodate billing." (Ex. 38). In an Appeal Brief dated September 11, 1992 during the same prosecution, Katz described his invention as systems that "statistically acquire data, as in combination with and in association with external data (time independent), and accordingly isolate a subset of the callers with verifiable identification." (Ex. 38). Similarly, in the Information Disclosure Statement dated January 31, 1996 at 13 during the prosecution of the '185 patent, Katz informed the PTO that "[i]n various applications, Applicant's inventive systems have utilized an operation of processing data to isolate a subset of callers. In a refined form, the operation involves processing data from callers in combination to isolate a select subset of the callers by 'interrelated' processing." (Ex. 56). These statements by Katz indicated that his patents suggest or include interrelated processing or statistical analysis to isolate a subset of callers, which is clear by the claims which explicitly call out this However, none of these statements by Katz indicates that any particular claim includes this type of processing or that all processing suggested in his patent is of this type.

Based on the foregoing, the Court construes the term "processing" to mean: manipulation of data which performs some operation or sequence of operations on the data.

4. "Format"

[33] The next term presented to the Court for construction is "format." This term appears in many of the claims at issue in the <u>Markman</u> hearing. For example, Claim 104 of the '707 patent provides for "[a] system according to claim *612 103, wherein said called number identifies a specific one of a plurality of operating formats for interface." Claim 192 of the '707 patent provides for "[a]n analysis control system according to claim 191, wherein said select called number (DNIS) identifies a select format from a plurality of distinct operating formats."

The plaintiffs contend that the term "format" as used in the patents had a common meaning to those of ordinary skill in the art, and they ask the Court to define "format" as "a computer program, including instructions and/or pre- recorded messages, for providing a service to callers." (Pls.' Appendix at 7).

The defendants argue that although the term "format" only explicitly appears in some of the claims, the concept of "format" is implicit in all of the claims and corresponds to the "analysis control system" that is called out in the claims under consideration. Arguing that the term is imprecise ambiguous without reference to U and **‡** ≠ specifications, the defendants contend that "format" Il is defined by Katz in the specification as analysis that isolates a subset of callers and should be limited to include only the seven formats disclosed in the specifications, including mail order, auction, health poll, television game show, television game show requiring participation numbers, lottery, and television poll formats. Alternatively, the defendants argue that if the Court does not limit "format" to the seven disclosed embodiments, it should define "format" by common threads present in all the formats disclosed; for example, the defendants contend that a format must include a data acquisition phase in which callers enter or are assigned data for processing, and a processing phase in which that data for multiple callers is statistically analyzed with like data for other callers or with common external data to isolate a subset of callers participating in the format.

Construction begins with the claim language, and the language here is instructive. Considering Claim 192 of the '707 patent, which is quoted above, it is clear that "analysis control system" and "format" are not the same concept, as the claim includes both terms and indicates that the format is only a part of the analysis control system.

The language of other claims which were not designated for the Markman hearing supports a construction of format that does not require statistical analysis and is not limited to the seven disclosed embodiments of the specifications. In some claims, Katz specifically limited the format in a claim to a particular type of format. For example, Claim 42 of the '707 provides for a "promotional format," Claim 45 of the'863 patent provides for an "order format," Claim 46 of the '863 provides for a "television initiated mail order operation," and Claim 56 of the'863 provides for a "merchandising format." The fact that these particular formats are called out in some of the claims indicates that the term "format" alone is not limited to any particular format or set of formats.

The specifications of the patents do not indicate that "format" must include statistical analysis or be limited to the disclosed embodiments. Although the Background and Summary of the Invention in the specifications to the '707, '863, and '309 patents describes the invention as generally performing certain functions, including statistically analyzing data, it does not explicitly require that the "format" include statistical analysis or that the "format" is performing the statistical analysis. See Column 1, lines 43- 47, 57-67 of the '707 patent; Column 2, lines 4-14, 22-26 of the '707 patent. In addition, the language of the Background and Summary of the Invention is exemplary; it provides what the invention is generally or what it may include or perform. See Column 1, lines 43 through 67 of the Similarly, in describing the seven '707 patent. disclosed embodiments of his invention, Katz repeatedly stated that the examples were illustrative or exemplary. See, e.g., Column 9, lines 48 through 51; Column *613 11, lines 66 through 67; Column 12. lines 1 through 19 of the '707 patent.

Figure 3 of the '707, '863, and '309 patents is a flow diagram for one operating format of the Katz system. See Column 2, lines 44-45 of the '707 patent. The diagram illustrates a series of commands or instructions for the computer and the sequencing of those commands, including the content and sequence of voice prompts and the operations on data to be stored in or retrieved from memory. There is no indication in the figure of statistical analysis or that the format is limited to the disclosed embodiments. To limit the term "format" in these patents to the disclosed embodiments would violate the ruling of Communications, Inc. v. **Harris** Corporation, 156 F.3d 1182, 1187 (Fed.Cir.1998) and similar cases.



The prosecution history cited by the defendants does not support their proposed construction of "format." During the prosecution of the '023 patent, the examiner rejected certain of Katz's claims as anticipated by a patent to Riskin because the Riskin patent described various "formats," including stock quotation, movie directory, and product information services. (Ex. 48). Similarly, during the prosecution of the '120 patent, the examiner rejected certain of Katz's claims as being unpatentable over a group of references because the claims contained "game" or "operating process" formats that were selected through the use of the dialed number. statements indicate that the examiner did not consider the Katz formats to be limited to the seven embodiments disclosed in the specifications because the examiner rejected some of Katz's claims as unpatentable over patents which contained "formats" other than the seven described by Katz. defendants pointed to no statements by Katz during the prosecution of the patents in which he disclaimed coverage of any formats other than the formats discussed in the specifications.

Based on the foregoing, the Court construes the term "format" to mean: a computer program that sets forth the content and sequence of steps to gather information from and convey information to callers through pre-recorded voice prompts and messages.

5. "Multiple Formats" or "Plurality of Formats"

[34] The parties also disagree over the proper construction of the terms "plurality of formats" and "multiple format." [FN19] The plaintiffs argue that the terms "plurality" and "multiple" clearly had the common and plain meaning of "more than one" to one of ordinary skill in the art. The defendants do not contest that these terms mean "more than one," but rather they argue that because it is impossible to know whether a system is running on one format or more than one format, "multiple" or a "plurality of" formats must have three characteristics. First, each format must be a separate computer program and not just different questions or branching in the same format. Second, each format must have distinctly different subject matter and functionality. Third, each format must be reached by a different and unique called number.

FN19. These terms appear in the Conditional Format Claims at issue in the '150 and '285 patents and the Participation Number claims at issue in the '707 and '863 patents.

The plaintiffs agree that subroutines or branching within a format do not constitute multiple formats. The specification of the '707 patent confirms this. See Column 18, line 37 (noting in the context of the television game show format that "the basic format can remain the same, only the questions change by time zone"). The plaintiffs also agree that one phone number cannot be used to reach different formats. The specifications support this understanding of "multiple formats" or "plurality of formats." Column 12, lines 5-6 (noting that one of the common structural elements of the Katz invention is "utilizing the called number to select a *614 specific operating format"). However, the patents do not support the defendants' contention that each format of a plurality of formats or multiple formats must be assigned a unique called number.

The patents also do not support the defendants' contention that each format in a plurality of formats or in multiple formats must be different in the function it performs or in subject matter. In the '150 patent specification, Katz states that "[e]xemplary selected formats of the processor might include: public polls, lotteries, auctions, promotions, sales operations and games;" the use of plural to describe the formats indicates that the processor could run more than one of any type of format. Column 2, line 65 to Column 3, line 1 of the '150. Thus, if a processor is running a series of formats, even if all are lotteries or all are mail order formats, this would constitute a "plurality of formats" or "multiple formats."

The prosecution history cited by the defendants does not dictate that the Court should alter the construction of "multiple formats" or "plurality of formats" that is clear from the claim language and specifications. In an Amendment dated January 11, 1990 during the prosecution of the '506 application, Katz amended one of his claims to recite "a plurality of distinctly different operating process formats." However, the examiner subsequently rejected this claim as amended, and this particular language does not appear in any of the claims at issue. During the prosecution of the '150 patent, Katz noted in an Amendment dated October 5, 1989 that the patent to Riskin "contains no suggestion of a multiple format processor nor structure for conditioning accepted calls." [FN20] (Ex. 35). The Court concludes that Katz was not limiting the term "multiple format" to require formats with different subject matter or functionality in this statement to the PTO.

FN20. Katz made a similar statement in an Amendment dated June 30, 1992 during the prosecution of the '285 patent. (Ex. 50).

Based on the foregoing, the Court construes the terms "plurality of formats" and "multiple formats" to mean: more than one format. The terms do not include the subroutines or branching within a single format.

6. "Remote Terminals"

[35] The parties dispute the meaning of the term "remote terminals," which appears in claims throughout the body of patents to Katz. The parties agree that the term refers to traditional telephones, but the plaintiffs contend that the term may comprise other devices as well, such as wireless phones or a computer that can access the telephone network.

The plaintiffs contend that a person of ordinary skill in the art reading the Katz patents would understand that "remote terminals" could refer to devices other than traditional telephones. The defendants argue that there is no support in the specifications for any device other than traditional telephones.

The claim language in the patents does not support the defendants limited definition. Claim 96 of the '707 patent is exemplary of many of the claims that contain the term "remote terminals." Claim 96 provides for "[a]n analysis control system for use with a communication facility including remote terminals for individual callers, wherein each of said remote terminals may comprise a conventional telephone instrument including voice communication means and digital input means in the form of an array of alphanumeric buttons for providing data." The use of the words "may comprise" indicates that remote terminals includes, but is not limited to, traditional telephones.

The specification does not limit "remote terminals" to conventional telephones only. In Column 3, line 55 through Column 4, line 18 of the '707 patent, Katz describes *615 the remote terminal illustrated in Figure 1. Although Katz describes what would be considered a traditional or conventional telephone, the specification is clear that the remote terminal in Figure 1 is the illustrative embodiment and that the description of it is exemplary.

The prosecution history cited by the defendants does not restrict the definition of "remote terminals." In

the prosecution history of the '968 patent, in an Amendment dated March 2, 1988, Katz attempted to distinguish his patent from other patents containing, among other devices, "a special form of terminal apparatus at a data source" by noting that "[c]ontrary to the operations of the systems described in the above references, applicant's system interfaces with a conventional telephone instrument." (Ex. 33). Katz went on further to explain regarding "special-purpose that "[c]learly, such telephone instruments" telephones could be employed in cooperation with applicant's system; however, a very significant feature of applicant's system is its ability to function cooperatively with a conventional telephone specific forms Accordingly, instrument. transaction telephone instruments or data phones are not deemed to be particularly applicable to the claims as set forth herein...." Contrary to the defendants' contention, the Court concludes that this statement by Katz indicates that his system could accommodate conventional telephones, as well as other devices, not that it was limited to use with conventional telephones.

Thus, the Court concludes that there is nothing in the claim language, specifications, or prosecution history that indicates that "remote terminals" can only include conventional or traditional telephones and not wireless phones or computers connected to the Based on the foregoing, the telephone network. Court construes "remote terminals" to mean: a device or instrument for connecting callers to the for voice and telephone network communication, including, but not limited to, conventional telephones.

7. "DNIS" and "called number identification data"

[36] The next terms the Court must construe are "DNIS" and "called number identification data." These terms appear in many of the Analysis Control System claims, including Claim 104 of the '707 patent which reads "a system according to claim 96 for use with a communication facility having a capability (DNIS) to provide called number identification data to identify a called number from a plurality of different numbers for calling," [FN21] Claim 192 of the '707 patent which reads "an analysis control system according to claim 183, wherein said communication facility automatically provides called number identification data (DNIS) to identify a select called number from a plurality of called numbers," and Claim 65 of the '863 patent which reads "an including means interface structure ... automatically receive call number identification

signals (DNIS) to identify a select format from a plurality of formats." [FN22]

> FN21. This language is found in Claim 103 of the '707 patent, upon which Claim 104 depends.

FN22. The terms "DNIS" and "called number identification data" appear in claims other than the Analysis Control System claims; the parties agree and the Court concludes that the terms have a uniform meaning across all of the claims at issue.

The parties agree that the terms "DNIS" and "called number identification data" have the same meaning and are used interchangeably in the patents. plaintiffs contend that the terms mean "a signal representative of the number called."

The defendants argue that DNIS or called number identification data must represent the full dialed number, which is seven or ten digits. defendants also contend that DNIS or called number identification data cannot be internal routing *616 numbers or vector directory numbers; because the be claims indicate that the communication facility provides DNIS or called number identification data to the interface and the interface receives DNIS or called number identification data from the communication facility, the defendants argue that DNIS or called number identification data cannot be any signal sent internally in the communication facility.

The Court concludes that the terms "DNIS," "called number identification data," and like terms have the same meaning and are used interchangeably in the patents. The term "DNIS" is an acronym for "dialed number identification service." Both "dialed number "caller service" and identification identification data" contain the word "identification," and the plain import of these phrases is a signal or data that identifies the number that has been called. Thus, the language of the claims does not support the defendants' argument that "DNIS" or "called number identification data" must be the full seven or ten digit dialed number. The claim language does not support the defendants' argument that "DNIS" or "called number identification data" cannot include internal routing numbers within the telephone network; indeed, such numbers are neither mentioned in nor relevant to the Court's construction of the claims at

all.

The passages of the specifications to which the defendants point do not support the limited construction proposed by the defendants either. In Column 12, lines 2 through 6 of the '707 patent, Katz describes one of the structural elements that have reoccurring significance in his inventions as "utilizing the called number to select a specific operating format." The defendants emphasize that Katz lists a ten or seven digit number as an example of the called number in the specifications; in Column 6, lines 41-45 of the '707 patent, Katz explains that "[r]eceiving the call signal, the automatic call distributor AC1 associates the called number ((213) 627-3333, rendered available using standard telephone DNIS techniques) through the interface 20 and the switch 21 to attain connection with the specific processor...." However, the mere reference to "called number" does not restrict "called number identification data" to a certain number of digits, nor is there reason to restrict the terms "DNIS" and "called number identification data" to the examples provided by Katz in the specifications.

Further, in Column 4, lines 62 through 64 of the '707 patent, Katz stated that "[g]enerally, DNIS capability is a function of the communication facility C (composite telephone system) to provide called terminal digital data indicating the called number." "Data indicating the called number" undermines the defendants contention that the data must be the full dialed number. Similarly, in Column 10, lines 39 through 42 of the '707 patent, Katz stated that "[n]ote that the communication facility C provides the dialed number ("(213) 627-4444") to the processing system P1 through well known telephonic equipment DNIS." These passages confirm that DNIS or called number identification data must only be a signal that identifies the called number and need not be only the seven or ten digit number.

The prosecution history cited by the defendants does not alter the meaning of the terms conveyed by the claim language and specifications. The first set of statements by Katz in the prosecution history, the defendants argue, indicates that DNIS or called number identification data must be the full dialed number. In an Information Disclosure Statement dated September 20, 1994 submitted during the prosecution of the '285 patent, Katz attempted to distinguish his claims from a group of patents and other references. (Ex. 50). Katz described the '012 patent to Matthews et al. as a "system identified as Direct Inward Dialing or 'DID,' which involves the capability of utilizing the last three or four digits of a

L

called number for routing to a desired recipient's telephone" and distinguished *617 the system as "quite different from the combinations set forth in the claims in that, neither DNIS signals were utilized nor were formats selected. Additionally the system was void of either qualification or operator control...." [FN23]

FN23. Katz made an almost identical statement regarding the Matthews patent to the PTO in the prosecution of the '734 patent. (Ex. 61).

Similarly, in a Supplemental Amendment dated March 14, 1995 during the prosecution of the '734 application, Katz also distinguished the '906 patent to Matthews on the basis that the Matthews system "utilizes so called 'DID' signals for accessing an individual program.... However, again, the structure and operation is distinct from Applicant's techniques utilizing DNIS for format selection and further involving testing." (Ex. 61).

It is unclear from these two statements however, whether Katz was basing his distinction on the difference between the number of digits or content of a DID signal versus a DNIS or caller number identification data signal, or if he was basing his distinction on the different functions that those signals performed. What is clear is that Katz did not explicitly state that DNIS or called number identification must include all of the digits of the number dialed.

The second set of statements by Katz in the prosecution history, the defendants argue, indicate that DNIS or called number identification data cannot be internal routing numbers in the telephone network. In the September 20, 1994 Information Disclosure Statement, Katz described the '682 patent to Vij et al. as "another utilization of 'DID' operation to route Again, the operation is quite distinct from DNIS operation and is further distinguished from the claims herein on the basis of testing, computer interface and so on." [FN24] (Ex. 50). In the same Information Disclosure Statement, Katz described the '500 patent to Binkerd et al. as "another alternative for routing calls utilizing inputs by a caller. Again the system is quite distinct from the utilization of DNIS capability." (Ex. 50). During the prosecution history of the '075 patent in the Preliminary Amendment dated July 17, 1990, Katz stated that "[r]ecognizing that the Riskin patent discloses the utilization of ANI and DNIS signals to accomplish

telephone routing, it is respectfully submitted that applicant's system involves entirely different philosophical considerations and structure. The provision of an interface system utilizing these signals, not only to select an operating format but further to accomplish associative data, is submitted to involve a patentable distinction." (Ex. 40). In an Amendment dated August 31, 1995 during the prosecution of the '707 patent, Katz attempted to distinguish the '336 patent to DeBruyn for an international lottery system on the basis that the system indicated direction or routing to different processors for individual language operation in response to different dialed numbers, but "no suggestion of DNIS appears nor is the system otherwise pertinent." (Ex. 51).

FN24. Katz made an almost identical statement regarding the Vij patent to the PTO in the prosecution of the '734 patent. (Ex. 61).

These statements indicate that Katz distinguished his inventions from other patents on the basis of the comparative functions of the systems; the systems in the other patents use signals to route telephone calls, not select a format from a group of formats or to store data associated with those signals. However, Katz never informed the PTO that the same numbers that other systems used to route calls could not be used to identify the called number and select a format. In short, it is not clear from Katz's statements, contrary to the defendants' contention, that "internal routing numbers," to the extent they can identify the called number, could not be included in the meaning of called number identification data or DNIS, as used in the Katz patents.

*618 Based on the foregoing, the Court concludes that the terms "DNIS" and "called number identification data" are synonymous and mean: a signal or data that identifies the number called.

8. "ANI" and "Calling Number Identification Data"

[37] "ANI" and "calling number identification data" are the next terms presented to the Court for construction. In general, the term "calling number identification data" appears in the claims and the term "ANI" is used in the specifications. The parties agree that "ANI" and "calling number identification data" have the same meaning.

In the Analysis Control System Claims, the term "calling number identification data" appears in context as "receiving said calling number identification data." See Claims 33, 104, 117, and 192 of the '707 patent and Claim 171 of the '863 patent. In the Conditional Format claims, the terms appear in context as "call data signals as to indicate ... calling numbers" or "calling numbers as additional call data signals." See Claim 15 of the '150 patent and Claims 17 and 24 of the '285 patent. In the Products Carrying Participation Numbers Claims, the terms appear in context as "call data signals indicative of calling number identification data." See Claim 44 of the '707 patent and Claim 79 of the '863 These terms appear throughout the Katz The parties agree and the Court concludes that the terms have a consistent meaning across the claims at issue.

The arguments of the parties regarding the proper construction of these terms mostly mirror their arguments regarding "DNIS" and "called number identification data." The plaintiffs argue that these terms mean a signal provided by the telephone network that indicates all or part of the calling number. (Pls.' Appendix at 31, 69). The defendants argue that "ANI" and "calling number identification data" must refer to the entire calling number, do not include routing or billing signals used within the telephone network, and must identify the geographic location of the caller such that wireless phones are excluded. The arguments of the defendants will be addressed in turn.

There is no indication in the claim language that I "ANI" or "calling number identification data" must be the full calling number; indeed many of the tlaims call out a signal that indicates the calling number. The specifications do not support the defendants' contention either. In Column 4, lines 62 through 67 of the '707 patent, Katz notes that "ANI capability is a similar function whereby the digital data indicates the calling number with calling terminal digital signals." The defendants contend that because Katz used ten digit phone numbers in his examples in the specifications, the terms "ANI" and "calling number identification data" must include the full seven or ten digit number. In Column 6, lines 62 through 65 of the '707 patent, Katz describes two ways in which the calling number could be transmitted to the Katz system; he notes that "the caller would push the buttons in sequence to indicate his telephone number, e.g. '(213) 627-2222.' Alternatively, the interface 20 can accept the calling number ((213) 627-2222) according to its provision by standard ANI equipment of the communication facility C." In Column 7, lines 29 through 30 of the '707 patent, Katz notes that "the first portion, section 53, contains a form of identification data, i.e., the caller's telephone number, i.e. '(213) 627-2222."

The first passage of the specifications cited by the defendants is provided as an example of a calling number. It is clear that the number from which a caller is calling would be a full seven or ten digit number; however, the specification is silent about what the *signal* that conveys this number, the ANI or the calling number identification data, would include. The second passage of the specifications cited by the defendants describes an example of *619 data that is stored in a cell as represented in Figure 2, not "ANI" or "calling number identification data." Neither of these passages indicates that "ANI" or "calling number identification data" must include any particular number of digits.

As for the defendants' second argument, the claim language does not support a construction of "ANI" or "calling number identification data" that excludes routing signals or billing signals that are used within the telephone network. This argument is essentially the same as the defendants' argument that "communication facility" means that the Katz system must operate outside of the telephone network, which the Court addressed above and will not repeat here. In short, neither the claim language nor specifications mention routing or billing signals as either included or excluded in the definition of "ANI" or "calling number identification data." Determining whether routing or billing signals are signals which indicate the calling number is not a matter of claim construction, and as such, is not properly before the Court.

Further, the prosecution history cited by the defendants neither confirms their proposed construction of "ANI" or "calling number identification data" nor conflicts with the plain meaning of the terms "ANI" and "calling number identification data" conveyed by the claim language and specifications. In an Amendment dated April 15, 1996 in the prosecution of the '751 patent, Katz attempted to distinguish the '020 patent to Fodale to support his amendment. Katz described the Fodale patent as providing a system which blocks delinquent telephone terminals from making toll calls by comparing routing and billing information provided by the local telephone office against a list of delinquent terminal numbers. Katz notes that in one arrangement in the Fodale patent, ANI provides the Katz stated that "[n]o calling or billed number. reference to ANI can be located in providing the



æ



caller number, which presumably is otherwise available to the local toll network." (Ex. 67). The defendants contend that Katz was referring to "his" version of ANI in this last statement and distinguishing signals that are sent outside the telephone network from the billing signals or routing signals that are internal to the telephone network. The defendants' interpretation of this statement by Katz is inconsistent with his statement that Fodale uses ANI to provide the calling or billed number in one While the meaning of Katz's arrangement. statements in this Amendment is not completely clear, the Court concludes that these statements clearly do not convey the message that the defendants would attribute to them, that Katz was disclaiming coverage of routing and billing signals.

As for the defendants' final argument, there is no requirement in the claim language that "ANI" and "calling number identification data" must identify the geographic location of callers. The defendants argue that the "ANI" and "calling number identification data" must disclose the geographic location of the caller because the formats disclosed in the specifications use ANI to screen callers based on their geographic area. In his description of a television game show format in Column 18, lines 37 through 44, lines 56 through 62 of the '707 patent, Katz proposes that different questions be used for different geographic locations to accommodate the different time zones and that "area code numbers afford an effective geographic classification of 📮 callers." In the context of the discussion of a television poll format in Column 20, line 16 through 22 of the '707, Katz proposes that callers may be screened by geographic area according to their telephone number which is provided by ANI equipment. The defendants contend that because Katz uses the geographic location of the callers taken from the calling number in these formats, the Mobile Identification Number or MIN supplied by wireless phones cannot constitute "calling number identification data" or "ANI" because MIN does not supply an *620 accurate indication of the callers geographic location. However, in the discussion of an instant lottery format in Column 12, lines 46 through 47 of the '707 patent, Katz proposes the use of a caller's telephone number and date of birth to qualify a caller based on his age; in this example, the calling number is not used to qualify a caller based on his geographic location. Similarly, Claims 165 and 175 of the '707 patent call out the use of calling numbers for purposes other than determining geographic limitations. To adopt the defendants' construction of the terms at issue to always require the identification of the geographic location of the

caller would not only improperly limit the claims by the examples disclosed in the specifications, but also would limit the claims in a manner inconsistent with some of the other examples in the specifications. The Court concludes that there is no basis in the claim language for importing such a limitation.


Based on the foregoing, the Court concludes that "ANI" and "calling number identification data" are synonymous in the claims at issue in the Katz patents and mean: a signal that identifies the calling number, i.e. the number from which a call originated.

9. In-band or Out-of-band Signaling

[38] The defendants have requested that the Court determine whether the patents require the signals indicating the called and calling number as just discussed to be transmitted "in-band," or along a voice channel in the form of analog signals, and not "out-of-band" via an Integrated Services Digital Network (ISDN) connection. The plaintiffs contend that the patents are silent on whether the signals must be transmitted, or in-band or out-of-band, and thus no particular manner of connection or mode of transmission of these signals is required.

The parties presented expert testimony and argument on the difference between in-band and out-of-band signaling. In short, a signal carrying data may be transmitted over a telephone connection that travels in the same channel or line as the voice signal travels; such a data signal is said to be traveling "in-band." Traditional telephone connections are set up in this manner. A signal carrying data may be transmitted over a telephone connection in a channel or line that is separate from the channel or line that the voice signal travels; such a data signal is said to be traveling "out-of-band." An ISDN connection, which provides two voice channels and one data channel in the same connection, is an example of "out-of-band" signaling. A T1 connection provides for 24 channels or lines in the same connection; a data signal may travel in-band with each of the 24 voice channels or out-of-band in one of the channels along with the other 23 voice channels. Defendants' Demonstrative Exhibit 36).

To support their argument that the patents require inband signaling, the defendants contend that the limitation in Claim 96 of the '707 patent which reads "means to provide signals representative of data developed by said remote terminals and for receiving said calling number identification data" is a meansplus-function limitation, and therefore, the Court must determine the structure disclosed in the



63 F.Supp.2d 583 (Cite as: 63 F.Supp.2d 583)



ij

IJ

ļ.

ij

LN

į, ė.

L. t.

specification that corresponds to the "means." The defendants contend that the only [FN25] structure disclosed in the specifications is an in-band connection. For support for this argument, the defendants rely heavily on Figure 1 in the '707, '863, and '309 patents. Figure 1 illustrates one hundred calls or lines coming into the Automatic *621 Call Distributor AC1, fifty lines coming from the ACD to the Interface 20, and fifty lines coming out of the Interface 20. See also Column 4, lines 24 through 27 and Column 5, lines 3 through 13 of the '707 patent. The defendants contend that if Katz contemplated that the call data signals would be sent out-of-band, he would have had to show 51 lines going into and coming out of the Interface to allow for the separate data line in an ISDN connection. The defendants contend that Katz's disclosure of in-band signaling in Figure 1 is the structure to which the "means" corresponds. However, Figure 1 is an illustration of how the Katz system may be set up. Even assuming that the defendants' contention regarding the figure is correct, the Court concludes that Figure 1 does not require that the signals be sent in- band; it only illustrates that the signals may be sent in-band.

FN25. The defendants also contend that ANI or calling number identification data, and DNIS, or called number identification data signals, even in claims which are not in means-plus-function form, refers to in-band signaling only. However, to support this position, the defendants point to the same claim language and passages of the specification that they rely on to support their means-plus-function argument. Thus, the Court will treat these two issues together.

In addition, the defendants point to Column 4, lines 52 through 58 of the '707 patent, which indicates that the interface for receiving ANI may be a Centrum 9000 or an interface which includes tone decoders. The defendants contend that such interfaces could only receive analog in-band signals, not digital or ISDN signals. However, even assuming that this representation about the capacity of these interfaces is true, the types of interfaces provided in the specifications are exemplary only; they do not indicate that the signals can *only* be sent via one of these interfaces or that the signals can *only* be sent inband.


In Column 4, lines 52 through 58 of the '707 patent, Katz notes that "the interface 20 incorporates modems, tone decoders, switching mechanisms, DNIS and ANI capability (call data analyzer 20a) along with voice interface capability." It is clear that the tone decoders and the DNIS and ANI capability of the call data analyzer perform the function of providing and receiving signals from the remote terminals and the communication facility. Thus, the Court concludes that the structures that correspond to the "means" are the Interface 20 and the Call Data Analyzer 20a.

The plaintiffs note that Claim 15 of the '150 patent, a process claim, recites the limitation of "receiving said call data signals from said telephonic communication system for a calling remote terminal," which is not written in means-plus-function form. They argue that the language of this claim in no way indicates the type of line on which the call data signals must be received and because it is not a means-plus-function limitation, it is not appropriate to import structure from the specifications. The Court agrees. In the specification of the '150 patent, in Column 4, lines 12-17, Katz discusses the call data referred to in his claims. The only requirement of the call data signals set forth in the specification pertains to the content of the signal: it must convey the called and calling There is no requirement in the number. specifications that the signals be sent in a certain manner or over a certain type of line or connection.

The patents are silent as to whether the call data signals must be transmitted "in-band" or "out-of-band." Thus, the Court concludes that the claims at issue do not require or exclude any particular manner of transmission or type of signaling.

10. "Consumable Participation Key" and "Limits on Use"

[39][40] The parties have presented the terms "consumable participation key" and "limits on use" to the Court for construction. "Consumable participation key" appears in Claim 51 of the '309 patent and reads in context "qualification structure controlled by said record structure for testing caller data signals provided by a respective one of said individual callers to specify a consumable participation key for restricting the extent of access to said system to limit data stored from said respective one of said individual callers on the basis of entitlement." The term also appears in Claim 65 of the '863 patent and *622 reads in context "qualification structure for testing caller data signals provided by at least one of said individual callers to specify a consumable participation key, said consumable participation key for use during a single



63 F.Supp.2d 583 (Cite as: 63 F.Supp.2d 583)

predetermined period of time for restricting the extent of access to at least a portion of said system by said one of said individual callers on the basis of entitlement."

The term "limit on use" or "limits on use" appears in Claims 33, 44, and 93 of the '707 patent and Claims 79 and 190 of the '863 patent. Claim 33 of the '707 patent recites in part a "qualification structure controlled by said record structure for testing said calling number identification data to specify a basis for entitlement defining a limit on use, for restricting the extent of access to said system for a respective one of said certain of said individual callers.... An analysis control system according to claim 26, wherein said limit on use relates to a dollar amount." The other claims in which "limits on use" appears are substantively the same; Claim 44 of the '707 is representative and reads "providing products carrying participation numbers specifying limits on use to entitle individual callers to access said operations of the interface with said telephonic communication system."

The parties agree that "consumable participation key" should be defined as a number or word that allows a caller access to a service or part of a service a predefined limited number of times and which cannot be refreshed or recharged. While the ordinary meaning of the claim language gives some indication of the meaning of "consumable participation key," the specification makes it clear. In Column 9, lines 31 through 35 of the '707 patent, the specification provides that "[f]or example, a list may be preserved by a user rate calculator to implement a consumable key operation. That is, a user is qualified to a specific limited number of uses during a defined interval."

The parties disagree, however, on the meaning of "limits on use." The plaintiffs argue that "limit on use" means "a control imposed on the degree or extent to which callers may avail or utilize a service or one or more operations of a service." (Pls.' App. at 74). The plaintiffs contend that a limit on use can be any one of a range of restrictions including "limits based on the total number of permitted accesses, the time of day for permitted accesses, limits on use based on a dollar value, [and] limits on use based on a predetermined period of time." (Pls.' App. 75-76). The defendants argue that this term has the same meaning as consumable participation key in that it is a control on the number of times a caller may enter a format in the Katz system. The defendants agree that a limit on use can be fixed by a set number of uses or a set dollar amount. However, the defendants argue

that a limit on use does not perform a metering function in that it does not effect the duration of access to a format; consequently, it cannot disconnect a caller during a format for exceeding a set period of use.

The place to begin is the claim language. Claim 33 of the '707 patent provides for a limit on use that relates to a dollar amount. The plaintiffs argue that this Claim clearly shows that limit on use is not restricted to only the number of calls or accesses into the system. Although this claim does not explicitly recite that the limit on use would be a duration of time linked to the set dollar amount, e.g. \$10.00 limit at \$2.00 per minute, it does not explicitly recite that the dollar amount could only be linked to a set number of accesses, e.g. \$10.00 limit at \$2.00 per access.

The defendants argue that the limits on use are used to qualify callers for access to the operations of the interface, which necessarily has to occur before the caller enters into the Katz system. However, claim 44 of the '707 patent provides for a further step of "invalidating on-line said participation numbers after said limits on use specified by said participation numbers are *623 reached." This claim calls out a step of utilizing the limit on use at a later point in the process after the qualification step.

The specification confirms that "limit on use" should not be restricted to set number of accesses to the Katz In Column 12, lines 52-57 of the '707 patent, Katz describes how a calling number may be "checked by the use- rate calculator to determine the number of times it has been used in excess of a predetermined number of calls or dollar value to participate in the lottery during a current interval of monitoring." (emphasis added). Similarly, in Column 12, lines 22 through 26 of the '707 patent, Katz describes how a lottery format may use a limit on use and states that "[f]or example, a person might be entitled to play the lottery a limited number of times or to the extent of a limited dollar value during a predetermined interval." (emphasis added).

Contrary to the defendants' assertion, the Court concludes that Katz does not equate all limits on use to consumable participation keys. In Column 9, lines 32 through 35 of the '707 patent, the specification provides that "a list may be preserved by a use-rate calculator to implement a consumable key operation. That is, a user is qualified to a specific limited number of uses during a defined interval." The use of the phrase "limited number of uses," which accurately describes a consumable



participation key, does not indicate that all "limits on use" are consumable participation keys. Thus, it is clear from the claims and specifications that a consumable participation key is only one kind of a limit on use.

There is no indication in the Katz patents of a method of measuring a limit on use based on a dollar That is, neither the claims nor the specifications require that the limit on use based on a dollar value be decremented by the number of accesses to the system, ie. \$2.00 for each access. The claims and the specifications leave open the possibility that the dollar amount could be decremented by some other method of measurement, such as time spent in the Katz system; ie. \$2.00 for 10 minutes, such that the limit on use served a metering function.

The statements made by Katz in the prosecution history cited by the defendants do not require a different construction than what is clear from the plain language of the claims and specifications. During the prosecution history of the '707 patent, certain of Katz's pending claims, including pending claim 47, were rejected by the examiner in an office action as unpatentable over two patents and an article of Turbat. (Ex. 51). In an Amendment dated August 31, 1995, Katz amended pending claim 47 by substituting the phrase "one time use" with "limit on Katz also argued against the examiner's rejection of his pending claim 47 in a section entitled "Discussion of the Rejections of Claims 32, 37, 40, 41 and 47 under 35 U.S.C. § 103." In that section, Katz distinguishes the rejected claim 47 on the basis that "[a]pplicant's system, as claimed, is independent of both time (Barger and DeBruyn) and value (Turbat)." However, this discussion was clearly directed toward the rejection of the claim as originally written, which called for "a basis of entitlement defining a one time use," as evidenced by Katz's statement at the end of the discussion section that "[t]he rejected claims are urged to be distinct for the reasons presented above." Based on this review of the prosecution history, the Court concludes that Katz's statements about a claim that read "one time use" do not limit the claims that were eventually accepted, which read "limit on use."

Based on the foregoing the Court concludes that "consumable participation key" means: a number or word that allows a caller access to a service or part of a service a predefined limited number of times and which cannot be refreshed or recharged. The Court concludes that "limit on use" means: a control that limits a caller's access to a service based on some

predetermined method of measuring the *624 level of The term "limit on use" is not restricted to a specific method of measuring use, such as a limited number of accesses into the Katz system.

CLAIMS INVOLVING **PRODUCTS** CARRYING PARTICIPATION NUMBERS

Claims Involving Products Carrying Participation Numbers are Claims 44 and 93 of the '707 patent and Claims 79 and 190 of the '863 patent. The text of these claims is set forth in the Appendix.

In general, these claims involve a method for limiting a caller's entitlement to access the functions of the system by requiring the caller to enter a participation number. These participation numbers are carried on products that are in some way provided to the caller prior to the call. The participation number corresponds to data stored in memory in the system which specifies a limit on a caller's access to the system.

1. "Products Carrying Participation Numbers"

[41] The plaintiffs contend that the term "products carrying participation numbers" is straightforward and its meaning may be taken from the ordinary meaning of the words themselves. The defendants argue that the words "product" and "carrying" indicate that the product on which the participation number is carried must have inherent value apart from the number; thus, the defendants argue, "products" cannot include prepaid calling cards.

The term "products" is not used in the Katz patents as a term of art, as the parties agree. Thus, the Court should give the term its plain, ordinary English The Court concludes that the plain meaning of "products," which denotes an item produced for use in a commercial setting, does not support the construction given to it by the defendants. The plain meaning of the term "product" in the claim language does not connote something of inherent value apart from the number carried with it.

The specification does not contradict the plain The only place in the meaning of "products." specification that discusses products carrying participation numbers is Column 17, lines 13 through 17 of the '707 patent, which reads "[a] key to participation in the game show may involve the purchase of a particular product. For example, a person desiring to participate may purchase a product which carries a concealed key number. The number serves as a caller's key to participation in the game



TU



L

show." This passage in no way suggests that the product must have value independent of the participation number. The defendants also point to Column 9, lines 35 through 38 of the '707 patent, which discusses restricting callers to the purchasers of a medical apparatus. This discussion is given by way of example only and does not indicate that all "products" must have inherent value apart from the participation numbers.

The defendants rely on statements made by Katz during the prosecution of the '707 patent. In the August 31, 1995 Amendment, Katz distinguished the '275 patent to Kamil by stating that "Kamil discloses a telephone system enabling prepayment for telephone calls, wherein special code and credit information is stored in memory in special exchanges and debited as the call progresses" and that Kamil "does not disclose specific limitation recitations including consumable key operation, nor does it disclose providing a product bearing a participation number specifying a limit on use." (Ex. 51). The defendants argue that Katz clearly stated that his invention was distinct from Kamil because Kamil used prepaid tickets which do not have inherent was value, and thus, are not "products."

that Katz The Court concludes did not unambiguously state that his invention required products with inherent value apart from the participation number; it is possible, *625 for example, that Katz's distinction was based on the fact that Kamil's special code connected with the prepayment for telephone calls did not specify a limit I on use. Katz did not mention Kamil's use of a prepaid ticket as a method of recording the prepayment in his statements so it is not clear that Katz was using the concept of a prepaid ticket as the basis for his distinction. In addition, these statements were made by Katz in a voluntary amendment, not in an effort to change the examiner's decision on a rejected claim. Thus, the Court concludes that Katz's statements do not indicate a clear disavowal of coverage so as to require that "products" have inherent value apart from the participation numbers. See York Products, 99 F.3d at 1575.

Based on the foregoing, the Court concludes that "products carrying participation numbers" means: a physical item sold or exchanged in a commercial setting which carries a number allowing participation in the Katz system.

2. "Accounting data"

[42] The second term from the Claims Involving Products Carrying Participation Numbers that the parties have presented to the Court for construction is "accounting data." This term appears in Claim 44 of the '707 patent, which includes the step of "providing on-going accounting data to said individual callers at intervals during calls from said individual callers."

The plaintiffs argue that "accounting data" should be construed according to its ordinary, common meaning, which is information relating to a reckoning or a computation. (Pls.' App. 83-84). The defendants argue that "accounting data" means callers' scores in the television game show format because that is the only format in the specifications in which Katz discusses accounting data.

The claim language does not support the construction proposed by the defendants. Nothing in Claim 44 indicates that "accounting data" should be limited to only callers' scores in a television game In addition, Claim 45 of the '707, show format. which is dependant on claim 44, provides for the step of "accounting for said limits on use for said participation numbers for said individual callers by decrementing on-line incrementing or cumulative use for said individual callers to said In this claim, the concept of limits on use." accounting connotes keeping a record of the usage of the Katz system according to set limits on use associated with a caller's participation number; the language of this claim in no way limits the concept of accounting to scores in a game show.

The defendants contend that Column 16, lines 44-53 of the '707 patent is the only place that Katz describes "accounting data." In that passage of the specification, Katz discusses a television game show format and states that:

The participant data is stored in an assigned cell of the memory 98 (FIG.4) for the caller and as the game proceeds, the processing unit 92 tallies the caller's score. Scores are interrelated between individual processing units to actuate the terminal CT. Thus, individual accounting occurs for each of the calling participants on an on-line basis dependant upon the success of the studio players and their association with the callers. On-going accounting data may be provided at intervals or real time by the recorded voice to each contestant.

However, in Column 17, lines 44 through 48 of the '707 patent, the specifications reads "the table 99 may be a large, shared unit that tabulates each of the key numbers and accounts for their use. If the caller has identified a proper key number, the process proceeds and the key number is accounted, i.e. incremented or

decremented to the limit of use if any." Contrary to the defendants assertion, Katz discusses accounting in this passage of the specification in a context other than a television game show format. This passage of the specification is consistent with the language *626 of Claim 45, which adds the step of "accounting for said limits on use for said participation numbers," and indicates that "accounting data" may relate to the limits on use specified in the participation numbers or consumable key numbers, and not only callers' scores in a game show. Further, even if the only example of "accounting data" in the specification were in the television game show context, the Court finds no reason in the claim language to restrict the term to a disclosed embodiment in the specification. Johnson Worldwide, 175 F.3d 985, 989.

The defendants argue that the prosecution history of the '707 patent supports their construction of "accounting data." In a Supplemental Amendment dated December 28, 1994 during the prosecution of the '707 patent, Katz added Claim 53, which eventually became Claim 37 (upon which Claim 44 depends). In his remarks, Katz stated that "[s]upport for the 'accounting' distinction may be found, for example, at page 34, lines 11-21 of the present specification," which corresponds to the passage in the specifications upon which the defendants rely.

The Court concludes that this statement by Katz in no way limits the term "accounting data" to only callers' scores during a television game show format, as evidenced by his use of the phrase "for example."

The claim language and the specification makes it clear that a caller's score in a television game show format is accounting data, but it only one example of accounting data, not the term's definition. Based on the foregoing, the Court construes the term "accounting data" in accordance with its ordinary, common meaning to mean: information relating to a computation of data.

3. "Operations of the Interface"

[43] The third term from the Claims Involving Products Carrying Participation Numbers the parties have presented to the Court for construction is "operations of the interface." This term appears in the preamble of Claims 44 and 93 of the '707 patent and Claims 79 and 190 of the '863. The language containing this term varies slightly in the claims, but generally provides for "[a] process for controlling operations of an interface with a telephonic communication system." The term "operations of the interface" as it appears in the preamble is also referred to in the limitations of the claims, such as "to

access said operations of the interface."

The defendants argue that "operations of the interface" is synonymous with "format." The plaintiffs contend that the term should be construed as "the set of processes or actions that effectuates interactive connection and that is part of the work performed by the system connected to the telephone network." (Pls.' App. at 68).

The claim language does not support the defendants' limited construction of this term. In the second limitation of Claim 37, upon which Claim 44 depends, the claim includes the step of "receiving said call data signals ... to select a specific operating format from a plurality of operating formats of said operations of the interface." This claim recites both the terms "format" and "operations of the interface." The use of both terms separately in the same claim indicates that they have different meanings. addition, the claim refers to selecting one of a plurality of operating formats of the operations of the interface, which shows that the operations of the interface includes more than one format. Further, the term "format" is not present in Claims 93 of the '707 patent or Claim 190 of the '863 patent, which indicates that the operations of the interface do not necessarily include a format.

The term "operations of an interface" is not discussed in the specification. The defendants point out that in Column 10, lines 32, 39, and 43, Katz refers interchangeably to "mail order operating format" and "mail order interface." From this portion of the specification, however, the Court cannot conclude that the operations *627 of the interface can only include a format.

The Court concludes that there is no reason in the claim language or specifications to depart from the ordinary, common meaning of "operations of the interface." Based on the foregoing and consistent with the Court's construction of "interface structure," the Court concludes that the term "operations of an interface" means: the processes, activities, or functions of the interactive connection between the processors upon which the Katz system is running, the communication facility, and the callers. The term does not require that the Katz system be running a format, or specifically, one of the seven formats disclosed in the specifications.

4. "Answer Data"

[44] "Answer data" is the fourth term the parties have presented to the Court for construction from the

Claims Involving Products Carrying Participation Numbers. The term appears in Claims 44 and 96 of the '707 patent and Claims 79 and 190 of the '863 patent. The language of the limitations in which "answer data" appears is almost identical in each patent and reads "receiving digital identification data from said individual callers responsive to said voice signals including said participation numbers for said individual callers and answer data developed by said remote terminals under control of said individual callers."

The parties agree that the clear meaning of "answer data" is responses by callers to vocal questions or prompts. The defendants ask this Court to exclude any response that includes a telephone number, and specifically the telephone number of the party the caller would like to reach, from the definition of "answer data."

The defendants argue that the specifications describe callers providing answers to questions only in the context of one of the Katz formats, and because making a telephone call is not a format, a telephone I number cannot be included in the definition of 遭 "answer data." See Column 7, lines 46 and 59; Column 17, line 8; Column 19, line 17 of the '707 patent. Even taking the defendants characterization of these passages of the specification as true, the Court has already rejected the defendants' narrow definition of the term "format" in the context of these patents. Further, there is nothing in the passages of the specifications cited by the defendants that indicates that answer data could not include any telephone number, including the number the caller is trying to reach.

The Court concludes that there is nothing in the claim language or specification that restricts the claim language or specification that restricts the definition ordinary, common meaning of the term "answer data," which denotes data containing answers or responses. The defendants argue that "answer data" cannot encompass all answers to questions because the claims refer to some types of answers with specific terms, such as participation numbers. Although the claims recite different terms to refer to some specific responses received from the callers, the use of these more specific terms does not indicate that the broad term "answer data" cannot encompass these responses as well.

The prosecution history cited by the defendants does not support their construction of "answer data" nor does it limit the ordinary, plain meaning of the term as expressed in the claims. The defendants argue that Katz distinguished his inventions from a patent to Newkirk, which involved a system that enabled callers to make calls at pay telephones using a magnetic stripe on a card. In the prosecution history of the '968 patent in a Supplemental Amendment dated May 4, 1988, Katz stated that:

The Newkirk et al. patent (4,439,636) is directed to a system for enabling a magnetic stripe card to be used at a pay telephone somewhat independently of the composite telephone system. Although the Newkirk patent discloses digital communication between a remote *628 terminal and central terminal, the communication essentially involves Distinct from the magstripe of a credit card. applicant's development, Newkirk does not contemplate any operations related to statistical analysis. Specifically, with respect to the claims herein, while the Newkirk patent utilizes a calendar clock and form records for purposes of billing, the system does not store any form of "answer data."

(Ex. 33). The defendants contend that Katz's statements indicate that a telephone number could not be answer data. The Court concludes that Katz's statement that the Newkirk system did not store any form of answer data does not limit the term "answer data" to exclude responses that include telephone numbers. Katz stated that the only communication between a remote terminal and a central terminal was through the magnetic stripe; such a magnetic stripe would not have constituted "answer data" as this Court concludes that term is used in the Katz patents.

Although not addressed by Katz in his statements regarding Newkirk, the defendants argue that the Newkirk patent provided for callers to be "prompted" by a dial tone to enter the telephone number they were trying to reach. Thus, the defendants argue, Newkirk involved callers' responses to prompts and Katz statement that Newkirk did not include answer data indicates that Katz was disclaiming responses involving telephone numbers from the scope of the term. The Court is not persuaded by this argument for two reasons. First, Katz did not mention that Newkirk prompted callers with a dial tone in his discussion of the Newkirk patent; thus, the Court will not limit Katz's claims by a statement that he did not make during the prosecution of the patents. Second, the patents make clear that the questions or prompt must be vocal or voice generated. [FN26] Thus, the dial tone used in Newkirk is not a "prompt" or "cue" as used in the Katz patents.

<u>FN26.</u> Claim 44 provides support for the notion that the questions or prompts are vocal in nature. The third limitation in Claim 37, upon which Claim 44 depends,

provides for "coupling said remote terminals to said interface for providing voice signals to said individual callers and generating said voice signals for actuating said remote terminals as to provide vocal operating instructions to specific ones of said individual callers." The specification also supports the idea that answer data is responses to vocal questions or prompts. See Column 7, lines 46 through 53 of the '707 patent.

During the prosecution of the '846 application, Katz distinguished his patent from a patent to DeBruyn. (Ex. 66). In an Amendment dated July 7,1997, Katz stated:

DeBruyn is silent as to the fourth and fifth steps of claim 31. These steps provide: "cueing callers with selected questions from a batch of questions;" and "receiving answer data ... responsive to the selected questions." DeBruyn prompts callers for simple and fixed input: a phone number and a Lotto number, which can be confirmed and corrected in linear fashion. There is no suggestion or disclosure of selected "questions from a batch of questions." DeBruyn does not contemplate a selection of the same or different questions for different callers, from a batch of questions. DeBruyn, by its silence, can not imply cueing callers with those questions, nor receiving answer data in response to those questions.

It is clear that in these statements, Katz was distinguishing his patent from DeBruyn on the basis that DeBruyn did not select questions from a batch of questions or receive answers to those questions from a batch of questions. These statements clearly do not indicate that answer data cannot include any telephone number, including the number the caller is trying to reach.

Based on the foregoing, the Court concludes the term "answer data" to mean: responses from callers to vocal questions or prompts.

*629 C. CONDITIONAL FORMAT CLAIMS

The Conditional Format Claims include Claim 15 of the '150 patent and Claims 17, 20, 24, and 77 of the '285 patent. In general, the '150 and '285 patents describe a system and a method for interfacing callers with a processing system which can handle multiple callers and run multiple formats. The '285 patent also includes the option of interfacing callers with a live operator who receives prompts from the processing system. Certain of the formats of the

processing system may contain conditions which restrict access to their use by callers; these conditions are stored in memory in the processing system in connection with the corresponding format. Call data, including the called number, the calling number, and the equipment signals, is used by the processing system to select the format the caller wishes to access and to restrict access to formats according to any associated conditions.

Claim 15 of the '150 patent and Claim 17, 20, and 24 of the '285 patent are method claims; Claim 77 of the '285 patent is an apparatus claim. The method claims are very similar and all contain at least four basic steps, including receiving call data signals, selecting a format under control of the call data signals, testing the selected format in relation to the call data signals, and conditionally interfacing said selected format with the calling terminal. The text of these claims is set forth in the Appendix.

The parties' arguments regarding the proper construction of the testing step and the sequence in which the four basic steps in the method claims must be performed are intertwined. The plaintiffs argue that the "testing the selected format step" includes the test referred to in the specification as the "validity bit check," which tests the ANI of the caller against a negative list of "bad" ANIs stored in memory. Under this construction, because the validity bit check may be performed before the selecting step, the testing step could be performed before the format is chosen in the selecting step. The defendants argue that the validity bit check is not encompassed by the testing step, but rather is separately called out in Claim 24 of the '285 patent; thus, as is clear from the claim language, the steps must be performed in the sequence in which they are listed in the claims. The proper construction of the testing step will be addressed first.

1. "Testing the Selected Format"

[45] The first term the parties presented to the Court for construction from the Conditional Format Claims is "testing the selected format." This term appears in all four of the method claims, and reads in context "testing the selected format in relation to said call data signals." Although the claim language is unclear as to whether the test is performed on the format or for the format, the parties agree that "testing the selected format" means the step of performing a test based on conditions associated with a format before a caller is allowed to interact with a format.

The disagreement surrounds the scope of the testing step. In addition to the argument over whether the validity bit check is encompassed by the testing step, the parties disagree over whether the test must include the use of a control word or control data and whether the test that is performed must be specific to each format or if formats may be conditioned as a The defendants contend that the step of "testing" must involve the use of, or "fetching" of, a "control word" to identify the conditions associated with the selected format. The plaintiffs contend that the step of testing does not necessarily include fetching a control word associated with the selected format and that Katz disclosed other types of testing in the specifications that perform this step of the claims. The plaintiffs contend that a test may apply to groups or categories of formats, or to all of the The defendants contend that the testing formats. step cannot *630 perform the function of excluding a caller from accessing any formats at all but rather, the testing step determines whether conditions specific to the selected format are satisfied.

The claim language of the testing step is helpful, but not conclusive. The language of the claims does not clearly indicate what the step of testing the selected The Conditional Format Claims format involves. recite "testing the selected format," which indicates that the test is performed on one particular format that has in some way been selected. The claim language does not indicate whether or not the same test could be given to a group of formats or if all formats could be tested for a single caller at the same time. Claims 11, 12 and 13 of the '150 patent, which like Claim 15 depend on Claim 10, add the steps of "fetching control data addressable with said call data for use in the step of testing," "composing a control word defining conditions for interfacing," and "fetching data to specify time constraint conditions." These claims specifically call out the steps of composing a control word and fetching control data, which suggests, consistent with the concept of claim differentiation, that the concept of control data is not necessarily implicit in the testing step of independent Claim 10. The claim language does not preclude the possibility that testing other than based on a control word could be encompassed in the testing step. Thus, the analysis must proceed to the respective specifications.

The specifications of the patents describe three main types of testing that are performed on calls. The first type of testing is performed using a control word or control data, which is available for each format and imposes any conditions on accessing the format. See Column 5, lines 21 though 25 of the '150 patent.

Column 6 lines 54 through 57 of the '285 patent provides that "a control word is available for each operating format of the processor P and is utilized to impose the conditions for an interface and the terms of any associated billing." Similarly, in Column 9, lines 3 through 7, the specification provides "each of the operating formats has a control word for defining any access conditions or limitations to accomplish a specific format." Katz explains that the control words are bits in the control register which indicate the presence and content of conditions associated with a format. See Column 9, lines 27 through 37 of For example, Katz describes test the '285 patent. conditions based on the time of the call, the calling history of the caller, and the demographics of the caller. See Column 9, line 37 through Column 10, line 9 of the '285 patent.

The specification also discusses testing or conditioning calls as a group. For example, the specification provides "the [historical] record might take the form of either a negative or a positive file (for an individual format). In that regard, formats involving 'pay to dial' calls might be conditioned as a group." Column 5, line 64 through Column 6, line 2 of the '150 patent. Katz also describes "decimal equivalent coding" as a way to condition formats as a group. Katz states that all formats of a particular type may be assigned in a "decimal series," such that all lotteries would be assigned a number in a "100" series, e.g., 101, 102, 103, etc. For example, a caller's ANI may be associated with a decimal series which would exclude that caller from participation in any formats in that decimal series. See Column 10, lines 27 through 30 of the '285 patent. specification provides that decimal equivalent coding "enable[s] a substantial number of formats to be designated and coded with respect to various classifications." Column 8, lines 5 through 17 of the '150 patent; Column 10, lines 10 through 30 of the '285 patent.

Katz also discussed what he refers to as the validity bit check. The validity bit check compares the ANI, or calling number, of the caller to a list of ANIs that are stored in memory. If it is a negative list and the caller's ANI appears on the list, *631 the caller will be denied access to the Katz system regardless of the format. If it is a positive list, the caller's ANI must appear on the stored list in order to access the Katz system regardless of the format. See Column 4, line 60 through Column 5, line 5 of the '150 patent. It is also possible that the calling equipment may appear on a stored list which determines a caller's access to any of the formats. See Column 5, lines 1 through 14 of '150 patent.



į.

TU

It appears both side agree that Claim 24 of the '285 patent corresponds to the validity bit check described in the specification. The claim provides for "storing a record of negative file data, said select processing format using said additional call data signals to access said record and obtain data to specify and test for negative file conditions." The defendants say that Claim 24 does not alter the testing step of the independent claim; rather, the defendants argue it is an additional step that occurs before the testing step.

The Court concludes that, based on the claim language and the specifications, the testing step does not encompass testing formats as a group, such as through the decimal equivalent coding or the validity bit check disclosed in the specifications. The clear language of the claim recites testing "the selected" According to the specification, decimal equivalent coding is performed on a group of formats at one time and does not operate on the format that is selected by the call data signals. Thus, the Court invokes the legal rule that the specification may not expand the clear meaning of the claim language. As well, the specification shows that the validity bit check is based on the ANI or equipment signal of the caller and is not associated with any conditions placed on a selected format. Based on the foregoing, the Court concludes that "testing the selected format" means: the method by which it is determined whether any conditions associated with the format that has been selected by the call data signals are satisfied.

2. The Sequence of Steps in the Method Claims

 The parties disagree over the sequence in which the four basic steps in the method claims, i.e., receiving call data signals, selecting a format, testing the selected format, and conditionally interfacing, must be performed. Specifically, the disagreement centers around the sequence of the selecting and testing The defendants contend that there is a steps. presumption that the steps in a method claim must be performed in the order they are listed in the claim particularly where, as here, the claim language indicates that the testing step must follow the selecting step. The plaintiffs contend that in some embodiments of the invention the testing step could be performed before the selecting step, particularly a situation where a group of formats are being tested, such as the validity bit check.

[46][47] Where the plain meaning of the claim language indicates a sequential nature to the claim steps and the specification does not suggest

otherwise, the steps must be performed in the order written in the claim. See <u>Mantech Environmental Corporation v. Hudson Environmental Services, Inc., 152 F.3d 1368, 1376 (Fed.Cir.1998)</u>. The testing step provides for "testing the selected format," which suggests that the format must be selected before this step can occur. While the specification does indicate that the validity bit check and other testing of formats as a group may occur before the selection of the format, the Court has already concluded that the validity bit check and other group testing is not encompassed by the testing step. Given the clear language and the suggested sequence of the steps provided in the claims, the Court concludes that: the testing step must be performed after the selecting step.

There is also some disagreement over the sequence in which the additional steps other than the four basic steps should be performed in the method claims. Claim 11 *632 calls out the additional step of "fetching control data addressable with said call data for use in the step of testing." Claims 15 calls out the additional step of "fetching data to specify demographic conditions." Thus, the Court concludes that it is clear from this claim language and the passages of the specifications discussed above regarding control words that: the steps of fetching in Claim 11 and Claim 15 must occur before the testing step.

Claim 20 of the '285 patent contains the additional steps of "selectively terminating certain select calls from said remote terminals in favor of said operator attended terminals" _[FN27] and "transferring substantially all of said certain select calls from said operator attended terminals back to said multiple port, multiple format data processing system." The defendants argue that these steps must be performed after the four basic steps that appear before them in the claim.

FN27. Claim 24 of the '285 also contains the step of selectively terminating certain select calls.

Claim 24 of the '285 patent includes the steps, in addition to the four basic steps, of "providing signal-represented call data from said remote terminals including calling numbers as additional call data signals" "storing a record of negative file data, said select processing format using said additional call data signals to access said record and obtain data to specify and test for negative file conditions," and





"terminating calls from said remote terminals if said calling number matches said data obtained from said negative file data." The defendants argue that the selectively terminating step must be performed after the four basic steps and the providing step, the storing step, and the terminating step must be performed before the four basic steps are performed.

As for the additional steps in Claims 20 and 24 of the '285 patent, the defendants do not point to any passages of the specification that demonstrate that the additional steps in those claims must be performed in any particular order. There is nothing in the claim language that suggests that those steps must be performed before, after, or during the four basic steps called out in the claims. Interpreting the plain claim language, there is no reason why calls could not be transferred to a live operator or transferred back to the system at any time during a call. Similarly, there is no reason shown in the claim language why a call could not be terminated at any time if the calling number matched negative file data. Thus, the Court concludes that: the claims do not require that the additional steps of Claims 20 and 24 be performed in any particular order.

🛂 3. "Call Data Signals"

-

The term "call data signals" which appears in the "testing the selected format" limitations also raises construction issues for the Court. In Claim 15 of the '150 patent and Claim 17 of the '285 patent, the term "call data signals" appears in the preamble and reads "call data signals, as to indicate called and calling numbers." In Claims 20 and 24 of the '285, the term "call data signals" is not limited in the preamble or elsewhere in the claim to called and calling numbers. The parties agree that in those claims, "call data signals" refers to called numbers, calling numbers, and equipment signals. See Column 4, lines 53 through 58 and 65 through 68 of the '285 patent.

The parties dispute the meaning of the term "equipment signals." Specifically, the defendants contend that "equipment signals" is limited to the signal disclosed in the specification, which is a signal that indicates whether the caller is using a touch tone telephone or a rotary dial telephone. Column 3 lines 65 through 68 of the '150 provides that "the call data may specifically include digital signals representative of the called number, the calling number (terminal number) and the terminal equipment." Column 4, lines 10 through 28 of the '150 patent provides that call data may be provided by the communication *633 facility for the called number, the calling

number, and "equipment, e.g. [exempli gratia] 'pulse' or 'tone' terminal." These passages of the specification do not require that the equipment signal only indicate whether the caller is calling from a pulse or tone terminal.

Column 11, lines 28 through 36 of the '285 patent provides that "[t]he bits '29' and '30' comprise a field 83 and may actuate a special form of the selected format. In the disclosed embodiment, the field 83 registers call data, as to indicate that the calling terminal is a 'pulse' (rotary dial) signal unit or a 'tone' (touch) signal unit." Field 83 in Figure 5 is labeled "equip." The plaintiffs argue that by dedicating two bits in memory for the equipment signal, Katz indicated that equipment signals may encompass more than touch tone or rotary, because only one bit would have been required to store that information. In light of the specification and Figure 5, the Court concludes that "equipment signal" is not limited to a signal indicating whether the caller is using a touch tone or rotary phone and means: a signal that provides information about the equipment from which the caller is making a call.

Another dispute the parties raised in connection with the term "call data signals" is which call data signals may be the basis for a test in the testing step. defendants argue that the only call data signal that can be tested in the testing step is DNIS. defendants argue that the equipment signal cannot be tested because equipment signals for touch tone or rotary phones did not exist at the time of the Katz patents. Putting aside whether an equipment signal that indicated rotary or touch tone phones existed at the time of the Katz patents, the specification clearly indicates that the equipment signal may be the basis for disqualifying callers from interfacing with a format. See Column 5, lines 1 through 4 of the '150 The claims language of the testing step is "testing the selected format in relation to said call data signals." Although Claim 15 of the '150 patent and Claim 17 of the '285 patent do not include equipment signals from the scope of call data signals in the preamble, there is no basis in the claim language or the specifications to conclude that the call data signals in the testing steps in Claim 20 and 24 of the '285 cannot include the equipment signal.

The defendants also argue that ANI cannot be included in the call data signals of the testing step because Katz disclaimed coverage for testing ANI in the prosecution history. The specifications clearly indicate that a caller's ANI may be used to disqualify him from interfacing with a format. See Column 4, lines 61 through 68 of the '150 patent. In the June

23, 1993 Supplemental Preliminary Amendment during the prosecution of the '285 patent, Katz distinguished his invention from a patent to Fisher by stating that "the patent to Fisher does not disclose receiving calls from random or unknown callers at large and limiting access upon testing imposed conditions specified by call data including DNIS from unknown callers." (Ex. 50) (emphasis in original). Contrary to the defendants' assertions, the Court concludes that Katz's statement, "call data including DNIS," is not exclusionary or limiting language and does not exclude ANI from the term "call data signals" in the testing step. Thus, the Court concludes that: the call data signals in the testing step may include the calling number or ANI.

4. "Conditionally Interfacing"

[49] The parties also dispute the meaning of the term "conditionally interfacing the selected format." The parties agree that if the testing step is satisfied, that is, the test is performed and the conditions are fulfilled, then the caller is connected to the selected format. The defendants contend that if the conditions associated with the format are not satisfied in the testing step, the caller is not connected to the format. The plaintiffs contend that the *634 claims are silent as to what happens if the tested conditions are not satisfied.

The term "conditional interfacing" in the context of the Katz patents connotes that the caller will be connected or interfaced with the selected format if any conditions associated with that format are satisfied. The term in itself does not connote what happens to the call if the format conditions are not satisfied, other than the call will not be interfaced with the format.

The specification provides that after the tests have been performed, "[i]f the call is accepted, the process moves to initiate the selected format interface as indicated by the block 40. Conversely, if the call is to be rejected, the process moves to the step indicated by block 32, i.e. reject the call as with a message and release the line." Column 6, lines 34 through 41 of the '150 patent; Column 8, lines 4 through 6 of the '285 patent (identical provision). Figure 2 of the '285 and '150 patents, which are flow diagrams illustrating the operating process of the system, indicate that if the tests are not correlated, i.e. the conditions are not met ("No" at 48), the call flows in the direction of the arrow to 32, and the caller receives a reject message (32) and the line is released (34).

The specifications indicate that one possible result from a call in which the conditions associated with the selected format are not satisfied is that the call will be rejected and the line released. there is nothing in the specifications or the claim language that requires a call to follow the disclosed embodiment in Figure 2 and the specifications reciting the embodied result of rejecting the call and releasing the line. Further, the term "conditionally interfacing" does not in itself raise the question as to what happens to the call if the conditions are not satisfied other than that the call it not interfaced with a format, and there is no other language in the claims that otherwise restricts what happens to a call if the conditions of a format are not satisfied. The Court will not import the limitation on the claim language proposed by the defendants from the specification because there is no "hook" in the claim language on which such a limitation can hang. See Renishaw PLC v. Marposs Societa' per Azioni, 158 F.3d 1243, 1248, 1252 (Fed.Cir.1998). Thus, the Court concludes that the claims does not require that the call be terminated if the conditions are not satisfied and the call is not interfaced.

Based on the foregoing, the Court construes the term "conditionally interfacing" to mean: connecting a call to the selected format once any conditions associated with that format have been satisfied.

5. "Live Operator Attended Terminals".

[50] The dispute surrounding the term "live operator attended terminals" centers on whether the prompts provided to the live operators must be identical to the vocal prompts in the automated formats. The plaintiffs contend that the prompts need only assist the operator with the call; the defendants contend that the prompts must simulate the automated format completely.

The claim language does not restrict the prompts displayed to live operator attended terminals in any way. The language of most of the claims at issue from the '285 patent calls out "a plurality of live operated attended terminals." Claim 17 of the '285 patent merely refers to "one of a plurality of operator stations with prompting capability."

As well, the specification does not indicate that the prompts to the live operator must mimic the automated formats. In Column 3, lines 20 through 24 of the '285 patent, the specification indicates that the processor provides formats to automate an interface or prompt a live operator at an operator station. In Column 5, lines 25 through 27 of the '285



4

patent, the specification provides that the operator station upon receiving a call receives and displays prompting format data for the attending *635 operator. Similarly, Column 6, lines 10 through 14 of the '285 patent indicates that when a caller is coupled to an operator station, the appropriate format data is transferred to the station for prompting the operator.

The Court concludes that: there is no indication in the claim language or the specification that the prompts displayed at the operating stations must be identical to the vocal prompts used in the automated formats. Thus, the Court concludes that: the Claims at issue are not restricted in that way.

6. "Selecting a Processing Format"

[51] The dispute surrounding this limitation is over which data signals control the selection of the format. As discussed above, in Claim 15 of the '150 patent and Claim 17 of the '285 patent, the limitation which reads "selecting a processing format of said multiple port, multiple format processing system for the calling remote terminal under control of said data signals as the selected format" indicates that the format is selected by the called and calling number, because "said" data signals are listed in the preamble of the claim as the called and calling number. However, in Claims 20 and 24 of the '285 patent, the data signals are not limited in the preamble of the claim; thus call data signals refers to the calling number, the called number, and the equipment signal.

The parties appear to agree that, despite the claim language "data signals," the only call data signal that selects the format is DNIS, or the called number. The specifications support this position. See Column 4 lines 30-31 of the '285 patent ("[T]he call unit CU might be reached by any of twenty telephone dialing numbers, each associated with a specific operating format of the processor P. One called number or set of numbers might be associated with an auction format of the processor P."); Column 5, lines 18 through 24 of the '150 patent ("If a positive validity bit ('1') is formed at the junction of the query block 30, a control word is fetched under command of the called number as indicated by the block 36."); Column 7, lines 13 through 19 of the '150 patent ("The control register 70 receives format control words specified by the called number and having a form as illustrated in Fig. 4."). The Court agrees that despite the use of the broad term "call data signals" in the claim language, it is clear in the context of the patent as a whole that the only call signal that could be used to select a format is the called number or DNIS.

7. "Demographic Conditions"

[52] Claim 15 of the '150 patent recites "[a] process according to claim 11 wherein said step of fetching control data includes fetching data to specify demographic conditions." The parties disagree over the construction of the term "demographic conditions." The plaintiffs argue that "demographic conditions" refers to conditions based on the geographic location of the caller. The defendants contend that "demographic conditions" pertain only to the area code of the caller.

It is clear from the specification that the term "demographic conditions" does not have its ordinary and common meaning in the context of the Katz patents, as both parties agree. In the context of discussing various tests or conditions that may be imposed, the specification provides that "[m]oving from the historic considerations, demographic tests may be specified as in relation to the geographic area manifest by the area code of the calling number." Column 6, lines 24 through 27 of the '150 patent. See also Column 12, lines 19 through 25 of the '150 patent. Katz lists several examples of "demographic conditions" in Column 7, lines 61 through 68 of the '150 patent. While all of the examples are conditions limiting calls based on a particular area code, one of the examples is a condition that limits calls to ANIs from a particular area code with particular prefix numerals.

*636 The Court concludes that although the specification discusses demographic conditions in terms the area codes of the calling numbers, there is nothing in the specification that indicates that an area code can be the *only* basis for a demographic condition. Indeed, in one of the examples provided in the specification by Katz, the callers' area codes are used in conjunction with the prefix numerals of the calling numbers to indicate the callers' geographic area and limit the calls from a particular area. This convinces the Court that "demographic conditions" are not restricted to conditions based on the callers' area codes only. Thus, the Court construes the term "demographic conditions" to mean: conditions used to limit a call based on the caller's geographic area.

8. "Means for Directly Forwarding"

[53] Claim 77 of the '285 is an apparatus claim and contains a limitation which reads "means for directly forwarding a call coupled to said interface means for forwarding a call from any one of said remote terminals to one of said plurality of live operator



(Cite as: 63 F.Supp.2d 583)

attended terminals under control of said call data signals when said remote terminals do not have the capability to digitally provide data."

The parties agree that this limitation is subject to means plus function analysis under § 112, ¶ 6. The function performed by the "means" is directly forwarding a call from a remote terminal to a live operator attended terminal. The defendants argue that although there is no structure that is clearly linked in the specifications to the function disclosed in the claims, this Court should identify the switch SW, line capture unit 62, call register 68, and the control unit 66 from Figures 1 and 3 of the '285 patent as the structures that correspond to the means.

Figure 3 illustrates elements of the switch SW in Figure 1. See Column 8, lines 32 through 34 of the '285 patent. Column 8, lines 50 through 57 of the '285 patent describes some of the elements of Figure 3 and provides that "[t]he line capture unit 62 also is connected to a control unit 66. Structurally, the control unit 66 may take the form of various computer facilities incorporating memory and logic capability to sequence and control specific Generally the control unit 66 functions.... implements specific formats which may involve coupling a caller either to a live operator station OS1--OSn or to the processor P." Column 12, lines 55 through 59 of the '285 patent indicates that "[i]f the call register 68 does not receive a validity '1' bit, the calling number is indicated to be barred with a consequence that the line is released by the control unit 66."

The Court concludes that based on the specifications, the structure that corresponds to the means is generally the switch SW in Figure 1 and specifically the control unit 66 in Figure 3. Based on the their descriptions in the specifications, the Court concludes that the other structures identified by the defendants, the line capture unit 62 and the call register 68, do not perform the function of directly forwarding a call from a remote terminal to a live operator attended terminal recited in the claim.

The defendants argue that because the claim also requires that the forwarding occur "when said remote terminals do not have the capability to digitally provide data," it does not apply in a situation in which a caller with a touch tone telephone fails or chooses not to push a button on the telephone. The Court concludes that in light of the ordinary and common meaning of the term "capability," this claim means that: a caller is switched to a live operator only when the remote terminal from which the caller

is calling is not technically capable of digitally providing data.

D. CLAIMS FROM THE '984 PATENT

The parties have presented Claims 4 and 15 of the '984 patent to the Court for *637 construction. The text of these claims appears in full in the Appendix.

In general, the '984 patent describes a system for use with a telephone network that controls callers' access to interactive voice applications to prevent misuse. The system can restrict callers' access to interactive voice applications by qualifying calls in different modes, such as "800" mode, "900" mode, or area code mode.

1. Claim 4

a. "First Response Unit Means"

[54] The first term presented by the parties to the Court for construction from the '984 patent is "first response unit means." The term in context reads "first response unit means for receiving calls in said '800' call mode." The plaintiffs argue that this term is not subject to means-plus-function analysis, despite the use of the word "means."

The Court concludes that "first response unit means" is not subject to means plus function analysis, despite the presumption to the contrary due to the word "means." The article presented by the plaintiffs, entitled "AT & T 2: Reaches Agreement with Rockwell" and dated August 26, 1986, discusses the use of audio response units in merging computer speech technology with automatic call distribution systems. (Ex. 362). The Court concludes that this article demonstrates that the term "audio response unit" or "ARU" was used by people in the art of computer telephony and would have connoted sufficient structure to those of ordinary skill in the art See Greenberg v. Ethicon Endoat the time. Surgery, Inc., 91 F.3d 1580, 1583 (Fed.Cir.1996).

The parties also dispute the meaning of the term "800 call mode" which appears in the same The plaintiffs contend that this term limitation. encompasses "800," "888," and other "toll-free" calls. The defendants agree with this construction, but argue that the term encompasses any call in which the charges are reversed and the call is free to the caller, including foreign access calls and "collect" calls.

Column 1, line 66 through Column 2, line 2 of the '984 patent provides that "[t]elephone calls may be and the like.

(Cite as: 63 F.Supp.2d 583)

accommodated without charge using '800' service or calling mode. Generally, the '800' calling mode accommodates free calls by callers in various areas to a particular station incurring the charges." Court concludes that it is not proper to determine at the construction stage whether "foreign access calls" and the like are specifically encompassed in the term "800 call mode." The Court agrees with the parties that the proper construction of "800 call mode" is: a toll-free call, ie. a call in which the caller is not

b. "Qualification Means"

charged for the call, such as an "800" or "888" call

[55] The term "qualification means" appears in context as "qualification means for qualifying said calls in said '800' call mode received by said first response unit to provide qualified calls." The parties agree that this term is subject to means-plus-function analysis under § 112, ¶ 6.

Column 4 lines 9 through 14 of the '984 patent provide that "with overall supervision by the control unit 28, the audio response units, 18, 20, and 22 answer and preliminarily qualify callers from the terminals T1-TN for connection through the coupler 24 to the interface processor 26." Column 4, lines 47 through 50 provide that " '[t]he audio response unit 18 is coupled to a free-call memory 32.' Generally, the unit 18 in cooperation with the memory 32 operates with the control unit 28 to qualify acceptable calls in the '800' mode."

The Court concludes that "qualification means" is subject to means-plus- function analysis. The Court concludes that the structures which correspond to the means and perform the function of qualifying said calls in '800' call mode are the audio response unit 18, control unit 28, and the free-call memory 32 in Figure 1 and the *638 required software to perform the function of qualifying callers.

c. "Second Response Unit Means for Receiving Calls in a Second Call Mode"

[56] The third limitation in Claim 1 of the '984 patent, upon which Claim 4 depends, provides for a "second response unit means for receiving calls in a second call mode." The parties dispute the meaning of the term "second call mode." The plaintiffs contend that the second call mode could encompass anything other than the 800 call mode, which is called out in the first limitation of the claim. defendants contend that the second call mode must encompass a 900 call mode because a 900 call mode

is called out in the preamble to the claim.

The preamble of Claim 4, which appears Claim 1, reads in part "[a] telephone call processing system for receiving calls from a multitude of terminals in different call modes including an '800' call mode and a '900' call mode." The central dispute is whether the recitation of " '900' call mode" in the preamble is a limitation on the claim such that the second call mode called out in the third limitation must be a 900 call mode.

[57] In determining whether the preamble is an additional limitation to the claim, a court must divine the function that the words of the preamble serve. If the claim preamble recites structural limitations of the invention, a court should consider the preamble a limitation on the claim. See Rowe v. Dror, 112 F.3d 473, 478 (Fed.Cir.1997). If the claim preamble recites a purpose or intended use for the invention in the preamble and the claim body recites a structurally complete invention, the preamble is not a claim limitation. Id. The patent as a whole should be reviewed to determine whether the preamble is structural or a mere statement of the purpose or use of the invention. Id.

The preamble of Claim 1 of the '984' patent calls out a system "for receiving calls from a multitude of terminals in different call modes including an '800' call mode and a '900' call mode." This quoted language does not invoke or refer to any structure of the invention. Similarly, the second response unit limitation recites that the second response unit receives calls in a second call mode. This language describes no structure as well. Thus, the Court concludes that the plain language of the Claim 1 indicates that the term "900 call mode" describes a function of managing the calls or a use of the invention, rather than a structural component of the system.

The specification is consistent with the claim language. Column 1, lines 54 through 66 of the '984 patent provides that

[t]he '900' calling mode is useful for implementing games and contest with telephone interface however, certain problems are systems; Specifically, certain telephone encountered. terminals, e.g. pay phones, do not accommodate '900' service. Also, with respect to certain forms of games and contests, it is important to offer members of the public an alternative 'free' method of participation. In general, the system of the present invention may be employed to implement '900' calling modes while accommodating 'free'

(Cite as: 63 F.Supp.2d 583)

participation with reasonable control.

This passage indicates that the invention may be used with a 900 call mode as a method of solving the problems discussed in the specification. Column 2, lines 3 through 17 discusses the problems with using traditional area code numbers with interface systems, including the possibility that an overwhelming number of people will respond. This passage indicates that another use of the invention is addressing problems with area code calls. Thus, the Court concludes that using a 900 call mode is only one of the uses of the invention.

Based on the claim language and the specification, the Court concludes that " '900' call mode" as used in the preamble of Claim 1 is more descriptive of an intended use of the invention than of its structure, *639 and thus, should not be construed as an additional limitation on the claim. Therefore, the Court will not construe the term "second call mode" to require the use of a "900 call mode" on this basis.

The defendants also argue that the prosecution history of the '984 patent requires that the second call mode be defined as the 900 call mode. In an Office Action dated March 21, 1991, the examiner rejected certain of Katz's claims as unpatentable over Fodale, including Claim 1. (Ex. 32). In the June 20, 1991 Amendment, Katz amended Claim 1 to specifically call out an 800 call mode and a 900 call mode in the preamble, just as the language appears in the claim as it was issued. The defendants contend that Katz included a "900 call mode" in Claim 1 in the June 20, 1991 Amendment to traverse the examiner's rejection of that claim, and thus, the term "second call mode" in the claim should be limited to the 900 call mode called out in the preamble of the claim.

The Court's careful independent review of the prosecution history, including the basis for the examiner's initial rejection of Claim 1, the amendments made by Katz, and the discussion in the amendment by Katz of the rejection of his claim as unpatentable over Fodale, reveals that the prosecution history cited by the defendants does not support their argument that "second call mode" should be limited to "900 call mode." The defendants point to no affirmative statement by Katz in his amendment that the term "second call mode" was synonymous with 900 call mode nor does the Court find any such statement by Katz. The mere addition of the term "900 call mode" in the preamble does not indicate that Katz was necessarily limiting the term "second call mode" because there is no statement in the prosecution history relating those two terms to each other. Katz did not in his June 20, 1991 submission

amend in any way the use of the term "second call mode" in Claim 1, which left that limitation without reference to the term "900 call mode."

Further, in the same June 20, 1991 Amendment, Katz amended Claim 2 to specifically call out a system wherein the second response unit receives calls in 900 call mode. It may be plausibly inferred that Katz added the phrase "900 call mode" in the preamble of Claim 1 to support his amended Claim 2, rather than to specifically overcome the examiner's objection based on Fodale. Thus, the prosecution history is at best ambiguous as to why Katz added the term "900 call mode" in the preamble of Claim 1. Because Katz did not clearly disclose his intention to do so, the Court will not limit the plain meaning of the claim language based on this ambiguous prosecution history.

Based on the foregoing, the Court concludes that "second call mode" means: a call mode, such as a 900 call mode or an area code mode, other than 800 call mode. The term does not necessarily mean the 900 call mode.

d. "Means for Processing Calls in an Interface Format"

[58] The parties agree that this limitation of Claim 4 of the '984 patent is subject to § 112, ¶ 6. The function performed by the means is processing calls The plaintiffs identify the in an interface format. interface processor 26 as the corresponding structure. The defendants contend that the structures that correspond to the means are the processor 26, random number generator 40, question memory 38, caller record 44, coincidence detector 42 and gate 46 of Figure 1, plus the associated software in Figure 2. The defendants contend that the software must be configured to implement a contest that provides questions to callers, receives answers entered by the callers on the keypad of their telephones, and determines winners of the contest.

The structures identified by the defendants are discussed in Column 8, line 65 through Column 9, line 57 and Column 4, line 57 through Column 5 line 18 as part of the illustrative embodiment of a game format. *640 In Column 6, lines 63 through 66, the specification provides that "the interface processor 26 receives the calling number and processes the contest format as described in detail below." Court concludes that the structure that performs the function of processing calls in an interface format is the interface processor 26 of Figure 1. The Court concludes that the structures that are discussed in the



context of the game format are not necessarily required to perform the function of processing calls in an interface format, because the game format is only an example of one type of interface format.

2. Claim 15

a. "Memory Means for Storing Caller Cues and Use Indications"

[59] The plaintiffs agree that all of the limitations of Claim 15 are subject to means-plus-function analysis except for the limitation that reads "memory means for storing caller cues and use indications for said caller cues in relation to said callers as identified by said identification signals." Consistent with the Court's conclusion above in footnote 14, the Court concludes that "memory means" would have connoted sufficient structure to one of ordinary skill in the art at the time of the Katz patents such that it is not subject to analysis under § 112, ¶ 6. The Court defines "memory means" as computer hardware that stores information, such as disks, RAM, or tapes.

The defendants also contend that the "caller cues" recited in this limitation must be quiz or lottery questions, as disclosed in the specification. Similar to the defendants' argument that the term "format" should be restricted to the seven disclosed formats, the Court concludes that there is no support in the claim language or specification for limiting the ordinary and common meaning of "cues" to only questions posed in a quiz or lottery. Thus, the Court construes the term "caller cues" to mean: questions or prompts which are given to a caller.

b. "Means for Selecting a Current Caller Cue"

[60] The last limitation in Claim 15 of the '984 patent reads "means for selecting a current caller cue from said memory means for one of said currently active callers for application to said cue means under control of said identification signals for said one of said currently active callers and said use indications in said memory means for said one of said currently active callers."

There is no dispute that the term "means for selecting a current caller cue" is subject to meansplus-function analysis. The function performed by the means is "selecting a current caller cue from said memory means for one of said currently active callers, under control of said identification signals ... The parties' dispute and said use indications." centers on whether the random number generator is one of the structures that correspond to the means.

The defendants contend that in addition to the gate 46, the interface processor 26, the coincidence detector 42, and the associated software, the random number generator 38 is essential to perform the function called out in the claim because the specification does not provide for a way to choose questions other than randomly. The plaintiffs contend that the specification shows that the coincidence detector 42 is the structure which decides whether a question is posed to a caller based on use indications associated with that caller.

The specification describes the process of selecting a caller cue in Column 4, lines 59 through Column 5, line 1, which provides that "[g]enerally, the interface processor 26 poses questions to calling contestants.... Questions given to contestants are selected from a memory 38 by a random number generator 40. Essentially, the memory 38 contains an inventory of questions addressable by number provided by the random number generator 40. The *641 address numbers for the generator 40 are also supplied to a coincidence detector 42 that also receives the address numerals of questions previously presented to a specific caller from a record 44." See also Column 8, line 65 through Column 9, line 28.

Thus, based on these passages of the specification, the Court concludes that the "means" in "means for selecting a current caller cue" corresponds to the interface processor 26, the coincidence detector 42, the random number generator 38, and the associated software to perform the function of selecting a current caller cue from memory under control of identification signals and use indications.

III. CONCLUSION

The foregoing constitutes the Court's construction of the terms presented by the parties from the twenty claims designated for the Markman hearing.

An appropriate Order follows.

ORDER

AND NOW, this 26th day of August, 1999, upon consideration of the briefs, expert testimony, and oral argument presented by the parties in connection with the Markman hearing held from May 24, 1999 through June 4, 1999, in which counsel for all parties participated, and upon consideration of the intrinsic and extrinsic records of the patents-at-issue as indicated in the foregoing Memorandum, it is hereby **ORDERED** that the meaning and scope of the patent claims asserted to be infringed and presented by the



L

14

*..<u>[</u>

÷.[

4D

(Cite as: 63 F.Supp.2d 583)

parties for construction are hereby determined as set forth in the foregoing Memorandum.

APPENDIX ANALYSIS CONTROL SYSTEM CLAIMS <u>'309 Patent,</u> Claim 51

46. A control system for use with a communication facility including remote terminals for individual callers, wherein each of said remote terminals may comprise a conventional telephone instrument including voice communication means, and digital input means in the form of an array of alphabetic numeric buttons for providing data, said control system comprising:

interface structure coupled to communication facility to interface said remote terminals for voice and digital communication, and including means to provide caller data signals representative of data relating to said individual callers developed by said remote terminals;

voice generator structure coupled through said interface structure for actuating said remote terminals as to provide vocal operating instructions to said individual callers;

record structure, including memory and control means, connected to receive said caller data signals from said interface structure for updating a file and storing digital caller data relating to said individual callers provided from said digital input means through said interface structure; and

qualification structure controlled by said record structure for testing caller data signals provided by a respective one of said individual callers to specify a consumable participation key for restricting the extent of access to said system to limit data stored from said respective one of said individual callers on the basis of entitlement.

51. A system according to claim 46 wherein said qualification structure restricts the extent of access by said respective one of said individual callers to a single use entitlement.

'707 Patent, Claim 33

26. An analysis control system for sue with a communication facility including remote terminals for individual callers, wherein each of said remote terminals may comprise a conventional telephone instrument including voice communication means and digital input means in the form of an array of alphabetic numeric buttons for *642 providing data and wherein said communication facility has a capability to automatically provide calling number identification data for at least certain of said individual callers, said analysis control system comprising:

an interface structure coupled to communication facility to interface said remote terminals for voice and digital communication;

voice generator structure coupled through said interface structure for actuating said remote terminals as to provide vocal operating instructions to said individual callers;

record structure, including memory and control means, connected to receive said calling number identification data provided automatically by said communication facility for at least certain of said individual callers, for accessing a file, and storing additional digital data provided by said callers;

qualification structure controlled by said record structure for testing said calling number identification data to specify a basis for entitlement defining a limit on use, for restricting the extent of access to said system for a respective one of said certain of said individual callers.

33. An analysis control system according to claim 26, wherein said limit on use relates to a dollar amount.

'707 Patent, Claim 104

96. An analysis control system for use with a communication facility including remote terminals for individual callers, wherein each of said remote terminals may comprise a conventional telephone instrument including voice communication means and digital input means in the form of an array of alphabetic numeric buttons for providing data wherein said communication facility has a capability to provide call data signals indicative of calling number identification data for at least certain of said individual callers, said analysis control system comprising:

interface structure coupled to said communication facility to interface each of said remote terminals for voice and digital communication, and including means to provide signals representative of data developed by said remote terminals and for receiving said calling number identification data;

voice generator structure coupled through said interface structure for actuating said remote terminals as to provide vocal operating instructions to said individual callers;

record structure, including memory and control means, connected to said interface structure for accessing a file and storing data relating to certain select ones of said individual callers in accordance with said calling number identification data;



qualification structure controlled by said record structure for controlling access to said system by said individual callers; and

means for processing at least certain of said data developed by said terminals and said calling number identification data relating to certain select ones of said individual callers.

- 103. A system according to claim 96 for use with a communication facility having a capability (DNIS) to provide called number identification data to identify a called number form a plurality of different numbers for calling, and further including means for selecting a specific one of a plurality of formats of said interface structure.
- 104. A system according to claim 103, wherein said called number identifies a specific one of a plurality of operating formats for interface.

'707 Patent, Claim 117

96. An analysis control system for use with a communication facility including remote terminals for individual callers, wherein each of said remote terminals may *643 comprise a conventional telephone instrument including voice communication means and digital input means in the form of an array of alphabetic numeric buttons for providing data wherein said communication facility has a capability to provide call data signals indicative of calling number identification data for at least certain of said individual callers, said analysis control system comprising:

interface structure coupled to said communication facility to interface each of said remote terminals for voice and digital communication, and including means to provide signals representative of data developed by said remote terminals and for receiving said calling number identification data;

voice generator structure coupled through said interface structure for actuating said remote terminals as to provide vocal operating instructions to said individual callers;

record structure, including memory and control means, connected to said interface structure for accessing a file and storing data relating to certain select ones of said individual callers in accordance with said calling number identification data;

qualification structure controlled by said record structure for controlling access to said system by said individual callers; and

means for processing at least certain of said data developed by said terminals and said calling number identification data relating to certain select ones of said individual callers.

- 115. A system according to claim 96, wherein said individual callers provide other data.
- 116. A system according to claim 115, wherein said individual callers provide caller credit card number data as said other data.
- 117. A system according to claim 116, wherein said individual callers provide expiration data for caller credit card number data.

<u>'707 Patent,</u> Claim 192

183. An analysis control system for use with a communication facility including remote terminals for individual callers, wherein each of said remote terminals may comprise a conventional telephone instrument including voice communication means and digital input means in the form of an array of alphabetic numeric buttons for providing data and wherein said communication facility has a capability to provide calling number identification data, said analysis control system comprising:

interface structure coupled to said communication facility to interface said remote terminals for voice and digital communication and including means to receive caller data signals representative of data relating to said individual callers, including caller personal identification data and said calling number identification data provided automatically from said communication facility;

voice generator structure coupled through said interface structure for actuating said remote terminals as to provide vocal operating instructions to said individual callers and to prompt said individual callers to enter data;

record testing structure connected to receive and test said caller data signals including said calling number identification data and said caller personal identification data against previously stored calling number identification and caller personal identification data; and

analysis structure for receiving and processing said caller data signals under control of said record testing structure.

191. An analysis control system according to claim 183, wherein said communication facility automatically provides called number identification data (DNIS) to identify a select called number from a plurality of called numbers.

*644 192. An analysis control system according to claim 191, wherein said select called number (DNIS) identifies a select format from a plurality of distinct



THE THE

} +

63 F.Supp.2d 583 (Cite as: 63 F.Supp.2d 583)

operating formats.

'863 Patent, Claim 49

27. An analysis control system for use with a communication facility including remote terminals for individual callers, wherein said remote terminals may comprise a conventional telephone instrument including voice communication means, and digital input means in the form of an array of alphabetic numeric buttons for providing data, said analysis control system comprising:

interface structure coupled to said communication facility to interface said remote terminals for voice and digital communication, and including means to provide caller data signals representative of data relating to said individuals callers developed by said remote terminals and including means to receive called number identification signals (DNIS) automatically provided by said communication facility to identify a select one of a plurality of different called numbers associated with a select format of a plurality of different formats;

record structure, including memory and control means, said record structure connected to receive said caller data signals from said interface structure for accessing a file and storing certain of said data developed by said remote terminals relating to certain select ones of said individual callers;

qualification structure coupled to said record structure for qualifying access by said individual callers to said select format based on at least two forms of distinct identification including callers customer number data and at least one other distinct identification data element consisting of personal identification data provided by a respective one of said individual callers; and

switching structure coupled to said interface structure for switching certain select ones of said individual callers at said remote terminals to any one of a plurality of live operators wherein said live operators can enter at least a portion of said caller data relating to said select ones of said individual callers through interface terminals, which is stored in said record structure.

49. An analysis control system according to claim 27, wherein an additional form of distinct identification is provided by said individuals callers on-line and is stored for subsequent use.

'863 Patent, Claim 50

50. A system according to claim 27, wherein said qualification structure further executes a test for unacceptable customer numbers based upon data

developed by said remote terminals indicative of said caller customer numbers.

27. (See above).

'863 Patent, Claim 65

65. An analysis control system for use with a communication facility including remote terminals for individual callers, wherein each of said remote terminals may comprise a conventional telephone instrument including voice communication means, and digital input means in the form of an array of alphabetic numeric buttons for providing data, said analysis control system comprising:

an interface structure coupled to said communication facility to interface said remote terminals for voice and digital communication, and including means to provide caller data signals representative of data relating to said individual callers developed by said remote terminals and including means to automatically receive called number identification signals (DNIS) to identify a select format from a plurality of formats;

voice generator structure coupled through said interface structure for actuating said remote terminals as to *645 provide voice operating instructions to said individual callers;

record structure, including memory and control means, said record structure connected to receive said caller data signals from said interface structure for accessing a file and storing digital caller data relating to said individual callers provided from said digital input means through said interface structure; and

qualification structure for testing caller data signals provided by at least one of said individual callers to specify a consumable participation key, said consumable participation key for use during a single predetermined period of time for restricting the extent of access to at least a portion of said system by said one of said individual callers on the basis of entitlement.

'863 Patent, Claim 171

93. An analysis control system for use with a communication facility including remote terminals for individual callers, wherein each of said remote terminals may comprise a conventional telephone instrument including voice communication means and digital input means in the form of an array of alphabetic numeric buttons for providing data and wherein said communication facility has a capability to provide call data signals indicative of calling number identification data and called number



identification data for at least certain of said individual callers, said analysis control system comprising:

interface structure coupled to said communication facility to interface each of said remote terminals for voice and digital communication, and including means to provide signals representative of data developed by said remote terminals and for receiving said calling number identification data and said called number identification data (DNIS) to identify one from a plurality of called numbers; voice generator structure coupled though said interface structure for actuating said remote terminals as to provide vocal operating instructions to said individual callers;

record structure, including memory and control means, said record structure connected to said interface structure for accessing a file and storing data relating to certain select ones of said individual callers in accordance with said calling number identification data;

qualification structure controlled by said record structure for controlling access to said system by said individual callers; and

means for processing at least certain of said data developed by said remote terminals relating to certain select ones of said individual callers.

169. An analysis control system according to claim \$\delta \text{93}\$, wherein said data relating to certain select ones of said individual callers includes credit card number data. Ţ

171. An analysis control system according to claim 169, wherein said credit card number data is tested against unacceptable credit card numbers.

CLAIMS INVOLVING PRODUCTS CARRYING PARTICIPATION NUMBERS '707 Patent, Claim 44

37. A process for controlling operations of an interface with a telephonic communication system including remote terminals for individual callers, wherein each of said remote terminals may comprise a conventional telephone instrument including voice communication means and digital input means in the form of an array of alphabetic numeric buttons for providing data and wherein said telephonic communication system has a central capability to automatically provide call data signals, indicative of calling number identification data (DNIS) or both, said process including the steps of:

*646 providing products carrying participation numbers specifying limits on use to entitle individual callers to access said operations of the interface with said telephonic communication system;

receiving said call data signals indicative of called number identification data including a called number (DNIS) dialed by a respective one of said individual callers to select a specific operating format from a plurality of operating formats of said operations of the interface;

coupling said remote terminals to said interface for providing voice signals to said individual callers and generating said voice signals for actuating said remote terminals as to provide vocal operating instructions to specific ones of said individual callers:

receiving digital identification data from said individual callers responsive to said voice signals including said participation numbers for said individuals callers and answer data developed by said remote terminals under control of said individuals callers;

qualifying said individual callers by testing to determine if said individual callers are entitled to access said operations of the interface based on said limits on use specified by said participation numbers for said individual callers and accordingly providing approval signals for qualified individual

conditionally accessing a memory with said participation numbers and storing data relating to calls from said individual callers;

processing at least certain of said answer data responsive to said approval signals; and

providing on-going accounting data to said individual callers at intervals during calls from said individual callers.

44. A process for controlling operations of an interface with a telephonic communication system according to claim 37, further comprising the step of: invalidating on-line said participation numbers after said limits on use specified by said participation numbers are reached.

'707 Patent, Claim 93

69. A process for controlling operations of an interface with a telephone communication system, said process including steps of:

providing products carrying participation numbers specifying limits on use to entitle individual callers to access said operations of the interface with said telephone communication system;

coupling remote terminals to said interface for providing voice signals to said individual callers and generating said voice signals for actuating said remote terminals as to provide vocal operating



įż

Cite as: 05 F.Supp.20 585)

instructions to specific ones of said individual callers;

receiving digital identification data from said individual callers responsive to said voice signals including said participation numbers for said individual callers and answer data provided from said remote terminals under control of said individual callers;

qualifying said individual callers by testing to determine if said individual callers are entitled to access said operations of the interface based on said limits on use specified by said participation numbers for said individual callers and accordingly providing approval signals for qualified individual callers;

accessing a memory with said participation numbers for said individual callers and storing data relating to calls from said individual callers;

*647 processing at least certain of said answer data responsive to said approval signals.

93. A process for controlling operations of an interface with a telephone communication system according to claim 69, wherein said participation numbers are numbers coded for verification.

'863 Patent, Claim 79

79. A process for controlling operations of an interface with a telephonic communication system including remote terminals for individual callers, wherein each of said remote terminals may comprise a conventional telephone instrument including voice communication means and digital input means in the form of an array of alphabetic numeric buttons for providing data and wherein said telephonic communications system has a capability to automatically provide call data signals indicative of calling number identification data or called number identification data (DNIS) or both, said process including the steps of:

providing products carrying concealed participation numbers specifying limits on use to entitle said individual callers to access said operations of the interface with said telephonic communications system;

receiving said call data signals indicative of called number identification data including a called number (DNIS) dialed by individual callers to select a specific operating format from a plurality of operating formats of said operations of the interface;

coupling remote terminals to said interface for providing voice signals to said individual callers and generating said voice signals for actuating said remote terminals as to provide vocal operating instructions to specific ones of said individual callers:

receiving digital identification data from said individual callers responsive to said voice signals including said participation numbers and answer data provided from said remote terminals under control of said individual callers;

qualifying said individual callers by testing to determine if said individual callers are entitled to access said operations of the interface based on said limits on use specified by said participation numbers and accordingly approving qualified individual callers;

conditionally aborting interaction during said operations of the interface with an individual caller at an [sic] remote terminal and coupling said remote terminal to an interface terminal under predetermined conditions for direct personal communication;

accessing a memory with said participation numbers and storing data relating to calls from said individual callers; and

processing at least certain of said answer data responsive to approving said qualified individual callers.

'863 Patent, Claim 190

188. A process for controlling operations of an interface with a telephone communications system, said process including the steps of:

providing products carrying key numbers for participation specifying limits on use to entitle individual callers to access said operations of the interface with said telephone communications system;

coupling remote terminals to said interface for providing voice signals to said individual callers and generating said voice signals for actuating said remote terminals as to provide voice operating instructions to specific ones of said individual callers;

receiving digital identification data from said individual callers responsive to said voice signals including said key numbers for said individual callers and answer data provided from said *648 remote terminals under control of said individual callers;

qualifying said individual callers by testing to determine if said individual callers are entitled to access said operations of the interface based on said limits on use specified by said key numbers for said individual callers and accordingly providing approval signals for qualified callers;

accessing a memory with said key numbers for said individual callers and storing data relating to calls



ļ.

ЦIJ

ļd

ľU

LN

17, 42

ű

from said individual callers; and providing certain of said voice signals to said individual callers to indicate computer generated number data formed during operations of the interface.

- 189. A process according to claim 188, wherein said computer generated number data is stored in said memory.
- 190. A process according to claim 189 wherein said computer generated number data is stored in association with said digital identification data.

CONDITIONAL FORMAT CLAIMS '150 Patent, Claim 15

10. A process for interfacing a telephonic communication system including remote terminals with a multiple port, multiple format data processing system, said multiple port, multiple format data processing system for concurrently processing data from said remote terminals according to a plurality of formats, at least one of said formats having at least one condition for a calling terminal, and wherein said telephonic communication system provides call data signals, as to indicate called and calling numbers, said process including the steps of:

receiving said call data signals from said telephonic communication system for a calling remote terminal;

selecting a processing format of said multiple port, multiple format processing system for the calling remote terminal under control of said data signals as the selected format;

testing the selected format in relation to said call data signals; and

conditionally interfacing said selected format to a calling terminal under control of said testing of call data signals.

- 11. A process according to claim 10 further including the step of fetching control data addressable with said call data for use in the step of testing.
- 15. A process according to claim 11 wherein said step of fetching control data includes fetching data to specify demographic conditions.

'285 Patent, Claim 17

17. A process for interfacing (1) a telephonic communication system including remote terminals either with (2) a multiple port, multiple format data processing system, said multiple port, multiple

format data processing system for concurrently processing data from said remote terminals according to a plurality of formats at least one of said formats at lease one condition for a calling terminal, or (3) one of a plurality of operator stations with prompting capability for a plurality of formats, and wherein said telephonic communications system provides call data signals, as to indicate called and calling numbers, said process including the steps of:

receiving said call data signals from said telephonic communications system for a calling remote terminal indicative of DNIS and ANI automatically provided by said telephonic communications system:

selecting a processing format either for said multiple port, multiple format processing system or one of said plurality of operator stations for the calling remote terminal under control of said data signals as the selected format;

testing the selected format in relation to said call data signals; and

*649 conditionally interfacing said calling terminal to said multiple port, multiple format data processing system for execution of said selected format or to one of said plurality of operator stations under control of said testing of call data signals.

'285 Patent, Claim 20

20. A method for interfacing (1) a telephonic communications system including individual remote calling terminals for individual callers with (2) a multiple port, multiple format data processing system, said multiple port, multiple format data processing system for concurrently processing data from said remote terminals according to a plurality of formats, at least of one said formats having at least one specified condition for said remote terminals calling to interface said data processing system, and (3) a plurality of live operator attended terminals and wherein said telephonic communication system includes the capability of providing call data signals, said method comprising the steps of:

receiving said call data signals from said telephonic communications system for said remote terminals calling to interface said data processing system including DNIS automatically provided by said telephonic communication system;

selecting for said remote terminals a select processing format from said plurality of formats of said multiple port, multiple format data processing system under control of said call data signals including DNIS provided by said telephonic communications system;

testing said select processing format in relation to



said call data signals;

conditionally interfacing said selected processing format to said remote terminals selectively terminating certain select calls from said remote terminals in favor of said operator attended terminals; and

transferring substantially all of said certain select calls from said operator attended terminals back to said multiple port, multiple format data processing system.

'285 Patent, Claim 24

19. A method for interfacing (1) a telephonic communications system including individual remote calling terminals for individual callers with (2) a multiple port, multiple format data processing system, said multiple port, multiple format data processing system for concurrently processing data from said remote terminals according to a plurality of formats, at least of one said formats having at least one imposed condition for said remote terminals calling to interface said data processing system and (3) a plurality of live operator attended terminals and wherein said telephonic communication system includes the capability of providing call data signals, said method comprising the steps of:

receiving said call data signals from said telephonic communications system for said remote terminals calling to interface said data processing system including DNIS automatically provided by said telephonic communication system;

selecting for said remote terminals a select processing format from said plurality of formats of said multiple port, multiple format data processing system under control of said call data signals including DNIS provided by said telephonic communications system;

testing said select processing format in relation to said call data signals;

conditionally interfacing said select processing format to said remote terminals under control of said testing in relation to said call data signals; and selectively terminating certain select calls from said remote terminals in favor of said operator attended terminals.

*650 22. A method for interfacing a telephonic communications system according to claim 19, further comprising the step of:

providing signal-represented call data from said remote terminals including calling numbers as additional call data signals.

24. a method for interfacing a telephonic communications system according to claim 22,

further comprising the steps of:

storing a record of negative file data, said select processing format using said additional call data signals to access said record and obtain data to specify and test for negative file conditions; and terminating calls from said remote terminals if said calling number matches said data obtained from said negative file data.

'285 Patent, Claim 77

65. An interface control system for use with, (1) a communication facility including remote terminals for individual callers to make calls, wherein said remote terminals may comprise a conventional telephone instrument including voice communication means and some of said remote terminals may further comprise digital input means for providing data, and (2) a multiple port, multiple format processor for concurrently processing data from a substantial number of callers in any of a plurality of formats, said communication facility automatically provides call data signals, as to indicate called data (DNIS), to select a particular format from said plurality of formats, and (3) a plurality of live operator attended terminals with prompting capability, for a plurality of formats, said interface control system comprising:

interface means for providing automated voice messages relating to a specific format to certain of said individual callers, wherein said certain of said individual callers digitally enter data through said digital input means;

means for directly forwarding a call coupled to said interface means for forwarding a call from any one of said remote terminals to one of said plurality of live operator attended terminals under control of said call data signals when said remote terminals do not have the capability to digitally provide data; means for processing coupled to said live operator attended terminals for processing caller information data entered by an operator at said live operator attended terminal; and

means for storing coupled to said interface means and said processing means for storing certain select data from said caller information data entered by said operator and data entered digitally by said individual callers.

77. An interface control system according to claim 65, wherein at least one of said plurality of formats has at least one imposed condition for said remote terminals calling to interface said interface control system.

'984 PATENT CLAIMS
'984 Patent, Claim 4

said currently active callers.

63 F.Supp.2d 583

END OF DOCUMENT

1. A telephone call processing system for receiving calls from a multitude of terminals in different call modes including an "800" call mode and a "900" call mode for processing to an interface format and involving digital signals associated with said terminals as for identification or data, said system

comprising: first response unit means for receiving calls in said "800" call mode;

qualification means for qualifying said calls in said "800" call mode received by said first response unit to provide qualified calls;

second response unit means for receiving calls in a second call mode;

means for processing calls in an interface format;

*651 means for coupling said qualified calls and said calls in a second mode to said means for processing.

4. A system according to claim 1 wherein said qualification means comprises means for testing said digital signals associated with said terminals originating said calls.

'984 Patent, Claim 15

15. A telephone interface system for individually interfacing callers at a multitude o[f] remote terminals for voice-digital communication through a telephone communication facility, said system comprising:

communication means for establishing telephone communication with currently active callers at certain of said terminals through said telephone communication facility;

means for providing identification signals to said communication means indicative of said currently callers, said means for providing identification signals comprising means for providing at least a portion of the digits associated with a remote terminal for identification;

memory means for storing caller cues and use indications for said caller cues in relation to said callers as identified by said identification signals; cue means for receiving said caller cues to provide voice signals through said communications means to prompt responses from said currently active of said callers in the form of digital data signals; and means for selecting a current caller cue from said memory means for one of said currently active callers for application to said cue means under control of said identification signals for said one of said currently active callers and said use indications in said memory means for said one of

(Cite as: 2003 WL 21212626 (Fed.Cir.))

Only the Westlaw citation is currently available.

This case was not selected for publication in the Federal Reporter.

NOTE: Pursuant to Fed.Cir.R. 47.6, this order is not citable as precedent. It is public record.

Please use FIND to look at the applicable circuit court rule before citing this opinion. Federal Circuit Rule 47.6. (FIND CTAF Rule 47.6.)

United States Court of Appeals, Federal Circuit.

MARLOW INDUSTRIES, INC., Plaintiff-Appellant, v.
IGLOO PRODUCTS CORP., Defendant-Appellee.

No. 02-1386.

May 23, 2003.

Before LOURIE, LINN, and PROST, Circuit Judges.

PROST, Circuit Judge.

IJ

} ±

ĻŲ

TIJ

*1 Marlow Industries, Inc. ("Marlow") appeals from the decision of the United States District Court for the Northern District of Texas granting summary judgment to Igloo Products Corp. and holding Marlow's United States Patent No. 4,726,193 ("the '193 patent"), as amended by Reexamination Certificate B1 4,726,193 ("the first reexamination") and Reexamination Certificate U.S. 4,726,193 C2 ("the final reexamination") unenforceable due to Marlow's inequitable conduct before the United States Patent and Trademark Office ("PTO"). Marlow Indus., Inc. v. Igloo Prods. Corp., No. 396-CV-2688-P. 2002 WL 485698 (N.D.Tex. Mar. 28, 2002). Because the district court did not commit error in granting Igloo's motion for summary judgment, we affirm the judgment.

I

The '193 patent covers picnic boxes. Independent claim 1 reads in pertinent part "[a] refrigerator/food warmer picnic box apparatus or the like comprising ... means ... for selectively heating and cooling and

circulating the air in the food compartment picnic box" (emphasis added). Marlow filed an infringement action against Igloo in September 1996 and cross-moved for partial summary judgment on September 29, 1997, claiming that, as a matter of law, several of the contested picnic boxes infringed the patent.

In an opinion dated April 3, 1998, the district court concluded, "it is obvious that the plain meaning of Claim 1 requires that the picnic box be capable of both 'heating and cooling." 'Both parties moved the court to reconsider its April 3 order. On September 1, 1998, the district court entered an order denying Marlow's motion for reconsideration, but granting Igloo's motion in part by vacating its prior ruling that some of the accused picnic boxes literally infringed the '193 patent, concluding rather that none of the accused products literally infringed the patent. The court left open several issues regarding infringement under the doctrine of equivalents.

In June 1998, Igloo requested the PTO to reexamine the '193 patent to consider prior art that was not previously considered. Marlow subsequently moved to stay further action in the district court until completion of the reexamination proceedings. Igloo's request for the final reexamination brought to the examiner's attention the pending infringement litigation in the district court between Marlow and Igloo, and included a copy of Marlow's brief in support of its September 29, 1997, motion for partial summary judgment. During the reexamination, Marlow attempted to amend the patent by adding claims 4 and 5. These claims included language that covers a picnic box, which "cools or heats" (independent claim 4) and which "only cools" (claim 5, depending from claim 4). The examiner rejected these claims pursuant to 35 U.S.C. § 305, which prohibits expanding the scope of the claimed invention during a reexamination.

Marlow then attempted for a second time to amend the patent by adding claims 6 and 7. These claims, both depending from claim 1, included language covering a picnic box, which "heats and circulates only warm air" (claim 6) and which "cools and only circulates cooled air" (claim 7). The examiner again rejected these claims as an attempt to impermissibly broaden the scope of the original patent. Marlow appealed the examiner's rejection of its four proposed amendments, to the Board of Patent Appeals and Interferences ("Board"). The Board affirmed the examiner's rejection of proposed claims 5-7. However, the Board reversed the examiner's rejection



of claim 4 on the basis that it, like preexisting claim 1, includes the "selectively heating and cooling" language and, thus, cannot be construed as enlarging the scope of the claimed invention.

*2 In August 2001, Igloo moved for summary judgment in the district court, in which the infringement action was pending, alleging that Marlow had committed inequitable conduct by failing to disclose to the examiner during the final reexamination of the '193 patent the court's prior claim construction of that patent. The district court determined that Marlow had failed during the reexamination to provide the examiner with the court's April 3 and September 1, 1998 orders, that these orders were material to the reexamination proceeding, and that Marlow knew or should have known that a patent examiner would have found such information material. The district court also found that Marlow failed to submit to the examiner its motion for reconsideration of the court's April 3 order, but the court did not analyze Marlow's inequitable conduct with regard to its failure to submit this document. Based upon these findings, the Lil court concluded that Marlow engaged in inequitable conduct before the PTO. The district court therefore granted Igloo's motion for summary judgment and declared all claims of the '193 patent unenforceable.

Marlow filed a timely appeal and we have jurisdiction pursuant to 28 U.S.C. § 1295(a)(1).

II

We review the district court's grant of summary judgment de novo, with all justifiable factual inferences being drawn in favor of the party opposing the motion. See Anderson v Liberty Lobby, Inc. 477 U.S. 242, 255 (1986). Summary judgment is appropriate where there is no genuine issue of material fact and the moving party is entitled to judgment as a matter of law. See Fed.R.Civ.P. 56(c). Under Anderson, whether a given factual dispute requires submission to a jury must be guided by the substantive evidentiary standards that apply to the case. 477 U.S. at 255. It is the substantive law's identification of which facts are critical and which facts are irrelevant that governs whether a genuine issue of material fact exists. Id. at 247-48.

It is well settled that patent applicants are required to prosecute patent applications "with candor, good faith, and honesty." <u>Molins PLC v Textron. Inc..</u> 48 F.3d 1172. 1178, 33 USPQ2d 1823, 1826 (Fed.Cir.1995). This duty likewise applies to reexamination proceedings. 37 C.F.R. § 1.555

(2002). A breach of this duty can take several forms, including the failure to disclose material information. *Molins*, 48 F.3d at 1178, 33 USPQ2d at 1826. Further, a breach of this duty, when coupled with an intent to deceive or mislead the PTO, constitutes inequitable conduct, which, when proven, renders the patent unenforceable. *Id* at 1178, 33 USPQ2d at 1827.

To establish Marlow's inequitable conduct, Igloo must show by "clear and convincing evidence" that Marlow failed to disclose material information with intent to deceive the PTO. Kingsdown Med Consultants Ltd v Hollister, Inc., 863 F.2d 867. 872, 9 USPQ2d 1384, 1389 (Fed Cir 1988); FMC Corp. v. Manitowoc Co., 835 F.2d 1411, 1415, 5 USPQ2d 1112, 1115 (Fed.Cir.1987). Once the materiality of the information and Marlow's intent to mislead have been established, the district court must "weigh them to determine whether the equities warrant a conclusion that inequitable conduct occurred." Molins, 48 F.3d at 1178, 33 USPQ2d at 1827. Moreover, when balanced against high materiality, the showing of intent can be proportionally less. <u>Brasseler, USA I. L.P. v.</u> Stryker Sales Corp., 267 F.3d 1370, 1381, 60 USPQ2d 1482, 1488 (Fed.Cir.2001).

*3 On appeal, Marlow maintains that the district court erred in granting summary judgment to Igloo because it raised genuine issues of material fact. the district According to Marlow. impermissibly weighed the evidence regarding its failure to disclose information to the PTO, the materiality of the allegedly withheld information, and Marlow's intent to deceive the PTO. Igloo counters that Marlow has no additional evidence to offer that would warrant changing the district court's determination or that would otherwise merit further proceedings. After drawing all justifiable inferences in favor of Marlow, we conclude that there are no genuine issues of material fact with regard to Marlow's inequitable conduct and Igloo is entitled to judgment as a matter of law.

Α

Marlow first argues that a genuine issue of material fact exists with regard to whether it withheld any information relating to the district court action from the PTO during the final reexamination. In this regard, Marlow notes that it advised the examiner that the '193 patent was the subject of an infringement action pending before the district court, the examiner was provided with copies of the particular documents relating to those proceedings



ű

which Igloo believed relevant to the final reexamination, and the entire record was made available to the examiner by Marlow's and Igloo's disclosures.

Igloo maintains that Marlow never once apprised the examiner of the substance of the district court's claim construction of the '193 patent or even of the fact that the court had construed the patent. Igloo specifically contends that the district court correctly found that Marlow failed to submit the three disputed documents to the examiner.

The district court did not err in concluding that there was no genuine issue of material fact with respect to Marlow's failure to submit copies of the disputed documents to the examiner during the final reexamination. In its responses to Igloo's Requests for Admission Nos. 92-94, Marlow admitted that at the time of the issuance of the final reexamination, the file wrapper did not include copies of these documents. We reject Marlow's argument that a genuine issue of material fact exists as to whether it withheld any information relating to the infringement action from the PTO. Informing the examiner of the pending infringement action is not commensurate with bringing to the examiner's attention the district court's prior claim construction of the patent or disclosing the court orders embodying this construction. See Rohm & Haas Co. v. Crystal Chem. Co., 722 F.2d 1556, 1572-73, 220 USPQ 289, 302 (Fed.Cir.1983) (concluding that a presumption that an examiner was able to find, with his expertise and adequate time, the critical data when he was presented with a "mountain of largely irrelevant data" ignores the real world conditions under which examiners work). Moreover, the only document from the infringement litigation submitted to the examiner was Marlow's motion for partial summary judgment filed on September 25, 1997, which was included as an exhibit to Igloo's request for reexamination. This document, however, was filed in the district court more than six months prior to the court's initial construction of the '193 patent and, thus, had no bearing on the scope of the claims at issue during the reexamination proceedings.

В

*4 Marlow next argues that a genuine issue of material fact exists with regard to the materiality of the district court's claim construction orders. "Materiality is not limited to prior art but embraces any information that a reasonable examiner would be substantially likely to consider important in deciding whether to allow an application to issue as a patent."

GFI, Inc. v Franklin Corp., 265 F.3d 1268, 1273, 60 USPQ2d 1141, 1143 (Fed Cir.2001) (emphasis in original); 37 C.F.R. § 1.56(b) (2002).

Marlow contends that in reaching its finding that its previous orders were material to the examiner's final reexamination of the '193 patent, the district court erroneously assumed that: (1) the construction of claim 1, and thus claim 4, applied by the Board was in conflict with the district court's construction of claim 1; and (2) Marlow was attempting during the reexamination to avoid the district court's requirement that to infringe the '193 patent an accused device had to be capable of both heating and cooling. According to Marlow, it argued to the examiner that claim I could not require both "simultaneous" heating and cooling because that would be physically impossible, which is not inconsistent with the district court's interpretation of the claim.

Igloo responds that the district court correctly concluded that the disputed documents were material to the final reexamination because: (1) they bore directly on the scope of the claims that Marlow attempted to amend; and (2) Marlow's interpretation of the patent asserted before the examiner was inconsistent with the district court's construction of the patent and Marlow's acquiescence to that construction.

The district court did not err in concluding that there was no genuine issue of material fact with respect to the materiality of the April 3 and September 1, 1998, orders to the final reexamination from the standpoint of a reasonable examiner reviewing Marlow's proposed amendments. Faced with Marlow's attempts to amend claim language in the 193 patent, the examiner had to first construe the scope of the claims, including the specific language covering picnic boxes that are capable of both "heating and cooling," to determine whether the proposed "cools or heats" language would impermissibly enlarge the scope of the patent. See 35 U.S.C. § 305(a) (2002). In addition, the district court's two previous orders construing the '193 patent and concluding that picnic boxes that only cooled did not infringe the patent were binding on the examiner under the doctrine of issue preclusion. See In re Freeman, 30 F.3d 1459, 1466-69, 31 USPQ2d 1444, 1448-51 (Fed.Cir.1994) (concluding that the Board was bound by the district court's prior interpretation of the reissue claims under the doctrine of issue preclusion). Thus, a reasonable examiner would have been substantially likely to consider these two orders important in deciding whether to allow the amendments to issue.



*5 Moreover, contrary to Marlow's assertion, whether or not the Board, applying the same construction of claim 1 as the district court, found claim 4 equivalent in scope to claim 1 is irrelevant to the materiality inquiry. This court has articulated the materiality criterion as follows:

[T]he standard to be applied in determining whether a reference is "material" is not whether the particular examiner of the application at issue considered the reference to be important; rather, it is that of a "reasonable examiner." Nor is a reference immaterial simply because the claims are eventually deemed by an examiner to be patentable thereover.

Molins, 48 F.3d at 1179, 33 USPQ2d at 1828 (citation omitted); Perseptive Biosystems, Inc. v. Pharmacia Biotech, Inc., 225 F.3d 1315, 1322, 56 USPQ2d 1001, 1006 (Fed.Cir.2000) (stating that a patent may be valid and yet be rendered unenforceable due to inequitable conduct). Thus, that the Board's interpretation of the '193 patent may have been consistent with the district court's previous construction does not eviscerate the materiality of the previous orders from the viewpoint of a reasonable be examiner in the first instance. Here, a reasonable examiner reviewing Marlow's proposed amendments would have considered the district court's prior construction of that patent important.

Lastly, Marlow argues that a genuine issue of material fact exists with regard to Marlow's intent to deceive the PTO. Intent to mislead does not require direct evidence, and is typically inferred from the facts. GFI, 265 F.3d at 1274, 60 USPQ2d at 1144. Intent may be inferred when a patent applicant knew, or should have known, that withheld information could be material to the PTO's consideration of the patent application. Critikon, Inc. v. Becton Dickinson Vascular Access, Inc., 120 F.3d 1253, 1256-57, 43 USPQ2d 1666, 1668-69 (Fed.Cir.1997); Brasseler, 267 F.3d at 1375-76, 60 USPQ2d at 1484; Merck & Co. v. Danbury Pharmacal, Inc., 873 F .2d 1418, 1422, 10 USPQ2d 1682, 1686 (Fed.Cir.1989) (stating that intent is most often proven by a showing of acts the natural consequences of which are presumably intended by the actor).

Marlow argues that a factual dispute exists with regard to its alleged intent to deceive the PTO. According to Marlow, the district court found intent by incorrectly assuming that claim 4 is broader than claim 1 and by disregarding the affidavit of Marlow's attorney denying an intent to deceive.

Igloo argues that the district court correctly concluded that Marlow acted with intent to deceive the PTO. According to Igloo, Marlow knew, or should have known that the examiner would have considered the district court's claim construction of the '193 patent (specifically its holding that cool only or heat only devices cannot infringe the '193 patent) material to Marlow's attempts to add claims directed to cool only or heat only devices. Igloo further contends that the affidavit of Marlow's counsel does not create a genuine issue of fact as to Marlow's intent because it consists of mere denials of an intent to deceive.

*6 The district court did not err in concluding that there was no genuine issue of material fact with respect to Marlow's intent to deceive the PTO by failing to submit the district court's prior orders construing the claims of the '193 patent when it proposed amended language during the final reexamination. The same attorney represented Marlow before the district court in this case and before the PTO during the final reexamination proceedings. See Critikon, 120 F.3d at 1257, 43 USPQ2d at 1669 (noting that the patent counsel who were handling the reissue proceedings were keenly aware of the ongoing district court litigation and the issues involved prior to the resolution of the reissue proceedings). Yet, despite the district court's prior holding that a picnic box had to both heat and cool to infringe the '193 patent, Marlow proposed claims using the disjunctive language of "cools or heats." See In re Freeman, 30 F.3d at 1465, 31 USPQ2d at 1448 (stating that "given the interpretation of the district court during the infringement litigation, it is clear that the amendments to the independent claims during reexamination attempt[ed] an end run around the [district court's] interpretation"). Under these circumstances and in light of the binding nature of the district court's prior claim construction, Marlow's failure to submit the April 3 and September 1, 1998, orders leads to a finding that Marlow intended to deceive the PTO. As the district court recognized when considering Igloo's inequitable conduct motion, Marlow should have known that a patent examiner would have found the two prior court orders considering the construction of the '193 patent material to the reexamination. Indeed, during the pendency of the reexamination, Igloo's counsel twice reminded Marlow by letter of its duty to disclose the district court's claim construction to the examiner. The only evidence Marlow offers to negate a finding of an intent to deceive is an affidavit from its counsel denying such deceitful intent. However, a mere denial of an intent to deceive is not sufficient where a



TU

Z

Slip Copy (Cite as: 2003 WL 21212626 (Fed.Cir.))

patentee faces a high level of materiality and proof that it knows or should have known of that materiality. *Critikon*, 120 F.3d at 1257, 43 USPQ2d at 1669 (citing *FMC Corp*., 835 F.2d at 1415, 5 USPQ2d at 1116).

CONCLUSION

In sum, we conclude that viewing the evidence in the light most favorable to Marlow, there is no genuine issue of material fact as to the materiality of the district court's April 3 and September 1, 1998, orders to the final reexamination of the '193 patent and Marlow's intent to deceive the PTO. Furthermore, the district court did not abuse its discretion in holding the '193 patent unenforceable. Accordingly, we affirm the district court's order granting summary judgment of invalidity to Igloo.

2003 WL 21212626 (Fed.Cir.)

END OF DOCUMENT

